DISTILL 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road. Aztec, NM 87410 District IV 20 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144


June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505


office

Pit or Below-Grade Tank Registration or Closure  Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐  Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☐		
Facility or well name: Patriot #1S API #: 30-045-32029 U/L @	or Otr/Otr P Sec. 29 T 26N R 13V	N
County: San Juan Latitude 36.45416 Longitude 108.23555		
Pit	Below-grade tank	10° 40° 10° 10° 10° 10° 10° 10° 10° 10° 10° 1
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	TER TIME
Workover	Construction material:	- GO SOFWED E
Lined 🛭 Unlined 🗌	Double-walled, with leak detection? Yes  If n	FEB 2006  GO BOEIVED  ot, explain why note (CONS. DIV.)
Liner type: Synthetic ⊠ Thickness <u>12</u> mil Clay □		- Called Substitutes of
Pit Volume <u>842</u> _bbl		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points) (C) (2702)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) <b>O</b>
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indi	cate disposal location: (check the onsite box if you
are burying in place) onsite \( \square\) offsite \( \square\) If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
		Kirtland Landfill substation. The pits
The drilling/reserve pit at the Patriot #1S closure. The pit liner cut off at the mudline and disposed of at the Waste Management Kirtland Landfill substation. The pits dimensions are 6' deep x 21' wide x 75' length with an average 3' slope and its center is 20' E of wellhead. See attached. Until a general permit is prepared and approved.		
Dugan Production Corp. intends to follow NMOCD guidelines modified only as necessary to comply with stipulations imposed by the Bureau of Land Management.		
tragal Production Corp. Micros to follow Prince Survey as necessary to comply with superioris imposed by the Bureau of Earle Warning Control.		
I hereby certify that the information above is true and complete to the best o been/will be constructed or closed according to NMOCD guidelines, Date:February 10, 2006		
Printed Name/Title Paul Sikora, Production Foreman Sign	nature	
Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents e operator of its responsibility for compliance with a	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
Approval: Printed Name/Fitle GENTY CL & GAS INSFERIEL, CST. (2)	Signature Denty To	FEB 1 3 2006

## PATRIAT 15 LEASE NAME



E 20 ft to center of pit.



Not to scale