DISTRICT 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road. Aztec, NM 87410 District IV

## State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004


Oil Conservation Division 1220 South St. Francis Dr.

S St. Francis Dr., Salita Pe, 1919 87505	anta Fe, NM 87505	
Pit or Below-Gra	ade Tank Registration or Closu	<u>ire</u>
Is pit or below-grade tar	nk covered by a "general plan"? Yes 🗌 No	o 🔀
Type of action: Registration of a pit	or below-grade tank \(\bigcap\) Closure of a pit or below-gr	ade tank 🗵
Operator: Dugan Production Corp. Telephone:	(505)325-1821 e-mail address: <u>pauls</u>	sikora@duganproduction.com
Address: P. O. Box 420, Farmington, NM 87499-0420		
Facility or well name: Patriot #93S API #: 30-045-32038 U/I	or Qtr/Qtr P Sec 28 T 26N R 13	<u>w</u>
County: San Juan Latitude 36.45416 Longitude 108.21750	NAD: 1927 🛛 1983 🗌 Surface Owner Federal 🖸	🛚 State 🗌 Private 🔲 Indian 🔲
		18 14 15 Te
<u>Pit</u>	Below-grade tank	ot, explain why not. RECEIVED ON S.
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	- and
Workover ☐ Emergency ☐	Construction material:	ot, explain why not. AECENED
Lined Unlined	Double-walled, with leak detection? Yes  If n	ot, explain why not.
Liner type: Synthetic ☑ Thickness <u>12</u> mil Clay ☐		ot, explain why not. RECEIVE DIV.
Pit Volume 1111 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points) 0
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indic	cate disposal location: (check the onsite box if you
are burying in place) onsite \( \square\) offsite \( \square\) If offsite, name of facility	. (3) Attach a general desc	ription of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No ⊠		
Attach soil sample results and a diagram of sample locations and excavation		
The drilling/reserve pit at the Patriot #93S closure. The pit liner cut off at the		nt Kirtland Landfill substation. The pits
dimensions are 6' deep x 21' wide x 99' length with an average 3' slope and		
Dugan Production Corp. intends to follow NMOCD guidelines modified on		
I hereby certify that the information above is true and complete to the best of	of my knowledge and haliaf. I further coutify that t	the above described his ar below grade tank has
been/will be constructed or closed according to NMOCD guidelines Date: February 10, 2006	, a general permit or an (attached) alternative	OCD-approved plan ⊠.
Printed Name/Title Paul Sikora, Production Foreman Sig	nature	
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents ne operator of its responsibility for compliance with a	of the pit or tank contaminate ground water or my other federal, state, or local laws and/or


Printed Name/Title CEPUTY OIL & GAS INSTECTION, CIST. (19

FEB 1 3 2006

## PATRIOT 935 LEASE NAME



NW 20 St to center of pit.



Not to scale