1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank cover	ered by a "general plan"? Yes 🗹 No 🗌	_					
WFS CLOSURE Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	<u> </u>					
Operator: <u>BURLINGTON RESOURCES OIL & GAS CO</u> Telephone:	e-mail address:						
Address: 801 CHERRY ST FORT WORTH, TX 76102							
Facility or well name: <u>HUBBARD #004A</u> API #: <u>30-045-</u>	$\frac{22858}{\text{U/L or Qtr/Qtr}} \qquad \frac{P}{\text{SEC}}$	<u>15</u> T <u>32N</u> R <u>12W</u>					
County: SAN JUAN Surface Owner: Federal State Private Indian	67 Longitude <u>108.07646</u>	NAD: 1927 🗹 1983 🗌					
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.						
Lined Unlined 🗹	Boule-walled, with leak detection. 163 (2) If not, ex	plant wity not.					
Liner Type: Synthetic Thickness mil Clay Electron Pit Volume 105 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) <u>10</u>					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>10</u>					
onsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo	ntered: No Ves If yes, show depth below gracations and excavations.	eneral description of remedial bound surface ft.					
Additional Comments: FEB 2006 VED Oliver State Oliver Oliver							
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	nowledge and belief. I further certify that the above-describe , a general permit , or an (attached) alternative OC	·					
Date:10/3/05	Mr Zank, FOR WPS						
Printed Name/Title Mark Harvey for Williams Field Services Sig	nature MI Duck, For WP's						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:		/ FFB 0 0 0 0000					
Printed Name/Title Signa	ature Demy Long	Date: 0 2 2006					

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: HUBBARD #004A Meter: 34573

Facility Diagram:



Sampling Diagram:



Pit Dimensions

14 Ft. Length

Width 14 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.98131

Longitude 108.07662

(NAD 1927)

Pit ID

API 30-045-22858

345731

Pit Type

Other

Date Closure Started: 3/4/05

Closure Method:

Pushed In

Date Closure Completed: 3/4/05

Bedrock Encountered ? \Box

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head

BTEX Space Total

(mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

130504MAR05 3/4/05 0 ASSESS Flr



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6092681

Client Project ID: NM Pits 02/18-03/04/2005

Lab Sample No: 607961968 Project Sample Number: 6092681-042

Client Sample ID: 130504MAR05 Matrix: Soil

Date Collected: 03/04/05 13:05 Date Received: 03/10/05 09:00

Citetic sample in: 130504MAROS				FIGULIA. SOLI		. '	Date Neceived: 03/10/03 07		
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles							-		
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	2						
Mineral Spirits	ND	mg/kg	12.	1.2	03/16/05 22:12	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2	03/16/05 22:12	RMN1			
Kerosene	ND	mg/kg	12.	1.2	03/16/05 22:12	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	03/16/05 22:12	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	03/16/05 22:12	RMN1	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2	03/16/05 22:12	RMN1			
n-Tetracosane (S)	101	X		1.0	03/16/05 22:12	RMN1	646-31-1		
p-Terphenyl (S)	110	X	•	1.0	03/16/05 22:12	RMN1	92-94-4		
Date Extracted	03/11/05				03/11/05				
Organics Prep									
Percent Moisture	Method: SM 2	540G					e.		
Percent Moisture	20.2	*		1.0	03/11/05	ALJ1			
GC/MS Volatiles									
UST VOCs in Soil	Prep/Method:	EPA 5030	Medium Soil / E	PA 8260	•				
Benzene	, ND	ug/kg	63.		03/15/05 10:54	AEP	71-43-2		
Toluene	ND	ug/kg	63.	1.2	03/15/05 10:54	AEP	108-88-3		
Ethylbenzene	ND	ug/kg	63.	1.2	03/15/05 10:54	AEP	100-41-4		
Xylene (Total)	ND	ug/kg	190	1.2	03/15/05 10:54	AEP	1330-20-7		
Dibromofluoromethane (S)	98	*		1.0	03/15/05 10:54	AEP	1868-53-7		
1,2-Dichloroethane-d4 (S)	103	x		1.0	03/15/05 10:54	AEP	17060-07-0		
Toluene-d8 (S)	98	X		1.0	03/15/05 10:54	AEP	2037-26-5		
4-Bromofluorobenzene (S)	95	x		1.0	03/15/05 10:54	AEP	460-00-4		

Date: 03/18/05

Page: 41 of 57

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

