

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.  
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or

13082

Proposed Alternative Method Permit or Closure Plan Application

Type of action:  Below grade tank registration  
 Permit of a pit or proposed alternative method  
X Closure of a pit, below-grade tank, or proposed alternative method  
 Modification to an existing permit/or registration  
 Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

OIL CONS. DIV DIST. 3

AUG 25 2015

45-35460

**Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request**

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: ConocoPhillips Company OGRID #: 217817  
Address: PO Box 4289, Farmington, NM 87499  
Facility or Well Name State Gas Com A 1E  
API Number 30-045-35460 OCD Permit Number: \_\_\_\_\_  
U/L or Qtr/Qtr N Section 36 Township 31N Range 12W County: San Juan  
Center of Proposed Design: Latitude 36.850517 Longitude -108.054227 NAD:  1927  1983  
Surface Owner:  Federal  State  Private  Tribal Trust or Indian Allotment

2.  
X Pit: Subsection F, G or J of 19.15.17.11 NMAC  
Temporary: X Drilling  Workover  
 Permanent  Emergency  Cavitation  P&A  Multi-Well Fluid Management Low Chloride Drilling Fluid  yes  no  
X Lined  Unlined Liner type: Thickness 20 mil X LLDPE  HDPE  PVC  Other \_\_\_\_\_  
X String-Reinforced  
Liner Seams: X Welded X Factory  Other \_\_\_\_\_ Volume: 7700 bbl Dimensions: L 120' x W 55' x D 12'

3.  
 **Below-grade tank:** Subsection I of 19.15.17.11 NMAC  
Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_  
Tank Construction material: \_\_\_\_\_  
 Secondary containment with leak detection  Visible sidewalls, liner, trench pit and automatic overflow shut-off  
 Visible sidewalls and liner  Visible sidewalls only  Other \_\_\_\_\_  
Liner type: Thickness \_\_\_\_\_ mil  HDPE  PVC  Other \_\_\_\_\_

**DENIED**  
Closure Report does not follow Approved Closure Plan.  
BY: Jonathan Kelly  
DATE: 10/5/2015 (505) 334-6178 Ext. 122  
Please Review, Revise, and Resubmit.

4.  
 **Alternative Method:**  
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.  
**Fencing:** Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  
 Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  
 Four foot height, four strands of barbed wire evenly spaced between one and four feet  
 Alternate. Please specify \_\_\_\_\_

6.

**Netting:** Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- Screen  Netting  Other \_\_\_\_\_
- Monthly inspections (If netting or screening is not physically feasible)

7.

**Signs:** Subsection C of 19.15.17.11 NMAC

- 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- X Signed in compliance with 19.15.16.8 NMAC

8.

**Variations and Exceptions:**

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

*Please check a box if one or more of the following is requested, if not leave blank:*

- Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

**Siting Criteria (regarding permitting):** 19.15.17.10 NMAC

*Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.*

**General siting**

**Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.**

- NM Office of the State Engineer - iWATERS database search;  USGS;  Data obtained from nearby wells

- Yes  No
- NA

**Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

- Yes  No
- NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks)**

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

- Yes  No

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks)**

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

- Yes  No

Within an unstable area. **(Does not apply to below grade tanks)**

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

- Yes  No

Within a 100-year floodplain. **(Does not apply to below grade tanks)**

- FEMA map

- Yes  No

**Below Grade Tanks**

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

- Yes  No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

- Yes  No

**Temporary Pit using Low Chloride Drilling Fluid** (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

- Yes  No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

- Yes  No

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

- Yes  No

<p>Within 100 feet of a wetland.          - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p><b><u>Temporary Pit Non-low chloride drilling fluid</u></b></p>	
<p>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).          - Topographic map; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.          - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;          - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 300 feet of a wetland.          - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p><b><u>Permanent Pit or Multi-Well Fluid Management Pit</u></b></p>	
<p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).          - Topographic map; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.          - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.          - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 feet of a wetland.          - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No

10.  
**Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  
 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  
 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
 Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

Previously Approved Design (attach copy of design)    API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

11.  
**Multi-Well Fluid Management Pit Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
 A List of wells with approved application for permit to drill associated with the pit.  
 Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  
 Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  
 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

Previously Approved Design (attach copy of design)    API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

12. **Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC

**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13. **Proposed Closure:** 19.15.17.13 NMAC

**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type:  Drilling  Workover  Emergency  Cavitation  P&A  Permanent Pit  Below-grade Tank  Multi-well Fluid Management Pit  
 Alternative
- Proposed Closure Method:  Waste Excavation and Removal  
 Waste Removal (Closed-loop systems only)  
 On-site Closure Method (Only for temporary pits and closed-loop systems)  
 In-place Burial  On-site Trench Burial  
 Alternative Closure Method

14. **Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15. **Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC

**Instructions:** Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	<input type="checkbox"/> Yes <input type="checkbox"/> No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

16.  
**On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17.  
**Operator Application Certification:**  
 I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): \_\_\_\_\_ Title: Regulatory Technician

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

e-mail address: \_\_\_\_\_ Telephone: \_\_\_\_\_

18.  
**OCD Approval:**  Permit Application (including closure plan)  Other (see attachment)  Other (see attachment)

**OCD Representative Signature:** \_\_\_\_\_ **Approval Date:** \_\_\_\_\_

**Title:** \_\_\_\_\_

DENIED

19.  
**Closure Report (required within 60 days of closure completion):** 19.15.17.13 NMAC  
*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*

X Closure Completion Date: 7/13/15

20.  
**Closure Method:**  
 Waste Excavation and Removal  On-Site Closure Method  Alternative Closure Method  Waste Removal (Closed-loop systems only)  
 If different from approved plan, please explain.

21.  
**Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*


- Proof of Closure Notice (surface owner and division)
- Proof of Deed Notice (required for on-site closure for private land only)
- Plot Plan (for on-site closures and temporary pits)
- Confirmation Sampling Analytical Results (if applicable)
- Waste Material Sampling Analytical Results (required for on-site closure)
- Disposal Facility Name and Permit Number
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.850517 Longitude -108.054227 NAD:  1927 X 1983

**Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Patsy Clugston Title: Staff Regulatory Technician

Signature:  Date: 8-24-15

e-mail address: Patsy.L.Clugston@conocophillip.com Telephone: 505-326-9518

**Burlington Resources Oil Gas Company, LP  
San Juan Basin  
Closure Report**

**Lease Name: State Gas Com A 1E  
API No.: 30-045-35460**

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. **(See report)**
- Plot Plan (Pit Diagram) **(Included as an attachment)**
- Inspection Reports **(Included as an attachment)**
- Sampling Results **(Included as an attachment)**
- C-105 **(Included as an attachment)**
- Copy of Deed Notice will be filed with County Clerk **(Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)**

**General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

**All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).**

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

**The pit was closed using onsite burial.**

3. The surface owner shall be notified of COPC's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

**The closure process notification to the landowner was sent via email. (See Attached)(Well located on State Land, certified mail is not required for Federal Land per BLM/OCD MOU.)**

4. Within 6 months of the Rig Off status occurring COPC will ensure that temporary pits are closed, re-contoured, and reseeded.

**The closure plan requirements were met due to rig move off date as noted on C-105.**

5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

**Notification is attached.**

- Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

**Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).**

- Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

**ConocoPhillips mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.**

- A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

**A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)( 1 )(b). (Sample results attached).**

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	.048 ug/kg
TPH	EPA SW-846 418.1	2500	90mg/kg
GRO/DRO	EPA SW-846 8015M	500	24 mg/Kg
Chlorides	EPA 300.1	1000/500	70 mg/L

- Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

**The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.**

- During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

**The integrity of the liner was not damaged in the pit closure process.**

- Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

**Dig and Haul was not required.**

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

**The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final re-contour has a uniform appearance with smooth surface, fitting the natural landscape.**

13. Notification will be sent to OCD when the reclaimed area is seeded.

**Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.**

14. COPC shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

**Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.**


15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

**Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.**

**The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: COP, State, State Gas Com A #1E, UL-N, Sec. 36, T 31N, R 12W, API # 30-045-35460**

# CONOCOPHILLIPS COMPANY

STATE GAS COM A #1E, 700' FSL & 1360' FWL  
 SECTION 36, T-31-N, R-12-W, NMPM, SAN JUAN COUNTY, NM  
 GROUND ELEVATION: 5880', DATE: MAY 5, 2011



CATHODIC GROUND BED  
 LAT: 36.850399° N  
 LONG: 108.054751° W  
 NAD 83

LATITUDE: 36°51.0205' N  
 LONGITUDE: 108°03.2228' W  
 NAD27

LATITUDE: 36.850345° N  
 LONGITUDE: 108.054339° W  
 NAD83

Submit To Appropriate District Office  
 Two Copies  
 District I  
 1625 N. French Dr., Hobbs, NM 88240  
 District II  
 1301 W. Grand Avenue, Artesia, NM 88210  
 District III  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources  
  
 Oil Conservation Division  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-105  
 July 17, 2008

1. WELL API NO.  
**30-045-35460**

2. Type of Lease  
 STATE     FEE     FED/INDIAN

3. State Oil & Gas Lease No.  
**B-11479-59**

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

4. Reason for filing:  
 **COMPLETION REPORT** (Fill in boxes #1 through #31 for State and Fee wells only)  
 **C-144 CLOSURE ATTACHMENT** (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name  
**State Gas Com A**

6. Well Number:  
**1E**

7. Type of Completion:  
 NEW WELL     WORKOVER     DEEPENING     PLUGBACK     DIFFERENT RESERVOIR     OTHER

8. Name of Operator  
**ConocoPhillips**

10. Address of Operator  
 PO Box 4298, Farmington, NM 87499

9. OGRID  
**217817**

11. Pool name or Wildcat

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
<b>BH:</b>										

13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released <b>11/12/14</b>	16. Date Completed (Ready to Produce)	17. Elevations (DF and RKB, RT, GR, etc.) 5880' GL
18. Total Measured Depth of Well	19. Plug Back Measured Depth	20. Was Directional Survey Made?	21. Type Electric and Other Logs Run	

22. Producing Interval(s), of this completion - Top, Bottom, Name

**23. CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED

**28. PRODUCTION**

Date First Production		Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> )				Well Status ( <i>Prod. or Shut-in</i> )	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - ( <i>Corr.</i> )	

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*)

30. Test Witnessed By

31. List Attachments


32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:  
 Latitude **36.850517°N** Longitude **-107.054227°W** NAD  1927  1983

*I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief*

Signature: Patsy Clugston    Name: Patsy Clugston    Title: Staff Regulatory Tech.    Date: 8-24-15

E-mail Address: Patsy.L.Clugston@conocophillips.com



Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

March 19, 2015

Mike Smith  
Conoco Phillips Farmington  
3401 E 30th St  
Farmington, NM 87402  
TEL: (505) 599-3424  
FAX

RE: CoP State Gas Com A #1E

OrderNo.: 1503617

Dear Mike Smith:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/14/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a light blue horizontal line.

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109

**Analytical Report**

Lab Order 1503617

Date Reported: 3/19/2015

**Hall Environmental Analysis Laboratory, Inc.**

**CLIENT:** Conoco Phillips Farmington

**Client Sample ID:** Reserve Pit

**Project:** CoP State Gas Com A #1E

**Collection Date:** 3/13/2015 8:15:00 AM

**Lab ID:** 1503617-001

**Matrix:** SOIL

**Received Date:** 3/14/2015 9:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 418.1: TPH</b>							Analyst: JME
Petroleum Hydrocarbons, TR	100	20		mg/Kg	1	3/19/2015 12:00:00 PM	18159

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:			
*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P	Sample pH Not In Range
R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits		

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1503617  
19-Mar-15

**Client:** Conoco Phillips Farmington  
**Project:** CoP State Gas Com A #1E


Sample ID: <b>MB-18159</b>	SampType: <b>MBLK</b>	TestCode: <b>EPA Method 418.1: TPH</b>								
Client ID: <b>PBS</b>	Batch ID: <b>18159</b>	RunNo: <b>24926</b>								
Prep Date: <b>3/16/2015</b>	Analysis Date: <b>3/19/2015</b>	SeqNo: <b>734509</b>	Units: <b>mg/Kg</b>							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID: <b>LCS-18159</b>	SampType: <b>LCS</b>	TestCode: <b>EPA Method 418.1: TPH</b>								
Client ID: <b>LCSS</b>	Batch ID: <b>18159</b>	RunNo: <b>24926</b>								
Prep Date: <b>3/16/2015</b>	Analysis Date: <b>3/19/2015</b>	SeqNo: <b>734510</b>	Units: <b>mg/Kg</b>							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	88	20	100.0	0	87.8	86.7	126			

Sample ID: <b>LCSD-18159</b>	SampType: <b>LCSD</b>	TestCode: <b>EPA Method 418.1: TPH</b>								
Client ID: <b>LCSS02</b>	Batch ID: <b>18159</b>	RunNo: <b>24926</b>								
Prep Date: <b>3/16/2015</b>	Analysis Date: <b>3/19/2015</b>	SeqNo: <b>734511</b>	Units: <b>mg/Kg</b>							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	94	20	100.0	0	94.5	86.7	126	7.29	20	

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit



Hall Environmental Analysis Laboratory  
 4901 Hawkins NE  
 Albuquerque, NM 87109  
 TEL: 505-345-3975 FAX: 505-345-4107  
 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: Conoco Phillips Farmingt

Work Order Number: 1503617

CS 03/16/15

RcptNo: 1

Received by/date: AF 03/16/15

Logged By: Celina Sessa 3/14/2015 9:00:00 AM Celina Sessa

Completed By: Celina Sessa 3/16/2015 9:09:17 AM Celina Sessa

Reviewed By: JA 03/16/15

### Chain of Custody

- Custody seals intact on sample bottles? Yes  No  Not Present
- Is Chain of Custody complete? Yes  No  Not Present
- How was the sample delivered? Courier

### Log In

- Was an attempt made to cool the samples? Yes  No  NA
- Were all samples received at a temperature of >0° C to 6.0° C? Yes  No  NA
- Sample(s) in proper container(s)? Yes  No
- Sufficient sample volume for indicated test(s)? Yes  No
- Are samples (except VOA and ONG) properly preserved? Yes  No
- Was preservative added to bottles? Yes  No  NA
- VOA vials have zero headspace? Yes  No  No VOA Vials
- Were any sample containers received broken? Yes  No
- Does paperwork match bottle labels? (Note discrepancies on chain of custody) Yes  No
- Are matrices correctly identified on Chain of Custody? Yes  No
- Is it clear what analyses were requested? Yes  No
- Were all holding times able to be met? (If no, notify customer for authorization.) Yes  No

# of preserved bottles checked for pH: \_\_\_\_\_  
 (<2 or >12 unless noted)  
 Adjusted? \_\_\_\_\_  
 Checked by: \_\_\_\_\_

### Special Handling (if applicable)

- Was client notified of all discrepancies with this order? Yes  No  NA

Person Notified: \_\_\_\_\_ Date: \_\_\_\_\_  
 By Whom: \_\_\_\_\_ Via:  eMail  Phone  Fax  In Person  
 Regarding: \_\_\_\_\_  
 Client Instructions: \_\_\_\_\_

17. Additional remarks:

### 18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.3	Good	Yes			





**Pit Closure Form:**

Date: 7/14/15

Well Name: STATE GAS COM A #1E

Footages: 700' FSL + 1300' FWL Unit Letter: N

Section: 30, T-31 -N, R-12 -W, County: SAN JUAN State: NM

Contractor Closing Pit: TRIPLE F

Pit Closure Start Date: 7/8/15

Pit Closure Complete Date: 7/13/15

Construction Inspector: Jared Chavez Date: 7/14/15

Inspector Signature: [Signature]

Revised 11/4/10

Office Use Only:  
Subtask \_\_\_\_\_  
DSM \_\_\_\_\_  
Folder \_\_\_\_\_

## Clugston, Patricia L

---

**From:** Payne, Wendy F  
**Sent:** Tuesday, June 30, 2015 10:20 AM  
**To:** GRP:SJBU Area 2; (Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; Horton Dwayne (ddhorton41@hotmail.com); Jonathan Kelly; Scott Smith; Smith, Cory, EMNRD (Cory.Smith@state.nm.us); GRP:SJBU Projects Civil Facility; Peter, Dan J; Birchfield, Jack D; Brant Fourr; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary Green J; GRP:PTRRC-SJ; GRP:SJBU Production Leads; Hamilton, Clayton C; Leboeuf, Davin J; Murphy, Mike R; Neuenschwander, Chris C; O'Nan, Mike J.; Peace, James T; Proctor, Freddy E; Roberts, Vance L.; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Wyckoff, Ervin E  
**Cc:** Chavez, Jared (PAC); Triple F  
**Subject:** Full Reclamation Notice: State Gas Com A 1E (Area 2 \* Run 202)  
**Importance:** High

Triple F Construction will move a tractor to the **State Gas Com A 1E** to start the full reclamation process including the pit closure on **Tuesday July 7, 2015**. If you have any questions or need further assistance, please contact Jared Chavez (505-793-7912).

Driving directions attached



STATE GAS COM  
A 1E.pdf

ConocoPhillips Well – Network # 10369826 Activity Code D250 (reclamation) & D260 (pit closure) PO: Kgarcia  
San Juan County, NM

### State Gas Com A 1E – State surface/State minerals

Onsite: n/a

Co-locate: State Gas Com A 1 (existing)

700' FSL & 1360' FWL

Sec. 36, T31N, R12W

Unit Letter " N "

Lease # B-11479-59

Latitude: 36° 51' 01" N (NAD 83)

Longitude: 108° 03' 16" (NAD 83)

Elevation: 5880'

Total Acres Disturbed: 3.14 acres

Access Road: 166.27 feet

API # 30-045-35460

Within City Limits: No

**Pit Lined: Yes**

**NOTE: Arch Monitoring IS required on this location.**

**Wendy Payne**  
ConocoPhillips-SJBU



Reclamation Form:

Date: 8/7/15

Well Name: STATE GAS Com A #1E

Footages: 700' FSL + 1300' FWL Unit Letter: N

Section: 36, T-31 -N, R-12 -W, County: SAN JUAN State: NM

Reclamation Contractor: TRIPLE F

Reclamation Start Date: 7/8/15

Reclamation Complete Date: 7/17/15

Road Completion Date: 7/17/15

Seeding Date: 7/20/15 - TRIPLE F

\*\*PIT MARKER STATUS (When Required): Picture of Marker set needed

MARKER PLACED : 7/29/15 (DATE)

LATITUDE: N36.850464

LONGITUDE: W-108.054166

Pit Manifold removed 7/13/15 (DATE)

Construction Inspector: JARED CHAVEZ Date: 8/7/15

Inspector Signature: [Signature]

Office Use Only: Subtask DSM Folder  Pictures

# CONOCOPHILLIPS COMPANY

STATE GAS COM A #1E

700' FSL & 1360' FWL

UNIT N SEC 36 T31N R12W

LEASE # B-11479-59

API # 30-045-35460

ELEV. 5880'

LATITUDE 36° 51 MIN. 01 SEC. N (NAD 83)

LONGITUDE 108° 03 MIN. 16 SEC. W (NAD 83)

SAN JUAN COUNTY, NEW MEXICO

EMERGENCY CONTACT: 1-505-324-5170

State Gaston A#1E  
CUTS 36, 3 IN RIAW  
"IN" BLM  
OBL

A photograph of a rectangular, rusty metal marker lying on a dirt surface. The marker has embossed text in four lines. A dark shadow of a person is cast over the left side of the marker. The ground is brown dirt with some dry twigs and debris scattered around.

State Gasline A#1E  
T-836, T3INR12W  
" BLM  
O B L





# ConocoPhillips Co.

1

ORDER 20705965

\*\*\*\*\*  
PLANNED MAINT. <InternalOrderSettlement>



BUS2007-000020705965-PRD

Order 20705965 Ord.type PM05  
Sup. Order Act.type P01  
Planning grp F52 M.Plan F10000123753  
Priority F Item 529367 Main WC PRONDPIT  
STATUS REL NMAT PRC SETC  
Description PRO PPM,1W,NEW DRILL STATE GASCOMALE

DUE DATE 03/30/2015

Func. Loc. HZ-F1-SJY-PROJECT-SPUDPIT Location  
PROJECTS RESERVE PITS Room  
OCC/TRRC Number  
Field Name  
Meter ID Number  
Equipment Cost Center A065175  
ABC ind.  
Begin Guarantee  
Warranty End

Sort Field  
Manufacturer :  
Manuf. Serial no:  
Model no :  
Technical ID no:  
Size/Dimension :

### Operation list

Op	Sub	Description	Workcenter
0010		PPM,1W,NEW DRILL RESERVE PIT INSP	CINSPN

PPM,1W,NEW DRILL RESERVE PIT INSP

1. WHAT IS CURRENT PIT STATUS? PRE-SPUD \_\_\_\_\_ DRILLED \_\_\_\_\_  
COMPLETED  CLEAN-UP \_\_\_\_\_

YES NO


2.  IS DRILLING RIG ON LOCATION?  
IF YES, WRITE CANCEL IN THE COMMENTS BELOW AND DO NOT PROCEED.  
IF NO, PROCEED TO NEXT STEP BELOW.
3.  IS THE LOCATION MARKED WITH THE PROPER FLAGGING?  
(CONST. ZONE, POLES, PIPELINES, ETC.)
4. PERMANENT IS THE TEMPORARY WELL SIGN ON LOCATION AND VISIBLE FROM ACCESS ROAD?
5.  IS THE ACCESS ROAD IN GOOD DRIVING CONDITION?  
(DEEP RUTS, BLADED)
6.  ARE THE CULVERTS FREE FROM DEBRIS OR ANY OBJECT PREVENTING FLOW?
7.  IS THE TOP OF THE LOCATION BLADED AND IN GOOD OPERATING CONDITION?
8.  IS THE FENCE STOCK-PROOF? (FENCES TIGHT, BARBED)

ORDER 20705965

- 9.   WIRE, FENCE CLIPS IN PLACE  
IS THE PIT LINER IN GOOD OPERATING CONDITION?  
(NO TEARS, UP-ROOTING CORNERS, ETC)
- 10.   IS THE LOCATION FREE FROM TRASH, OIL STAINS,  
AND OTHER MATERIALS? (CABLES, PIPE THREADS, ETC)
- 11.   DOES THE PIT CONTAIN TWO FEET OF FREE BOARD?  
(CHECK THE WATER LEVELS)
- 12.   IS THERE ANY STANDING WATER ON THE BLOW PIT?
- 13.   ARE THE PITS FREE OF TRASH AND OIL?
- 14.   ARE THERE DIVERSION DITCHES AROUND THE PITS FOR  
NATURAL DRAINAGE?
- 15.   IS THERE A MANIFOLD ON LOCATION?
- 16.   IS THE MANIFOLD FREE OF LEAKS AND HOSES IN GOOD  
CONDITION?
- 17.   WAS THE OCD CONTACTED?
- 18.   IF YES TO #17, WAS PICTURES TAKEN? (NEED TO BE  
ATTACHED TO WORK ORDER)
- 19.   IS PIT CLOSED AND RECLAMATION SCHEDULED?

DATE RECLAMATION SCHEDULED \_\_\_\_\_  
 IF YES, THIS PLAN WILL BE DEACTIVATED IN SAP.

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

SIGNATURE:  DATE: 3/31/15  
 END OF ORDER

**PIT Closure Check List / Well Name**

State Gas Com A #

(Checklist @ S:\gsREG\Regulatory Pits (ADM090-12yrs)\New Requirements\CHECKLISTS

aw ✓

Form C144 for PIT Closure

(Form located @ S:\gsREG\Regulatory Pits (ADM090-12 yrs)\New Requirements\C144 FORMS\PIT CLOSURE TEMPLATES\C144.PIT CLOSURE FORM UPDATED 7.16.13

aw ✓

Closure Report Summary-

(Form located @ S:\gsREG\Regulatory Pits (ADM090-12 yrs)\New Requirements\C144 FORMS\PIT CLOSURE TEMPLATES\PIT CLOSURE SUMMARY

If a State well #3 under the General Plan needs to be changed to read - was sent via PERMIT SUBMITTAL and take out "see attached". Well located on STATE Land.

aw ✓ NA

(Surface Owner Notification)-(Get from e-mail you originally sent to BLM w/ PIT Permit Packet)

N/A if a State well or D&H, May be N/A if open prior to 6/16/08

n/a

Proof of Deed Notice (Recordation for Fee only)-Notice can be found in DSM under the Completion Tab in Documents under ROW Documents.

aw ✓

C-102 Plat- (Print from APD Packet in New Drill section of well in DSM - Page 2 of APD)

aw ✓

Plot Plan (Pad Diagram - (Print from APD Packed in New Drill section of well in DSM - Page 17 of APD)

n/a

C-141 for Dig/Haul (If needed) - (Form located @ S:\gsREG\Regulatory Pits (ADM090-12 yrs)\New Requirements\C-144 FORMS\DIG & HAUL\DH CLOSURE TEMPLATE\C141-FORM - If sampling failed, will receive E-mail from Projects stating will need to be Dig & Haul

n/a

Second Sampling for Dig/Haul

aw ✓

C-105 - (Form located @ S:\gsREG\Regulatory Pits (ADM090-12yrs)\New Requirements\C144 FORMS\Pit Closure Templates\C105 FORM

aw ✓

Sampling Report - (Testing Samples results located @ S:\gsProj\tssjd-copy\Construction\Open Pit Inspections (EEF170) Wendy will have to give you access to those files so that you can open them.

aw ✓

Pit Closure Form (from Construction) - (Pit Closure Form located @ S:\gsProj\tssjd-copy\Construction\Open Pit Inspections (EEF170) Wendy will have to give you access to those files so that you can open them.

aw ✓

Proof of Closure Notice (email from Construction) - Wendy will send out an e-mail with Subject Line saying RECLAMATION NOTICE: Name of Well (Area \* Run) E-Mail notices located @ S:\gsREG\1 Wells List\Well name or in S:\gsProj\tssjd-copy\Construction\Open Pit Inspections (EEF170

aw ✓

Reclamation Form (from Construction) (Pit Closure Form located @ S:\gsProj\tssjd-copy\Construction\Open Pit Inspections (EEF170) Wendy will have to give you access to those files so that you can open them.

aw ✓

Pictures - (Pit Closure Form located @ S:\gsProj\tssjd-copy\Construction\Open Pit Inspections (EEF170). Well Sign Pic, Pit Marker Pic, & 2 Reclamation Pictures Wendy will have to give you access to those files so that you can open them.

aw ✓

Log of Inspections - (Pit Closure Form located @ S:\gsProj\tssjd-copy\Construction\Open Pit Inspections (EEF170) She will have to give you access to those files so that you can open them.

JK  
to send

SAP