

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

SEP 28 2015

Form C-141  
Revised August 8, 2011

Submit 1 Copy to appropriate District Office to  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report



Name of Company <b>Burlington Resources, a Wholly Owned Subsidiary of ConocoPhillips Company</b> Address <b>3401 East 30<sup>th</sup> St, Farmington, NM</b>	Contact <b>Lisa Hunter</b> Telephone No. <b>(505) 326-9786</b>
Facility Name: <b>San Juan 27-4 Unit 116</b>	Facility Type: <b>Gas Well</b>
Surface Owner <b>Forest</b>	Mineral Owner <b>Federal</b>
API No. <b>3003921007</b>	

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	32	27N	04W	1680	South	840	East	Rio Arriba

Latitude 36.52750 Longitude -107.26835

**NATURE OF RELEASE**

Type of Release <b>Unknown - Historic</b>	Volume of Release <b>Unknown</b>	Volume Recovered <b>60 c yds</b>
Source of Release <b>Below Grade Tank (BGT)</b>	Date and Hour of Occurrence <b>Unknown</b>	Date and Hour of Discovery <b>06/15/15</b>
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom? N/A	
By Whom? <b>N/A</b>	Date and Hour <b>N/A</b>	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		
Describe Cause of Problem and Remedial Action Taken.* <b>Below-Grade Tank Closure activities with samples taken resulting in constituents exceeded standards outlined by 19.15.17.13 NMAC. Historic contamination found.</b>		
Describe Area Affected and Cleanup Action Taken.* <b>NMOCD action levels for releases are specified in NMOCD's Guidelines for Leaks, Spills and Releases and the release was assigned a ranking score of 10. Historic hydrocarbon impacted soil was discovered during BGT closure sampling. Excavation measured approximately 23' X 21' x 3 (to 4.5') in depth, and approximately 60 cubic yards of soil transported to IEI land farm. The final report is attached for review.</b>		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: <b>Lisa Hunter</b>	Approved by Environmental Specialist: 	
Title: <b>Field Environmental Specialist</b>	Approval Date: <b>11/9/15</b>	Expiration Date:
E-mail Address: <b>Lisa.Hunter@cop.com</b>	Conditions of Approval: Attached <input type="checkbox"/>	
Date: <b>September 22, 2015</b>	Phone: <b>(505) 326-9786</b>	

\* Attach Additional Sheets If Necessary

#NCS 15 3133 7976

# **Rule** Engineering, LLC

Solutions to Regulations for Industry

---

September 18, 2015

Ms. Lisa Hunter  
ConocoPhillips  
San Juan Business Unit  
5525 Highway 64  
Farmington, New Mexico 87401

**Re: San Juan 27-4 Unit 116  
Below Grade Tank Closure Sampling and Release Report**

Dear Ms. Hunter:

This report summarizes below grade tank (BGT) closure sampling and remedial activities conducted at the ConocoPhillips San Juan 27-4 Unit 116, located in Unit Letter I, Section 32, Township 27N, Range 4W in Rio Arriba County, New Mexico. Site activities included collection and analysis of a 5-point composite soil closure sample from beneath the BGT, excavation of hydrocarbon impacted soils, and collection and analysis of excavation confirmation samples on June 24, 2015. A topographic map of the location is included as Figure 1 and an aerial site map is included as Figure 2.

## **BGT /Release Summary**

**Site Name** – San Juan 27-4 Unit 116

**Location** – Unit Letter I, Section 32, Township 27N, Range 4W

**API Number** – 30-039-21007

**Monument Latitude/Longitude** – N36.52746 and W107.26829

**BGT Latitude/Longitude** – N36.52750 and W107.26835

**Land Jurisdiction** – Forest Service

**Size of BGT** – 120 barrels

**Source of Release** – historic (beneath the BGT)

**Release Contents** – unknown

**Release Volume** – unknown

**Site Ranking** – 10

**Date of BGT Closure Soil Sampling** – June 24, 2015

**Date(s) of Rule Engineering, LLC (Rule) Field Work** – June 24, 2015

**Subcontractor(s)** – M & M Trucking (MMT)

**Amount of Contaminated Soil Excavated/Disposed** – estimated 60 cubic yards

## **BGT Closure Standards**

As outlined in 19.15.17.13 New Mexico Administrative Code (NMAC), BGT closure standards for the San Juan 27-4 Unit 116 are as follows: 0.2 milligrams per kilogram (mg/kg) benzene, 50 mg/kg total benzene, toluene, ethylbenzene, and total xylenes (BTEX), and 100 mg/kg total petroleum hydrocarbons (TPH).

### **Site Ranking**

In accordance with New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills, and Releases (August 1993), this site was assigned a ranking score of 10 (Table 1). Based on the ranking score of 10, action levels for remediated soils at the site are as follows: 10 mg/kg benzene, 50 mg/kg total BTEX, and 1,000 mg/kg TPH.

Depth to groundwater at the site was estimated to be 110 feet below ground surface (bgs) based on the elevation differential (100 feet) between the release location and the wash in Jaramillo Canyon.

A review was completed of the New Mexico Office of the State Engineer online New Mexico Water Rights Reporting System and no water wells were identified within a 1,000 foot radius of the location. Water well SJ 01205 is located approximately 2.5 miles from the location and has recorded depth to water of 750 feet bgs.

The nearest surface water, an unnamed wash which drains to Jaramillo Canyon is located approximately 280 feet west of the BGT.

### **Field Activities**

On June 24, 2015, Rule personnel conducted a visual inspection for surface/subsurface indications of a release. Soil discoloration and hydrocarbon odor was observed, indicating a release had occurred below the BGT. Rule personnel then collected five soil samples (S-1 through S-5) from 0.5 feet beneath the BGT liner. The field work summary sheet is attached.

On the same day, MMT excavated the petroleum impacted materials from below the BGT. Rule personnel provided excavation oversight and conducted field screening activities during remediation activities. On June 24, 2015, based on visual observation and field screening results, the excavation was halted, and Rule personnel collected five confirmation samples (SC-1 through SC-5) from the sidewalls and base of the excavation. Approximately 60 cubic yards of impacted soils were removed from an area of excavation measuring approximately 23 feet x 21 feet x 3 (to 4.5) feet in depth. Figure 3 provides the locations and results of the soil samples collected during the excavation clearance.

### **BGT Soil Sampling**

The five soil samples (S-1 through S-5) collected from below the BGT liner were combined to create soil confirmation sample SC-1 BGT. A portion of SC-1 BGT was field screened for volatile organic compounds (VOCs) and chlorides, and field analyzed for TPH per U.S. Environmental Protection Agency (USEPA) Method 418.1.

The portion of SC-1 BGT collected for laboratory analysis was placed into laboratory supplied glassware, labeled, and maintained on ice until delivery to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico. The sample was analyzed for BTEX per USEPA Method 8021B, TPH per USEPA Method 418.1, and chlorides per USEPA Method 300.0.

Field sampling results for closure sample SC-1 BGT reported VOCs at 1,877 parts per million (ppm) and TPH concentrations at 374 mg/kg. Field chloride concentrations were reported at 80 mg/kg. Laboratory analytical results for sample SC-1 BGT reported benzene and total BTEX concentrations as 0.18 mg/kg and 6.9 mg/kg, respectively. Laboratory analytical results for SC-1 BGT reported concentrations of 400 mg/kg TPH and 3.2 mg/kg chloride. Field and laboratory results for SC-1 BGT are summarized in Table 2, and the analytical laboratory report is attached.

#### **Excavation Soil Sampling**

From the excavation, Rule collected five confirmation soil samples (SC-1 through SC-5) from the sidewalls and base. Each soil sample was collected as a composite of sub-samples from within the sample locations. A portion of each composite soil sample was field screened for VOCs and field analyzed for TPH per USEPA Method 418.1.

Soil samples collected for laboratory analysis were placed into laboratory supplied glassware, labeled, and maintained on ice until delivery to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico. All samples were analyzed for BTEX per USEPA Method 8021B and TPH as gasoline range organics (GRO) and diesel range organics (DRO) per USEPA Method 8015D.

Field results for soil confirmation samples reported VOC concentrations below the NMOCD action levels of 100 ppm in all samples, except SC-5 with 1,221 ppm. Samples SC-1 through SC-5 had TPH concentrations below the NMOCD action levels of 1,000 mg/kg. Laboratory analytical results for soil confirmation samples SC-1 through SC-5 reported benzene, total BTEX, and TPH (GRO/DRO) concentrations below the applicable NMOCD action levels. Field sampling and laboratory analytical results are summarized in Table 3 and presented on Figure 3. The analytical laboratory report is attached.

#### **Conclusions**

On June 24, 2015, BGT closure sampling activities were conducted at the ConocoPhillips San Juan 27-4 Unit 116. Field and laboratory results for sample SC-1 BGT were reported below the BGT closure standards for benzene, total BTEX, and chlorides as outlined in 19.15.17.13.NMAC, but exceeded the BGT closure standard of 100 mg/kg for TPH. Based on field screening results, a release occurred below the former BGT.


Ms. Lisa Hunter  
San Juan 27-4 Unit 116  
September 18, 2015  
Page 4 of 4

On June 24, 2015, approximately 60 cubic yards of hydrocarbon contaminated soils were removed from within the impacted area. The final excavation measured approximately 23 feet x 21 feet x 3 (to 4.5) feet in depth. Five confirmation soil samples were collected from the sidewalls and base of the final excavation on June 24, 2015.

Field VOCs from the excavation were reported below the NMOCD action level of 100 ppm in all samples, except SC-5 with 1,221 ppm. Laboratory analytical results for soil confirmation samples (SC-1 through SC-5) reported benzene and total BTEX concentrations below the NMOCD action levels of 10 mg/kg and 50 mg/kg, respectively. All soil confirmation samples reported field and laboratory TPH concentrations below the NMOCD action level of 1,000 mg/kg. Based on laboratory analytical results, no further work is recommended.

Rule Engineering appreciates the opportunity to provide services to ConocoPhillips. If you have any questions, please contact me at (505) 325-1055.

Sincerely,  
**Rule Engineering, LLC**

  
Heather M. Woods, P.G.

**Attachments:**

Table 1. NMOCD Site Ranking Determination  
Table 2. BGT Soil Sampling Results  
Table 3. Excavation Soil Sampling Results  
Figure 1. Topographic Map  
Figure 2. Aerial Site Map  
Figure 3. Excavation Clearance Soil Analytical Map  
BGT Field Work Summary Sheet  
Analytical Laboratory Reports (#1506C09 and #1506C10)

**Table 1. NMOCD Site Ranking Determination**  
**San Juan 27-4 Unit 116**  
**Rio Arriba County, New Mexico**  
**ConocoPhillips**

Ranking Criteria	Ranking Score	Site-Based Ranking Score	Basis for Determination	Data Sources
<b>Depth to Groundwater</b>				
<50 feet	20	0	Elevation differential between location and wash in Jaramillo Canyon northwest of the location is 110 feet.	NMOCD Online database, Vigas Canyon Quadrangle, Google Earth, and Visual Inspection
50-99 feet	10			
>100 feet	0			
<b>Wellhead Protection Area</b>				
<1,000 feet from a water source, or <200 feet from private domestic water source	20 (Yes)	0	No water source or recorded water wells within 1,000 foot radius of location. Honolulu Tank is located 1,230 feet north of the location. Water well SJ 01205 is located approximately 2.5 miles southeast of the location and reports a depth to groundwater at 750 feet.	NMOSE NMWRRS, Vigas Canyon Quadrangle, Google Earth, and Visual Inspection
	0 (No)			
<b>Distance to Surface Water Body</b>				
<200 horizontal feet	20	10	An unnamed, ephemeral wash which drains north to the wash in Jaramillo Canyon is located approximately 280 feet west of the BGT.	Vigas Canyon Quadrangle, Google Earth, and Visual Inspection
200 to 1,000 horizontal feet	10			
>1,000 horizontal feet	0			
<b>Site Based Total Ranking Score</b>		<b>10</b>		

**Table 2. BGT Soil Sampling Results**  
**San Juan 27-4 Unit 116**  
**Rio Arriba County, New Mexico**  
**ConocoPhillips**


Sample ID	Date	Sample Type	Sample Depth (ft below BGT)	Field Sampling Results			Laboratory Analytical Results			
				VOCs (PID) (ppm)	TPH (mg/kg)	Chloride (mg/kg)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
BGT Closure Standards*				----	100	250	0.2	50	100	250
SC-1 BGT	Jun 24, 15	composite	0.5	1,877	374	80	0.18	6.9	400	3.2

Notes: PID - photo-ionization detector  
 ppm - parts per million  
 mg/kg - milligrams/kilograms  
 VOCs - volatile organic compounds  
 TPH-total petroleum hydrocarbons per USEPA Method 418.1  
 BTEX - benzene, toluene, ethylbenzene, and total xylenes  
 \*19.15.17.13 NMAC

**Table 3. Excavation Soil Sampling Results**  
**San Juan 27-4 Unit 116**  
**Rio Arriba County, New Mexico**  
**ConocoPhillips**

Sample ID	Date	Location	Sample Depth (ft bgs)	VOCs* (PID) (ppm)	TPH* (418.1) (mg/kg)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH-GRO	TPH-DRO
								(mg/kg)	
EPO/NMOCD Action Levels**				100	1,000	10	50	1,000	
SC-1	Jun 24, 15	North Wall	0 to 4.5	48.0	45.7	<0.049	<0.246	<4.9	<9.6
SC-2	Jun 24, 15	South Wall	0 to 3.0	59.6	76.7	<0.050	<0.249	<5.0	<9.6
SC-3	Jun 24, 15	East Wall	0 to 3.5	50.6	56.0	<0.049	<0.244	<4.9	24
SC-4	Jun 24, 15	West Wall	0 to 4.5	2.6	53.4	<0.049	<0.245	<4.9	<9.6
SC-5	Jun 24, 15	Base	3.0 (to 4.5)	1,221	486	0.16	2.2	260	110

- Notes:
- \* field results
  - ft bgs - feet below ground surface
  - VOCs - volatile organic compounds
  - PID - photo-ionization detector
  - ppm - parts per million
  - mg/kg - milligrams/kilograms
  - TPH-total petroleum hydrocarbons
  - BTEX - benzene, toluene, ethylbenzene, and xylenes
  - TPH-GRO - total petroleum hydrocarbons-gasoline range organics
  - TPH-DRO - total petroleum hydrocarbons-diesel range organics



**Legend**  
 ★ San Juan 27-4 Unit 116 Monument Location

San Juan 27-4 Unit 116  
 N36.52746, W107.26829

Copyright © 2013 National Geographic Society, Inc.


**Rule Engineering, LLC**  
 Solutions to Regulations for Industry



**Location**  
 I-32-T27N-R4W  
 N36.52746, W107.26829  
 Rio Arriba County, New Mexico

**Topographic Map**  
 ConocoPhillips  
 San Juan 27-4 Unit 116

Date: 9/18/2015 File: 150729 San Juan 27-4 Unit 116 Topo Map Figure: 1



- Legend**
- Soil Sample
  - Berm
  - - - Fence
  - ⋯ Excavation
  - ▨ Meter House
  - Former BGT
  - ★ Well Head

Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

<p><b>Rule Engineering, LLC</b> Solutions to Regulations for Industry</p>			<p><b>Location</b> I-32-T27N-R4W N36.52746, W107.26829 Rio Arriba County, New Mexico</p>	<p><b>Aerial Site Map</b> ConocoPhillips San Juan 27-4 Unit 116</p>
			<p>Date: 9/18/2015</p>	<p>File: 150729 San Juan 27-4 Unit 116 Aerial Map</p>

**Legend**

- Soil Sample Location
- Berm
- - - Fence
- ⋯ Excavation Extents
- ◻ Former BGT
- ★ Well Head

Notes:  
 SC-1 BGT is a five-point composite sample taken on 6/24/2015.  
 BTEX= benzene, toluene, ethylbenzene, and xylenes  
 VOCs= volatile organic compounds  
 TPH= total petroleum hydrocarbons  
 Benzene, BTEX, TPH, and Chloride units in milligrams per kilogram.  
 VOC units in parts per million.

**SC-1 BGT**

Benzene	0.18
Total BTEX	6.9
TPH	400
Chloride	3.2

SC-1	0-4.5'
VOCs	48.0
TPH (418.1)	45.7
Benzene	<0.049
BTEX	<0.246
GRO	<4.9
DRO	<9.6


SC-4	0-4.5'
VOCs	2.6
TPH (418.1)	53.4
Benzene	<0.049
BTEX	<0.245
GRO	<4.9
DRO	<9.6

SC-3	0-3.5'
VOCs	50.6
TPH (418.1)	56.0
Benzene	<0.049
BTEX	<0.244
GRO	<4.9
DRO	24

SC-2	0-3.0'
VOCs	59.6
TPH (418.1)	76.7
Benzene	<0.050
BTEX	<0.249
GRO	<5.0
DRO	<9.6

SC-5	3.0'-4.5'
VOCs	1,221
TPH (418.1)	486
Benzene	0.16
BTEX	2.2
GRO	260
DRO	110

Excavation: 21' x 23' x 3.0-4.5' in depth



**Rule Engineering Field Work Summary Sheet**

Company: ConocoPhillips  
 Location: San Juan 27-4 Unit 116  
 API: 30-039-21007  
 Legals: I-S32-T27N-R4W  
 County: Rio Arriba  
 Land Jurisdiction: Forest Service

Date: 24-Jun-15  
 Staff: Debbie Watson

Monument GPS: 36.52746, -107.26829  
 BGT GPS: 36.52750, -107.26835

**Siting Information based on BGT Location:**

Site Rank **10**

Groundwater: Elevation differential location and wash in Jaramillo Canyon (>100 ft)  
 Surface Water: Unnamed wash located 280 feet west of BGT  
 Wellhead Protection: No water source or recorded water well within 1,000 foot radius

Objective: Closure sampling for BGT  
 Tank Size: No tank, removed in December  
 Liner: Not in place.  
 Observations: Staining and hydrocarbon odor.  
 Notes: Following BGT sampling , excavation of impacted soils .

**Field Sampling Information**

Name	Type of Sample	Collection Time	Collection Location	VOCs <sup>1</sup> (ppm)	VOCs time	TPH <sup>2</sup> mg/kg	TPH Time	Chloride <sup>3</sup> mg/kg	Chloride Time
SC-1	composite	9:45	see below	1877	10:05	374	10:18	80	10:23

SC-1 is a 5-point composite of S-1 through S-5, collected 0.5 ft below tank liner.  
 Sample SC-1 was laboratory analyzed for TPH (418.1), BTEX (8021) and chlorides (300.0).




**Field Sampling Notes:**

<sup>1</sup> Field screening for volatile organic compounds (VOC) vapors was conducted with a photo-ionization detector (PID). Before beginning field screening, the PID was calibrated with 100 parts per million (ppm) isobutylene gas.

<sup>2</sup> Field analysis for TPH was conducted using a total hydrocarbon analyzer. Prior to field analysis, the machine was calibrated following the manufacturer's procedure which includes calculation of a calibration curve using known concentration standards.

<sup>3</sup>Field screening for chlorides was conducted using the Hach chloride low range test kit. Chloride concentrations are determined by drop count titration method using silver nitrate titrant.



Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

July 02, 2015

Deborah Watson  
Rule Engineering LLC  
501 Airport Dr., Ste 205  
Farmington, NM 87401  
TEL: (505) 860-2712  
FAX

RE: San Juan 27-4 #116

OrderNo.: 1506C09

Dear Deborah Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 6/25/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman".

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109



Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

## Case Narrative

WO#: 1506C09  
Date: 7/2/2015

---

**CLIENT:** Rule Engineering LLC  
**Project:** San Juan 27-4 #116

---

Analytical Comments for 8021BTEX\_S, Sample 1506C09-001A, Batch ID 19955 : Surrogate "S" flag due to matrix interference.

**Hall Environmental Analysis Laboratory, Inc.**

CLIENT: Rule Engineering LLC  
 Project: San Juan 27-4 #116  
 Lab ID: 1506C09-001

Matrix: SOIL

Client Sample ID: SC-1 BGT  
 Collection Date: 6/24/2015 9:45:00 AM  
 Received Date: 6/25/2015 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 418.1: TPH</b>							Analyst: <b>TOM</b>
Petroleum Hydrocarbons, TR	400	20		mg/Kg	1	6/26/2015	19964
<b>EPA METHOD 300.0: ANIONS</b>							Analyst: <b>LGT</b>
Chloride	3.2	1.5		mg/Kg	1	7/1/2015 6:38:33 PM	20057
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	0.18	0.049		mg/Kg	1	6/28/2015 10:27:17 AM	19955
Toluene	0.40	0.049		mg/Kg	1	6/28/2015 10:27:17 AM	19955
Ethylbenzene	1.1	0.049		mg/Kg	1	6/28/2015 10:27:17 AM	19955
Xylenes, Total	5.2	0.097		mg/Kg	1	6/28/2015 10:27:17 AM	19955
Surr: 4-Bromofluorobenzene	262	80-120	S	%REC	1	6/28/2015 10:27:17 AM	19955

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	O RSD is greater than RSDlimit	P Sample pH Not In Range
	R RPD outside accepted recovery limits	RL Reporting Detection Limit
	S Spike Recovery outside accepted recovery limits	

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1506C09

02-Jul-15

**Client:** Rule Engineering LLC

**Project:** San Juan 27-4 #116

Sample ID	<b>MB-20057</b>	SampType:	<b>MBLK</b>	TestCode:	<b>EPA Method 300.0: Anions</b>					
Client ID:	<b>PBS</b>	Batch ID:	<b>20057</b>	RunNo:	<b>27235</b>					
Prep Date:	<b>7/1/2015</b>	Analysis Date:	<b>7/1/2015</b>	SeqNo:	<b>815813</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	<b>LCS-20057</b>	SampType:	<b>LCS</b>	TestCode:	<b>EPA Method 300.0: Anions</b>					
Client ID:	<b>LCSS</b>	Batch ID:	<b>20057</b>	RunNo:	<b>27235</b>					
Prep Date:	<b>7/1/2015</b>	Analysis Date:	<b>7/1/2015</b>	SeqNo:	<b>815814</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	96.2	90	110			

Sample ID	<b>1506C09-001AMS</b>	SampType:	<b>MS</b>	TestCode:	<b>EPA Method 300.0: Anions</b>					
Client ID:	<b>SC-1 BGT</b>	Batch ID:	<b>20057</b>	RunNo:	<b>27235</b>					
Prep Date:	<b>7/1/2015</b>	Analysis Date:	<b>7/1/2015</b>	SeqNo:	<b>815828</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	17	1.5	15.00	3.154	95.2	64.2	131			

Sample ID	<b>1506C09-001AMSD</b>	SampType:	<b>MSD</b>	TestCode:	<b>EPA Method 300.0: Anions</b>					
Client ID:	<b>SC-1 BGT</b>	Batch ID:	<b>20057</b>	RunNo:	<b>27235</b>					
Prep Date:	<b>7/1/2015</b>	Analysis Date:	<b>7/1/2015</b>	SeqNo:	<b>815829</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	18	1.5	15.00	3.154	95.7	64.2	131	0.433	20	

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

**QC SUMMARY REPORT**  
**Hall Environmental Analysis Laboratory, Inc.**

WO#: 1506C09  
 02-Jul-15

**Client:** Rule Engineering LLC  
**Project:** San Juan 27-4 #116

Sample ID	<b>MB-19964</b>	SampType:	<b>MBLK</b>	TestCode:	<b>EPA Method 418.1: TPH</b>					
Client ID:	<b>PBS</b>	Batch ID:	<b>19964</b>	RunNo:	<b>27121</b>					
Prep Date:	<b>6/26/2015</b>	Analysis Date:	<b>6/26/2015</b>	SeqNo:	<b>811099</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID	<b>LCS-19964</b>	SampType:	<b>LCS</b>	TestCode:	<b>EPA Method 418.1: TPH</b>					
Client ID:	<b>LCSS</b>	Batch ID:	<b>19964</b>	RunNo:	<b>27121</b>					
Prep Date:	<b>6/26/2015</b>	Analysis Date:	<b>6/26/2015</b>	SeqNo:	<b>811100</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	100	20	100.0	0	100	86.7	126			

Sample ID	<b>LCSD-19964</b>	SampType:	<b>LCSD</b>	TestCode:	<b>EPA Method 418.1: TPH</b>					
Client ID:	<b>LCSS02</b>	Batch ID:	<b>19964</b>	RunNo:	<b>27121</b>					
Prep Date:	<b>6/26/2015</b>	Analysis Date:	<b>6/26/2015</b>	SeqNo:	<b>811101</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	100	20	100.0	0	105	86.7	126	4.11	20	

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1506C09

02-Jul-15

Client: Rule Engineering LLC

Project: San Juan 27-4 #116


Sample ID	MB-19955	SampType:	MBLK	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	PBS	Batch ID:	19955	RunNo:	27134					
Prep Date:	6/25/2015	Analysis Date:	6/28/2015	SeqNo:	811812	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.91		1.000		90.6	80	120			

Sample ID	LCS-19955	SampType:	LCS	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS	Batch ID:	19955	RunNo:	27134					
Prep Date:	6/25/2015	Analysis Date:	6/28/2015	SeqNo:	811813	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.050	1.000	0	106	76.6	128			
Toluene	1.1	0.050	1.000	0	105	75	124			
Ethylbenzene	1.1	0.050	1.000	0	107	79.5	126			
Xylenes, Total	3.2	0.10	3.000	0	105	78.8	124			
Surr: 4-Bromofluorobenzene	0.95		1.000		95.4	80	120			

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit



Hall Environmental Analysis Laboratory  
 4901 Hawkins NE  
 Albuquerque, NM 87109  
 TEL: 505-345-3975 FAX: 505-345-4107  
 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: **RULE ENGINEERING LL**      Work Order Number: **1506C09**      RcptNo: **1**

Received by/date: LM 06/25/15

Logged By: **Anne Thorne**      6/25/2015 7:00:00 AM      *Anne Thorne*

Completed By: **Anne Thorne**      6/25/2015      *Anne Thorne*

Reviewed By: *[Signature]*      06/25/15

**Chain of Custody**

- 1. Custody seals intact on sample bottles?      Yes       No       Not Present
- 2. Is Chain of Custody complete?      Yes       No       Not Present
- 3. How was the sample delivered?      Courier

**Log In**

- 4. Was an attempt made to cool the samples?      Yes       No       NA
  - 5. Were all samples received at a temperature of >0° C to 6.0°C      Yes       No       NA
  - 6. Sample(s) in proper container(s)?      Yes       No
  - 7. Sufficient sample volume for indicated test(s)?      Yes       No
  - 8. Are samples (except VOA and ONG) properly preserved?      Yes       No
  - 9. Was preservative added to bottles?      Yes       No       NA
  - 10. VOA vials have zero headspace?      Yes       No       No VOA Vials
  - 11. Were any sample containers received broken?      Yes       No
  - 12. Does paperwork match bottle labels?      Yes       No
  - (Note discrepancies on chain of custody)
  - 13. Are matrices correctly identified on Chain of Custody?      Yes       No
  - 14. Is it clear what analyses were requested?      Yes       No
  - 15. Were all holding times able to be met?      Yes       No
  - (If no, notify customer for authorization.)
- # of preserved bottles checked for pH: \_\_\_\_\_  
 (<2 or >12 unless noted)  
 Adjusted? \_\_\_\_\_  
 Checked by: \_\_\_\_\_

**Special Handling (if applicable)**

16. Was client notified of all discrepancies with this order?      Yes       No       NA

Person Notified:		Date:	
By Whom:		Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

**18. Cooler Information**

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	2.3	Good	Yes			





Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

July 06, 2015

Deborah Watson  
Rule Engineering LLC  
501 Airport Dr., Ste 205  
Farmington, NM 87401  
TEL: (505) 860-2712  
FAX

RE: San Juan 27-4 #116

OrderNo.: 1506C10

Dear Deborah Watson:

Hall Environmental Analysis Laboratory received 5 sample(s) on 6/25/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109

Analytical Report

Lab Order 1506C10

Date Reported: 7/6/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Rule Engineering LLC

Client Sample ID: SC-1

Project: San Juan 27-4 #116

Collection Date: 6/24/2015 10:30:00 AM

Lab ID: 1506C10-001

Matrix: SOIL

Received Date: 6/25/2015 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b>							
Analyst: <b>KJH</b>							
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	6/30/2015 10:43:40 AM	19961
Surr: DNOP	97.7	57.9-140		%REC	1	6/30/2015 10:43:40 AM	19961
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							
Analyst: <b>NSB</b>							
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	6/28/2015 11:24:43 AM	19955
Surr: BFB	89.8	75.4-113		%REC	1	6/28/2015 11:24:43 AM	19955
<b>EPA METHOD 8021B: VOLATILES</b>							
Analyst: <b>NSB</b>							
Benzene	ND	0.049		mg/Kg	1	6/28/2015 11:24:43 AM	19955
Toluene	ND	0.049		mg/Kg	1	6/28/2015 11:24:43 AM	19955
Ethylbenzene	ND	0.049		mg/Kg	1	6/28/2015 11:24:43 AM	19955
Xylenes, Total	ND	0.099		mg/Kg	1	6/28/2015 11:24:43 AM	19955
Surr: 4-Bromofluorobenzene	89.9	80-120		%REC	1	6/28/2015 11:24:43 AM	19955

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	O	RSD is greater than RSDlimit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits		

**Hall Environmental Analysis Laboratory, Inc.**

CLIENT: Rule Engineering LLC

Client Sample ID: SC-2

Project: San Juan 27-4 #116

Collection Date: 6/24/2015 10:32:00 AM

Lab ID: 1506C10-002

Matrix: SOIL

Received Date: 6/25/2015 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b>							Analyst: <b>KJH</b>
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	6/30/2015 11:04:50 AM	19961
Surr: DNOP	93.0	57.9-140		%REC	1	6/30/2015 11:04:50 AM	19961
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	6/28/2015 12:51:06 PM	19955
Surr: BFB	88.4	75.4-113		%REC	1	6/28/2015 12:51:06 PM	19955
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.050		mg/Kg	1	6/28/2015 12:51:06 PM	19955
Toluene	ND	0.050		mg/Kg	1	6/28/2015 12:51:06 PM	19955
Ethylbenzene	ND	0.050		mg/Kg	1	6/28/2015 12:51:06 PM	19955
Xylenes, Total	ND	0.099		mg/Kg	1	6/28/2015 12:51:06 PM	19955
Surr: 4-Bromofluorobenzene	88.6	80-120		%REC	1	6/28/2015 12:51:06 PM	19955

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	O RSD is greater than RSDlimit	P Sample pH Not In Range
	R RPD outside accepted recovery limits	RL Reporting Detection Limit
	S Spike Recovery outside accepted recovery limits	

Analytical Report

Lab Order 1506C10

Date Reported: 7/6/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Rule Engineering LLC

Client Sample ID: SC-3

Project: San Juan 27-4 #116

Collection Date: 6/24/2015 11:30:00 AM

Lab ID: 1506C10-003

Matrix: SOIL

Received Date: 6/25/2015 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b>							Analyst: <b>KJH</b>
Diesel Range Organics (DRO)	24	10		mg/Kg	1	6/30/2015 11:26:07 AM	19961
Surr: DNOP	94.1	57.9-140		%REC	1	6/30/2015 11:26:07 AM	19961
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	6/28/2015 2:17:19 PM	19955
Surr: BFB	96.4	75.4-113		%REC	1	6/28/2015 2:17:19 PM	19955
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.049		mg/Kg	1	6/28/2015 2:17:19 PM	19955
Toluene	ND	0.049		mg/Kg	1	6/28/2015 2:17:19 PM	19955
Ethylbenzene	ND	0.049		mg/Kg	1	6/28/2015 2:17:19 PM	19955
Xylenes, Total	ND	0.097		mg/Kg	1	6/28/2015 2:17:19 PM	19955
Surr: 4-Bromofluorobenzene	94.0	80-120		%REC	1	6/28/2015 2:17:19 PM	19955

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		
*	Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E	Value above quantitation range	H Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P Sample pH Not In Range
R	RPD outside accepted recovery limits	RL Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits	

**Hall Environmental Analysis Laboratory, Inc.**

CLIENT: Rule Engineering LLC  
 Project: San Juan 27-4 #116  
 Lab ID: 1506C10-004

Matrix: SOIL

Client Sample ID: SC-4  
 Collection Date: 6/24/2015 10:40:00 AM  
 Received Date: 6/25/2015 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b>							Analyst: <b>KJH</b>
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	6/30/2015 8:28:31 AM	19961
Surr: DNOP	100	57.9-140		%REC	1	6/30/2015 8:28:31 AM	19961
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	6/28/2015 2:46:03 PM	19955
Surr: BFB	87.0	75.4-113		%REC	1	6/28/2015 2:46:03 PM	19955
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.049		mg/Kg	1	6/28/2015 2:46:03 PM	19955
Toluene	ND	0.049		mg/Kg	1	6/28/2015 2:46:03 PM	19955
Ethylbenzene	ND	0.049		mg/Kg	1	6/28/2015 2:46:03 PM	19955
Xylenes, Total	ND	0.098		mg/Kg	1	6/28/2015 2:46:03 PM	19955
Surr: 4-Bromofluorobenzene	90.4	80-120		%REC	1	6/28/2015 2:46:03 PM	19955

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank	
	E Value above quantitation range	H Holding times for preparation or analysis exceeded	
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit	Page 4 of 8
	O RSD is greater than RSDlimit	P Sample pH Not In Range	
	R RPD outside accepted recovery limits	RL Reporting Detection Limit	
	S Spike Recovery outside accepted recovery limits		

**Hall Environmental Analysis Laboratory, Inc.**

CLIENT: Rule Engineering LLC

Client Sample ID: SC-5

Project: San Juan 27-4 #116

Collection Date: 6/24/2015 9:45:00 AM

Lab ID: 1506C10-005

Matrix: SOIL

Received Date: 6/25/2015 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b>							Analyst: <b>KJH</b>
Diesel Range Organics (DRO)	110	9.9		mg/Kg	1	6/30/2015 8:49:41 AM	19961
Surr: DNOP	109	57.9-140		%REC	1	6/30/2015 8:49:41 AM	19961
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	260	99		mg/Kg	20	6/30/2015 1:01:21 AM	19955
Surr: BFB	106	75.4-113		%REC	20	6/30/2015 1:01:21 AM	19955
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	0.16	0.049		mg/Kg	1	6/28/2015 3:14:47 PM	19955
Toluene	0.14	0.049		mg/Kg	1	6/28/2015 3:14:47 PM	19955
Ethylbenzene	ND	0.049		mg/Kg	1	6/28/2015 3:14:47 PM	19955
Xylenes, Total	1.9	0.099		mg/Kg	1	6/28/2015 3:14:47 PM	19955
Surr: 4-Bromofluorobenzene	209	80-120	S	%REC	1	6/28/2015 3:14:47 PM	19955

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		
*	Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E	Value above quantitation range	H Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P Sample pH Not In Range
R	RPD outside accepted recovery limits	RL Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits	

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1506C10  
06-Jul-15

**Client:** Rule Engineering LLC  
**Project:** San Juan 27-4 #116

Sample ID	<b>MB-19961</b>	SampType:	<b>MBLK</b>	TestCode:	<b>EPA Method 8015M/D: Diesel Range Organics</b>					
Client ID:	<b>PBS</b>	Batch ID:	<b>19961</b>	RunNo:	<b>27167</b>					
Prep Date:	<b>6/26/2015</b>	Analysis Date:	<b>6/29/2015</b>	SeqNo:	<b>813096</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Surr: DNOP	37		10.00		371	57.9	140			S

Sample ID	<b>LCS-19961</b>	SampType:	<b>LCS</b>	TestCode:	<b>EPA Method 8015M/D: Diesel Range Organics</b>					
Client ID:	<b>LCSS</b>	Batch ID:	<b>19961</b>	RunNo:	<b>27167</b>					
Prep Date:	<b>6/26/2015</b>	Analysis Date:	<b>6/29/2015</b>	SeqNo:	<b>813097</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	45	10	50.00	0	90.7	57.4	139			
Surr: DNOP	4.2		5.000		83.9	57.9	140			

Sample ID	<b>LCS-19990</b>	SampType:	<b>LCS</b>	TestCode:	<b>EPA Method 8015M/D: Diesel Range Organics</b>					
Client ID:	<b>LCSS</b>	Batch ID:	<b>19990</b>	RunNo:	<b>27168</b>					
Prep Date:	<b>6/29/2015</b>	Analysis Date:	<b>6/30/2015</b>	SeqNo:	<b>813710</b>	Units:	<b>%REC</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	5.5		5.000		109	57.9	140			

Sample ID	<b>MB-19990</b>	SampType:	<b>MBLK</b>	TestCode:	<b>EPA Method 8015M/D: Diesel Range Organics</b>					
Client ID:	<b>PBS</b>	Batch ID:	<b>19990</b>	RunNo:	<b>27182</b>					
Prep Date:	<b>6/29/2015</b>	Analysis Date:	<b>7/1/2015</b>	SeqNo:	<b>815505</b>	Units:	<b>%REC</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	8.7		10.00		87.1	57.9	140			

Sample ID	<b>MB-20028</b>	SampType:	<b>MBLK</b>	TestCode:	<b>EPA Method 8015M/D: Diesel Range Organics</b>					
Client ID:	<b>PBS</b>	Batch ID:	<b>20028</b>	RunNo:	<b>27182</b>					
Prep Date:	<b>6/30/2015</b>	Analysis Date:	<b>7/2/2015</b>	SeqNo:	<b>816327</b>	Units:	<b>%REC</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	10		10.00		101	57.9	140			

Sample ID	<b>LCS-20028</b>	SampType:	<b>LCS</b>	TestCode:	<b>EPA Method 8015M/D: Diesel Range Organics</b>					
Client ID:	<b>LCSS</b>	Batch ID:	<b>20028</b>	RunNo:	<b>27182</b>					
Prep Date:	<b>6/30/2015</b>	Analysis Date:	<b>7/2/2015</b>	SeqNo:	<b>816328</b>	Units:	<b>%REC</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	6.1		5.000		121	57.9	140			

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1506C10

06-Jul-15

Client: Rule Engineering LLC

Project: San Juan 27-4 #116

Sample ID	MB-19955	SampType:	MBLK	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	PBS	Batch ID:	19955	RunNo:	27134					
Prep Date:	6/25/2015	Analysis Date:	6/28/2015	SeqNo:	811777	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	860		1000		86.4	75.4	113			

Sample ID	LCS-19955	SampType:	LCS	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	LCSS	Batch ID:	19955	RunNo:	27134					
Prep Date:	6/25/2015	Analysis Date:	6/28/2015	SeqNo:	811779	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	102	64	130			
Surr: BFB	920		1000		91.7	75.4	113			

Sample ID	1506C10-002AMS	SampType:	MS	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	SC-2	Batch ID:	19955	RunNo:	27134					
Prep Date:	6/25/2015	Analysis Date:	6/28/2015	SeqNo:	811783	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	24.93	0	105	47.9	144			
Surr: BFB	970		997.0		97.1	75.4	113			

Sample ID	1506C10-002AMSD	SampType:	MSD	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	SC-2	Batch ID:	19955	RunNo:	27134					
Prep Date:	6/25/2015	Analysis Date:	6/28/2015	SeqNo:	811785	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25	5.0	24.98	0	100	47.9	144	5.06	29.9	
Surr: BFB	950		999.0		95.0	75.4	113	0	0	

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

**QC SUMMARY REPORT**  
**Hall Environmental Analysis Laboratory, Inc.**

WO#: 1506C10  
 06-Jul-15

**Client:** Rule Engineering LLC  
**Project:** San Juan 27-4 #116

Sample ID	<b>MB-19955</b>	SampType:	<b>MBLK</b>	TestCode:	<b>EPA Method 8021B: Volatiles</b>					
Client ID:	<b>PBS</b>	Batch ID:	<b>19955</b>	RunNo:	<b>27134</b>					
Prep Date:	<b>6/25/2015</b>	Analysis Date:	<b>6/28/2015</b>	SeqNo:	<b>811812</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.91		1.000		90.6	80	120			

Sample ID	<b>LCS-19955</b>	SampType:	<b>LCS</b>	TestCode:	<b>EPA Method 8021B: Volatiles</b>					
Client ID:	<b>LCSS</b>	Batch ID:	<b>19955</b>	RunNo:	<b>27134</b>					
Prep Date:	<b>6/25/2015</b>	Analysis Date:	<b>6/28/2015</b>	SeqNo:	<b>811813</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.050	1.000	0	106	76.6	128			
Toluene	1.1	0.050	1.000	0	105	75	124			
Ethylbenzene	1.1	0.050	1.000	0	107	79.5	126			
Xylenes, Total	3.2	0.10	3.000	0	105	78.8	124			
Surr: 4-Bromofluorobenzene	0.95		1.000		95.4	80	120			

Sample ID	<b>1506C10-001AMS</b>	SampType:	<b>MS</b>	TestCode:	<b>EPA Method 8021B: Volatiles</b>					
Client ID:	<b>SC-1</b>	Batch ID:	<b>19955</b>	RunNo:	<b>27134</b>					
Prep Date:	<b>6/25/2015</b>	Analysis Date:	<b>6/28/2015</b>	SeqNo:	<b>811816</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.050	0.9980	0	101	69.2	126			
Toluene	1.0	0.050	0.9980	0.01047	102	65.6	128			
Ethylbenzene	1.1	0.050	0.9980	0.008000	104	65.5	138			
Xylenes, Total	3.1	0.10	2.994	0	104	63	139			
Surr: 4-Bromofluorobenzene	0.98		0.9980		97.9	80	120			

Sample ID	<b>1506C10-001AMSD</b>	SampType:	<b>MSD</b>	TestCode:	<b>EPA Method 8021B: Volatiles</b>					
Client ID:	<b>SC-1</b>	Batch ID:	<b>19955</b>	RunNo:	<b>27134</b>					
Prep Date:	<b>6/25/2015</b>	Analysis Date:	<b>6/28/2015</b>	SeqNo:	<b>811817</b>	Units:	<b>mg/Kg</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.050	0.9901	0	101	69.2	126	0.999	18.5	
Toluene	0.98	0.050	0.9901	0.01047	97.8	65.6	128	4.44	20.6	
Ethylbenzene	1.0	0.050	0.9901	0.008000	102	65.5	138	2.72	20.1	
Xylenes, Total	3.0	0.099	2.970	0	102	63	139	2.85	21.1	
Surr: 4-Bromofluorobenzene	0.94		0.9901		95.4	80	120	0	0	

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit



Hall Environmental Analysis Laboratory  
 4901 Hawkins NE  
 Albuquerque, NM 87109  
 TEL: 505-345-3975 FAX: 505-345-4107  
 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: **RULE ENGINEERING LL**

Work Order Number: **1506C10**

RcptNo: **1**

Received by/date: LA 06/25/15

Logged By: **Anne Thorne** 5/25/2015 7:00:00 AM *Anne Thorne*

Completed By: **Anne Thorne** 6/25/2015 *Anne Thorne*

Reviewed By: *JA* 06/25/15

**Chain of Custody**

- 1. Custody seals intact on sample bottles? Yes  No  Not Present
- 2. Is Chain of Custody complete? Yes  No  Not Present
- 3. How was the sample delivered? Courier

**Log In**

- 4. Was an attempt made to cool the samples? Yes  No  NA
- 5. Were all samples received at a temperature of >0° C to 6.0°C Yes  No  NA
- 6. Sample(s) in proper container(s)? Yes  No
- 7. Sufficient sample volume for indicated test(s)? Yes  No
- 8. Are samples (except VOA and ONG) properly preserved? Yes  No
- 9. Was preservative added to bottles? Yes  No  NA
- 10. VOA vials have zero headspace? Yes  No  No VOA Vials
- 11. Were any sample containers received broken? Yes  No
- 12. Does paperwork match bottle labels? (Note discrepancies on chain of custody) Yes  No
- 13. Are matrices correctly identified on Chain of Custody? Yes  No
- 14. Is it clear what analyses were requested? Yes  No
- 15. Were all holding times able to be met? (If no, notify customer for authorization.) Yes  No

# of preserved bottles checked for pH: \_\_\_\_\_  
 (<2 or >12 unless noted)  
 Adjusted? \_\_\_\_\_  
 Checked by: \_\_\_\_\_

**Special Handling (if applicable)**

- 16. Was client notified of all discrepancies with this order? Yes  No  NA

Person Notified: \_\_\_\_\_ Date: \_\_\_\_\_  
 By Whom: \_\_\_\_\_ Via:  eMail  Phone  Fax  In Person  
 Regarding: \_\_\_\_\_  
 Client Instructions: \_\_\_\_\_

17. Additional remarks:

**18. Cooler Information**

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	2.3	Good	Yes			

# Chain-of-Custody Record

Client: Rule Engineering

Mailing Address: 501 Airport Drive  
Suite 205, Farmington NM 87401

Phone #: 505 860 2712

Email or Fax#:

QA/QC Package:  
 Standard       Level 4 (Full Validation)

Accreditation  
 NELAP       Other \_\_\_\_\_

EDD (Type) \_\_\_\_\_

Turn-Around Time:  
 Standard       Rush

Project Name:  
San Juan 27-4 #116


Project #:

Project Manager:  
D. Watson

Sampler: D. Watson

On Ice:  Yes       No

Sample Temperature: 2-3



## HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com  
 4901 Hawkins NE - Albuquerque, NM 87109  
 Tel. 505-345-3975      Fax 505-345-4107

### Analysis Request

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No.	BTEX + MTBE + TPH (Gas only)	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO/DRO/MRO)	TPH (Method 418.1)	EDB (Method 504.1)	PAH's (8310 or 8270 SIMS)	RCRA 8 Metals	Anions (F, Cl, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub> )	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	Air Bubbles (Y or N)	
24-15	1030	soil	SC-1	1-4oz	cold	1506C10	X	X	X										
24-15	1032	soil	SC-2	1-4oz	cold		X	X											
24-15	1130	soil	SC-3	1-4oz	cold		X	X											
24-15	1040	soil	SC-4	1-4oz	cold		X	X											
24-15	0945	soil	SC-5	1-4oz	cold		X	X											

Date: 4/24/15 Time: 1595 Relinquished by: Delrah Wate

Date: 4/24/15 Time: 1810 Relinquished by: Must Warten

Received by: Christine Wate Date: 4/24/15 Time: 1575

Received by: [Signature] Date: 06/25/15 Time: 0700

Remarks: Bill to ConocoPhillips  
No # A72 8809  
User: KGARCIA  
act code: D260  
Supervisor: [Signature]  
Ordered by: Terrell Bassett

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.