

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN  
DUPLICATE

(See other instructions on  
reverse side)

FORM APPROVED  
OMB NO. 1004-0137  
Expires: February 28, 1995

5. LEASE DESIGNATION AND LEASE NO.

NMNM119786

6. IF INDIAN, ALLOTTEE OR

WELL COMPLETION OR RECOMPLETION REPORT AND LOG\*

RECEIVED

OCT 29 2015

Farmington Field Office  
Bureau of Land Management

1a. TYPE OF WELL: ☐ OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER

b. TYPE OF COMPLETION:  
☒ NEW WELL ☐ WORKOVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER

2. NAME OF OPERATOR

WPX Energy Production, LLC.

3. ADDRESS AND TELEPHONE NO.

P.O. Box 640, Aztec, NM 87410 (505) 333-1816

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*

SHL: 1262' FNL & 422' FWL, sec 33, T24N, R8W

BHL: 357' FSL & 2320' FWL, sec 34, T24N, R8W

7. UNIT AGREEMENT NAME

134816

8. FARM OR LEASE NAME, WELL NO.

MC 5 COM #906H

9. API WELL NO.

30-045-35606

10. FIELD AND POOL, OR WILDCAT  
BASIN MC

11. SEC., T., R., M., OR BLOCK AND  
SURVEY OR AREA  
SEC 33 24N 8W

12. COUNTY OR

SAN JUAN

13. STATE

New Mexico

15. DATE  
SPUDDED  
12/11/14

16. DATE T.D.  
REACHED  
9/20/15

17. DATE COMPLETED (READY TO PRODUCE)  
10/26/15

14. PERMIT NO.

DATE ISSUED

18. ELEVATIONS (DK, RKB, RT, GR, ETC.)\*  
7020' GR

19. ELEVATION CASINGHEAD

20. TOTAL DEPTH, MD & TVD  
14155' MD  
5346' TVD

21. PLUG, BACK T.D., MD & TVD  
14142' MD  
5346' TVD

22. IF  
MULTICOMP.,  
HOW MANY

23. INTERVALS  
DRILLED BY

ROTARY TOOLS  
x

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)\*

BASIN MC: 6001'-14134' MD

25. WAS DIRECTIONAL SURVEY MADE

YES

26. TYPE ELECTRIC AND OTHER LOGS RUN

27. WAS WELL CORED

No

28. CASING REPORT (Report all strings set in well)

| CASING SIZE/GRADE | WEIGHT, LB./FT | DEPTH SET (MD) | HOLE SIZE | TOP OF CEMENT, CEMENTING RECORD | AMOUNT PULLED |
|-------------------|----------------|----------------|-----------|---------------------------------|---------------|
| 9-5/8"            | 36#, J-55      | 411' MD        | 12-1/4"   | 245sx - surface                 |               |
| 7"                | 23#, J-55      | 5940' MD       | 8-3/4"    | 1147 sx - surface               |               |
| 4-1/2"            | 11.6#, P-110   | 14150' MD      | 6-1/8"    | 830 sx - surface                |               |

29. LINER RECORD

| SIZE   | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) | SIZE                          | DEPTH SET (MD) | PACKER SET (MD) |
|--------|----------|-------------|---------------|-------------|-------------------------------|----------------|-----------------|
| 4-1/2" | 5760'    |             |               |             | 2.375", 4.7#, J-55<br>EUE 8rd | 5970'          | 5743'           |

31. PERFORATION RECORD (Interval, size, and number)

BASIN MC: 6001'-14134' MD

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED

MC 38<sup>th</sup> - 24, 0.40" holes

MC 37<sup>th</sup> - 24, 0.40" holes

MC 36<sup>th</sup> - 24, 0.40" holes

MC 35<sup>th</sup> - 24, 0.40" holes

MC 34<sup>th</sup> - 24, 0.40" holes

MC 33<sup>rd</sup> - 24, 0.40" holes

MC 32<sup>nd</sup> - 24, 0.40" holes

MC 31<sup>st</sup> - 24, 0.40" holes

MC 30<sup>th</sup> - 24, 0.40" holes

6001'-6157' 187,175#, 20/40 PSA Sand

6207'-6362' 217,034#, 20/40 PSA Sand

6413'-6568' 237,463#, 20/40 PSA Sand

6619'-6775' 237,991#, 20/40 PSA Sand

6825'-6981' 239,646#, 20/40 PSA Sand

7031'-7186' 237,107#, 20/40 PSA Sand

7237'-7392' 237,013#, 20/40 PSA Sand

7443'-7599' 236,743#, 20/40 PSA Sand

7649'-7805' 236,846#, 20/40 PSA Sand

OIL CONS. DIV DIST. 3

NOV 03 2015

ACCEPTED FOR RECORD

OCT 30 2015

FARMINGTON FIELD OFFICE  
BY: *[Signature]*

RV NMOCD

4

MC 29<sup>th</sup> – 24, 0.40" holes

MC 28<sup>th</sup> – 24, 0.40" holes

MC 27<sup>th</sup> – 24, 0.40" holes

MC 26<sup>th</sup> – 24, 0.40" holes

MC 25<sup>th</sup> – 24, 0.40" holes

MC 24<sup>th</sup> – 24, 0.40" holes

MC 23<sup>rd</sup> – 24, 0.40" holes

MC 22<sup>nd</sup> – 24, 0.40" holes

MC 21<sup>st</sup> – 24, 0.40" holes

MC 20<sup>th</sup> – 24, 0.40" holes

MC 19<sup>th</sup> – 24, 0.40" holes

MC 18<sup>th</sup> – 24, 0.40" holes

MC 17<sup>th</sup> – 24, 0.40" holes

MC 16<sup>th</sup> – 24, 0.40" holes

MC 15<sup>th</sup> – 24, 0.40" holes

MC 14<sup>th</sup> – 24, 0.40" holes

MC 13<sup>th</sup> – 24, 0.40" holes

MC 12<sup>th</sup> – 24, 0.40" holes

MC 11<sup>th</sup> – 24, 0.40" holes

MC 10<sup>th</sup> – 24, 0.40" holes

MC 9<sup>th</sup> – 24, 0.40" holes

MC 8<sup>th</sup> – 24, 0.40" holes

MC 7<sup>th</sup> – 24, 0.40" holes

MC 6<sup>th</sup> – 24, 0.40" holes

MC 5<sup>th</sup> – 24, 0.40" holes

MC 4<sup>th</sup> – 24, 0.40" holes

MC 3<sup>rd</sup> – 24, 0.40" holes

|               |                          |
|---------------|--------------------------|
| 7855'-8010'   | 237,692#, 20/40 PSA Sand |
| 8061'-8216'   | 224,072#, 20/40 PSA Sand |
| 8267'-8422'   | 232,884#, 20/40 PSA Sand |
| 8473'-8620'   | 231,619#, 20/40 PSA Sand |
| 8679'-8835'   | 246,790#, 20/40 PSA Sand |
| 8885'-9042'   | 237,737#, 20/40 PSA Sand |
| 9091'-9246'   | 237,531#, 20/40 PSA Sand |
| 9297'-9299'   | 236,929#, 20/40 PSA Sand |
| 9503'-9659'   | 236,798#, 20/40 PSA Sand |
| 9709'-9864'   | 238,093#, 20/40 PSA Sand |
| 9915'-10261'  | 238,546#, 20/40 PSA Sand |
| 10313'-10467' | 235,556#, 20/40 PSA Sand |
| 10519'-10675' | 238,267#, 20/40 PSA Sand |
| 10725'-10882' | 237,130#, 20/40 PSA Sand |
| 10931'-11085' | 237,394#, 20/40 PSA Sand |
| 11137'-11291' | 235,095#, 20/40 PSA Sand |
| 11343'-11499' | 242,658#, 20/40 PSA Sand |
| 11549'-11705' | 237,073#, 20/40 PSA Sand |
| 11755'-11911' | 214,384#, 20/40 PSA Sand |
| 11961'-12115' | 215,068#, 20/40 PSA Sand |
| 12167'-12321' | 201,427#, 20/40 PSA Sand |
| 12373'-12527' | 213,185#, 20/40 PSA Sand |
| 12579'-12733' | 210,042#, 20/40 PSA Sand |
| 12785'-12937' | 199,853#, 20/40 PSA Sand |
| 12991'-13145' | 198,691#, 20/40 PSA Sand |
| 13207'-13391' | 203,601#, 20/40 PSA Sand |
| 13453'-13639' | 201,596#, 20/40 PSA Sand |

MC 2<sup>nd</sup> - 24, 0.40" holes

13699'-13883'

166,464#, 20/40 PSA Sand

MC 1<sup>st</sup> - 18, 0.40" holes RSI TOOL @ 14134'

13945'-14134'

232,955# 20/40 PSA Sand

33. PRODUCTION

| DATE OF FIRST PRODUCTION |                 | PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) |                        |            |           | WELL STATUS (PRODUCING OR SI) |                         |
|--------------------------|-----------------|----------------------------------------------------------------------|------------------------|------------|-----------|-------------------------------|-------------------------|
| 10/27/15                 |                 | Flowing                                                              |                        |            |           |                               |                         |
| DATE OF TEST             | TESTED          | CHOKE SIZE                                                           | PROD'N FOR TEST PERIOD | OIL - BBL. | GAS - MCF | WATER - BBL.                  | GAS-OIL RATIO           |
| 10/27/15                 |                 | 1"                                                                   | 24 hrs                 | 212        | 3552      | 507                           |                         |
| FLOW TBG PRESS           | CASING PRESSURE | CALCULATED 24-HOUR RATE                                              |                        | OIL - BBL. | GAS - MCF | WATER - BBL.                  | OIL GRAVITY-API (CORR.) |
| 590                      | 700             |                                                                      |                        |            |           |                               |                         |


34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): non flaring

TEST WITNESSED BY:

35. LIST OF ATTACHMENTS: SUMMARY OF POROUS ZONES, WELLBORE DIAGRAM, Directional EOW report

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

PRINTED NAME LACEY GRANILLO SIGNED



TITLE Permit III

DATE 10/29/15

| 37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries): |      |      |        |  | 38. GEOLOGIC MARKERS        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|--------|--|-----------------------------|------|
| FORMATION                                                                                                                                                                                                                                           | TOP  |      | BOTTOM |  | DESCRIPTION, CONTENTS, ETC. | NAME |
|                                                                                                                                                                                                                                                     |      |      |        |  |                             | NAME |
| OJO ALAMO                                                                                                                                                                                                                                           | 1345 | 1324 |        |  |                             |      |
| KIRTLAND                                                                                                                                                                                                                                            | 1560 | 1525 |        |  |                             |      |
| PICTURE CLIFFS                                                                                                                                                                                                                                      | 1941 | 1886 |        |  |                             |      |
| LEWIS                                                                                                                                                                                                                                               | 2082 | 2020 |        |  |                             |      |
| CHACRA                                                                                                                                                                                                                                              | 2369 | 2293 |        |  |                             |      |
| CLIFF HOUSE                                                                                                                                                                                                                                         | 3483 | 3360 |        |  |                             |      |
| MENEFEE                                                                                                                                                                                                                                             | 3534 | 3408 |        |  |                             |      |
| PT LOOKOUT                                                                                                                                                                                                                                          | 4446 | 4277 |        |  |                             |      |
| MANCOS                                                                                                                                                                                                                                              | 4673 | 4495 |        |  |                             |      |
| GALLUP                                                                                                                                                                                                                                              | 5052 | 4860 |        |  |                             |      |