
3



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 1	Q 2	Q 3	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
SJ 04045 POD1			SJ	1	4	2	11	27N	10W	244148	4053538	310	50	260

Average Depth to Water: 50 feet

Minimum Depth: 50 feet

Maximum Depth: 50 feet

Record Count: 1

PLSS Search:

Section(s): 11

Township: 27N

Range: 10W

Nacimiento

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)					(R=POD has been replaced and no longer serves this file, (quarters are 1=NW 2=NE 3=SW 4=SE) C=the file is closed) (quarters are smallest to largest) (NAD83 UTM in meters)				
WR File Nbr	Sub basin	Use	Diversion	Owner	County	POD Number	Code Grant	Source	q q q 6416 4 Sec Tws Rng X Y
SJ 04045		STK		3 SHATASHA T. COFFMAN	SJ	SJ 04045 POD1		Shallow	1 4 2 11 27N 10W 244147 4053538

Record Count: 1

POD Search:

POD Basin: San Juan

PLSS Search:

Section(s): 11

Township: 27N

Range: 10W

Sorted by: File Number

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

2/8/16 3:25 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION