District I

1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Type of action: Permit of a pit, c	op System, Below-G e Method Permit or G		Oil CONG DIV
Type of action: Permit of a pit, c			OIL COMO DIL
X Closure of a pit,			OIL CONS. DIV DIST
	losed-loop system, below-gra	ade tank, or proposed alternative method	APR 08 2016
	closed-loop system, below-g	rade tank, or proposed alternative method	1 71 08 2016
Modification to	an existing permit		
	y submitted for an existing po k, or proposed alternative me	ermitted or non-permitted pit, closed-loop	system,
Instructions: Please submit one application (Form C-1			rnative request
Please be advised that approval of this request does not relieve			
environment. Nor does approval relieve the operator of its respot	sibility to comply with any other appl	icable governmental authority's rules, regulations or or	rdinances.
Operator: Burlington Resources Oil & Gas Company, I	LP .	OGRID#: 14538	
Address: PO Box 4289, Farmington, NM 87499			
Facility or well name: Grenier B 4E			
API Number: 30-045-29406	OCD Permit N	umber:	
J/L or Qtr/Qtr: C(NE/NW) Section: 4 Townsl	nip 29N Range:	10W County: San Juan	
Center of Proposed Design: Latitude: 36.75824	°N Longitude:	-107.89239 °W NAD:	### X 1983
Surface Owner: X Federal State	Private Tribal Trust or I	ndian Allotment	
Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness String-Reinforced Liner Seams: Welded Factory Other	mil LLDPE Volume:	HDPE PVC Other bbl Dimensions L x W	xD
X Closed-loop System: Subsection H of 19.15.17.11 NN Type of Operation: P&A Drilling a new well Drying Pad X Above Ground Steel Tanks	Workover or Drilling (Apple notice of intent)	ies to activities which require prior approval o	of a permit or
Liner Seams: Welded Factory Other	mil LLDPE	HDPE PVD Other	
Below-grade tank: Subsection I of 19.15.17.11 NMAC			
Volume: bbl Type of fluid:			
Tank Construction material:			
Secondary containment with leak detection . Visib	le sidewalls, liner, 6-inch lift and	l automatic overflow shut-off	
Visible sidewalls and liner Visible sidewalls			
Liner Type: Thickness mil HDP	E PVC Other		

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

emporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC structions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API or Permit	
The Control of the Co	
losed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC structions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 NMAC and 19.15.17.13 NMAC	.9
Previously Approved Design (attach copy of design) API	
Previously Approved Operating and Maintenance Plan API	
ermanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
estructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached	d.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
The state of the s	
roposed Closure: 19.15.17.13 NMAC instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
ype: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System	
Alternative	
roposed Closure Method: Waste Excavation and Removal	
X Waste Removal (Closed-loop systems only)	
On-site Closure Method (only for temporary pits and closed-loop systems)	
In-place Burial On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Vaste Excavation and Removal Closure Plan Checklist: (19.15,17,13 NMAC) Instructions: Each of the following items must be attached to the clo	sure plai
lease indicate, by a check mark in the box, that the documents are attached.	
I Destroyle and Descadures based man the appropriate accomment of 10 15 17 13 33 44 C	
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please identify the facility or facilities for the disposal of liquids, dril.	Steel Tanks or Haul-off Bins On ling fluids and drill cuttings. Use	ly: (19.15.17.13.D NMAC) attachment if more than two		
facilities are required.				
Disposal Facility Name: Envirotech / JFJ Landfarm / IEI		The second second	010B	
Disposal Facility Name: <u>Basin Disposal Facility</u> Will any of the proposed closed-loop system operations and associated activ	Disposal Facility Permit #:		earvice and	
Yes (If yes, please provide the information No Required for impacted areas which will not be used for future service and operation		viii not be used for future	service and	
Soil Backfill and Cover Design Specification - based upon the appro Re-vegetation Plan - based upon the appropriate requirements of Sul Site Reclamation Plan - based upon the appropriate requirements of	priate requirements of Subsectionsection I of 19.15.17.13 NMA	C	AC	,
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NN Instructions: Each siting criteria requires a demonstration of compliance in the closure p certain siting criteria may require administrative approval from the appropriate district o office for consideration of approval. Justifications and or demonstrations of equivalency	lan. Recommendations of acceptable office or may be considered an except	tion which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data	obtained from nearby wells		Yes N/A	No
Ground water is between 50 and 100 feet below the bottom of the buried wa			Yes	No
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from nearby wells	72.4	□N/A	
Ground water is more than 100 feet below the bottom of the buried waste.			Yes	No
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from nearby wells		N/A	_
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake measured from the ordinary high-water mark).		Yes	No	
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; satellite im		oplication.	∐Yes	∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in e. - NM Office of the State Engineer - iWATERS database; Visual inspection (cer	xistence at the time of the initial ap		Yes	∐No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes	No	
 Written confirmation or verification from the municipality; Written approval of Within 500 feet of a wetland 	obtained from the municipality		Yes	□No.
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual in	nspection (certification) of the prop	posed site		
Within the area overlying a subsurface mine.			Yes	No
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division		□Vac	□No.	
thin an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		Yes	∐No	
Within a 100-year floodplain FEMA map			Yes	No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Eaby a check mark in the box, that the documents are attached.	ach of the following items mus	t bee attached to the closs	ure plan. Plea	se indicate,
Siting Criteria Compliance Demonstrations - based upon the appropri	riate requirements of 19.15.17.	10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requires	ments of Subsection F of 19.15	.17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upo	n the appropriate requirements	of 19.15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a c		propriate requirements of	19.15.17.11 N	MAC
Protocols and Procedures - based upon the appropriate requirements		E of 10 15 17 13 374 1		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of the ap				
Waste Material Sampling Plan - based upon the appropriate requiren Disposal Facility Name and Permit Number (for liquids, drilling flui			annot ba achia	ved)
Soil Cover Design - based upon the appropriate requirements of Sub			annor or acine	rou)
Re-vegetation Plan - based upon the appropriate requirements of Sub				
Site Reclamation Plan - based upon the appropriate requirements of	Subsection G of 19.15.17.13 N	MAC		

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Day
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: O5 109 2016 Title: Covicanophal Specialist OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
22
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
#
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Dollie L. Busse Title: Staff Regulatory Technician
Statt Regulatory Technician
Signature: Date: 4/5/16
e-mail address: dollie.l.busse@conocophillips.com Telephone: 505-324-6104