District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources Form C-144 June 1, 2004

District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cover	ered by a "general plan"? Yes 🗹 No 🗆						
WFS Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	✓					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 32 8 UNIT #019 API #: 30-045-	<u>3</u> T <u>31N</u> R <u>8W</u>						
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	NAD: 1927 ☑ 1983 ☐						
<u>Pit</u>	Below-grade tank						
Type: Drilling ☐ Production ✓ Disposal ☐	Volume: bbl Type of fluid:						
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.						
Lined Unlined Unlined	Double-walled, with leak detection? Yes 🗐 If not, ex	plain why not.					
Liner Type: Synthetic Thickness mil Clay Fit Volume 80 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	0					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4) Groundwater encour and attach sample results. (5) Attach soil sample results and a diagram of sample lo	ntered: No 🗹 Yes 🗌 If yes, show depth below gr	location: (check the eneral description of remedial ound surface ft.					
Additional Comments:	FEB 2006 OIL OIL OIL OIL OIL OIL OIL OI	Meter: <u>86099</u>					
I hereby certify that the information above is true and complete to the best of my k	nowledge and belief Ufurther certify that the above-describe	ed pit or below-grade					
tank has been/will be constructed or closed according to NMOCD guidelines	, a general permit or an (attached) alternative OC	D-approved plan					
Date:10/3/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	mature MIZMG, FOR WPS						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the opregulations.	ve the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other federator	ink contaminate ground water eral, state, or local laws and/or					
Approval: EFUTY CL & GAS INSTITUTE. CIST. (2) Signs	Level Tool	FEB 0 2 2006					

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

API <u>30-045-11000</u>


Well Name: SAN JUAN 32 8 UNIT #019

Meter: 86099

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width 15 Ft.

Depth $\underline{2}$ Ft.

Location of Pit Center

Latitude

36.92195

Longitude <u>-107.66876</u>

(NAD 1927)

Pit ID

<u>860991</u>

Pit Type

Calcium Salt Tower

Date Closure Started: 6/9/05

Closure Method:

Pushed In

Date Closure Completed: 6/9/05

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total

(mg/kg)

Benzene (mg/kg)

ene TPH kg) DRO

I P

Purpose

Location

Depth

132630JUL02 7/30/02

0

0

(mg/kg)

ASSESS

2



Client Sample ID: 132630JUL02

Pace Analytical Services, Inc.

Date Received: 08/02/02 09:30

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6061366

Matrix: Soil

Client Project ID: NM Pit Assessments

Lab Sample No: 605321876 Project Sample Number: 6061366-003 Date Collected: 07/30/02 13:26

							2000 1100011000 00,000,000 00100		
Parameters	Results	Units	Report Limit	ÐF	Analyzed	Ву	CAS No.	Oua 1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	: OA2 / OA2							
Mineral Spirits	ND	mg/kg	12.	1.2	08/13/02 07:2	1 MIM			
Jet Fuel	ND	mg/kg	12.	1.2	08/13/02 07:2	1 MIM			
Kerosene	ND	mg/kg	12.	1.2	08/13/02 07:2	1 MIM			
Diesel Euel	ND	mg/kg	12.	1.2	08/13/02 07:2	1 MIM	68334-30-5		
Fuel 011	ND	mg/kg	12.	1.2	08/13/02 07:2	1 MIM	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	08/13/02 07:2	1 MIM	•		
n-Tetracosane (S)	104	%		1.0	08/13/02 07:2	1 MIM	646-31-1		
Date Extracted					08/07/02				
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	17.4	%	•	1.0	08/07/02	MAM			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	: EPA 5030 M	edium Soil / El	PA 8021	l				
Benzene	ND	ug/kg	60.	1.2	08/07/02 15:5	4	71-43-2		
Ethy1benzene	ND	ug/kg	60.	1.2	08/07/02 15:5	4	100-41-4		
Toluene	ND	ug/kg	60.	1.2	08/07/02 15:5	4	108-88-3		
Xylene (Total)	ND	ug/kg	150	1.2	08/07/02 15:5	4	1330-20-7		
a,a,a-Trifluorotoluene (S)	105	%		1.0	08/07/02 15:5	4	98-08-8		

Date: 08/15/02

Page: 3

REPORT OF LABORATORY ANALYSIS