

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN
DUPLICATE

(See other instructions on
reverse side)

Amended

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND LEASE NO.

NMNM 078534

6. IF INDIAN, ALLOTTEE OR

7. UNIT AGREEMENT NAME

NMNM 134944

8. FARM OR LEASE NAME, WELL NO.

MC 6 Com #918H

9. API WELL NO.

30-039-31311

10. FIELD AND POOL, OR WILDCAT

MC 6 Com; Mancos

11. SEC., T., R., M., OR BLOCK AND
SURVEY OR AREA

Sec 35 24N 7W

14. PERMIT NO.

DATE ISSUED

12. COUNTY OR

13. STATE

Rio Arriba

New Mexico

15. DATE
SPUDDED
8/6/15

16. DATE T.D.
REACHED
12/22/15

17. DATE COMPLETED (READY TO PRODUCE)
2/10/16

18. ELEVATIONS (DK, RKB, RT, GR, ETC.)*
6806' GR

19. ELEVATION CASINGHEAD

20. TOTAL DEPTH, MD & TVD
11325' MD
5484' TVD

21. PLUG, BACK T.D., MD & TVD
11238' MD
5483' TVD

22. IF MULTICOMP.,
HOW MANY

23. INTERVALS
DRILLED BY

ROTARY TOOLS
X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)*

MC 6 Com; Mancos: 6263'-11214' MD

25. WAS DIRECTIONAL SURVEY MADE

YES

26. TYPE ELECTRIC AND OTHER LOGS RUN

27. WAS WELL CORED

No

28. CASING REPORT (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB/FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#, J-55	343' MD	12-1/4"	101sx - surface	
7"	23#, J-55	6210' MD	8-3/4"	930sx - surface	
4-1/2"	11.6#, P-110	11320' MD	6-1/8"	475sx - surface	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	30. TUBING RECORD SIZE	DEPTH SET (MD)	PACKER SET (MD)
4-1/2"	6055'				2.375", 4.7#, J-55 EUE 8rd	6173'	6011'

31. PERFORATION RECORD (Interval, size, and number)

MC 6 Com; Mancos: 6263'-11214' MD

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED

MANCOS 24th - 24, 0.40" holes

MANCOS 23rd - 24, 0.40" holes

MANCOS 22nd - 24, 0.40" holes

MANCOS 21st - 24, 0.40" holes

MANCOS 20th - 24, 0.40" holes

MANCOS 19th - 24, 0.40" holes

MANCOS 18th - 24, 0.40" holes

MANCOS 17th - 24, 0.40" holes

MANCOS 16th - 24, 0.40" holes

OIL CONS. DIV DIST. 3

APR 05 2016

ACCEPTED FOR RECORD

MAR 30 2016

FARMINGTON FIELD OFFICE
BY: William Tamekon

NMOCD

6263'-6418' 208,800#, 30/50 PSA Sand

6469'-6624' 214,900#, 30/50 PSA Sand

6675'-6830' 214,000#, 30/50 PSA Sand

6681'-7036' 215,000#, 30/50 PSA Sand

7087'-7242' 217,100#, 30/50 PSA Sand

7293'-7448' 215,500#, 30/50 PSA Sand

7499'-7654' 215,300#, 30/50 PSA Sand

7705'-7860' 216,000#, 30/50 PSA Sand

7911'-8066' 213,500#, 30/50 PSA Sand

MANCOS 15th - 24, 0.40" holes

MANCOS 14th - 24, 0.40" holes

MANCOS 13th - 24, 0.40" holes

MANCOS 12th - 24, 0.40" holes

MANCOS 11th - 24, 0.40" holes

MANCOS 10th - 24, 0.40" holes

MANCOS 9th - 24, 0.40" holes

MANCOS 8th - 24, 0.40" holes

MANCOS 7th - 24, 0.40" holes

MANCOS 6th - 24, 0.40" holes

MANCOS 5th - 24, 0.40" holes

MANCOS 4th - 24, 0.40" holes

MANCOS 3rd - 24, 0.40" holes

MANCOS 2nd - 24, 0.40" holes

MANCOS 1st - 18, 0.40" holes RSI TOOL @ 11214'

8117'-8272'	215,000#, 30/50 PSA Sand
8325'-8481'	216,300#, 30/50 PSA Sand
8529'-8684'	214,000#, 30/50 PSA Sand
8735'-8890'	216,300#, 30/50 PSA Sand
8944'-9096'	216,000#, 30/50 PSA Sand
9147'-9302'	214,700#, 30/50 PSA Sand
9353'-9508'	216,000#, 30/50 PSA Sand
9559'-9714'	215,500#, 30/50 PSA Sand
9765'-9920'	215,500#, 30/50 PSA Sand
9971'-10126'	216,000#, 30/50 PSA Sand
10180'-10332'	215,700#, 30/50 PSA Sand
10383'-10538'	214,300#, 30/50 PSA Sand
10589'-10744'	216,000#, 30/50 PSA Sand
10795'-10950'	214,500#, 30/50 PSA Sand
11000'-11214'	193,000#, 30/50 PSA Sand

33. PRODUCTION

DATE OF FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump)				WELL STATUS (PRODUCING OR SI)	
Will file on delivery sundry							
DATE OF TEST	TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL - BBL.	GAS - MANCOSF	WATER - BBL.	GAS-OIL RATIO
FLOW TBG PRESS	CASING PRESSURE	CALCULATED 24-HOUR RATE		OIL - BBL.	GAS - MANCOSF	WATER - BBL.	OIL GRAVITY-API (CORR.)


34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): non flaring

TEST WITNESSED BY:

35. LIST OF ATTACHMENTS: SUMMARY OF POROUS ZONES, WELLBORE DIAGRAM, Directional EOW report

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

PRINTED NAME Marie E. Jaramillo SIGNED



TITLE Permit III

DATE 2/11/16

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP		BOTTOM		DESCRIPTION, CONTENTS, ETC.	NAME	
							NAME
	MD	TVD					
OJO ALAMO	1089	1087					
KIRTLAND	1321	1315					
PICTURE CLIFFS	1981	1928					
LEWIS	2091	2028					
CHACRA	2450	2356					
CLIFF HOUSE	3607	3414					
MENEFEE	3695	3494					
PT LOOKOUT	4454	4186					
MANCOS	4709	4416					
GALLUP	5139	4820					

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN
DUPLICATE

(See other instructions on
reverse side)

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND LEASE NO.

NMNM 078534

6. IF INDIAN, ALLOTTEE OR

7. UNIT AGREEMENT NAME

NMNM 134944

8. FARM OR LEASE NAME, WELL NO.

MC 6 Com #918H

9. API WELL NO.

30-039-31311 - 0051

10. FIELD AND POOL, OR WILDCAT

MC 6 Com; Mancos

11. SEC., T., R., M., OR BLOCK AND
SURVEY OR AREA

Sec 35 24N 7W

12. COUNTY OR

Rio Arriba

13. STATE

New Mexico

19. ELEVATION CASINGHEAD

15. DATE
SPUDED
8/6/15

16. DATE T.D.
REACHED
12/22/15

17. DATE COMPLETED (READY TO PRODUCE)
2/10/16

14. PERMIT NO.

DATE ISSUED

18. ELEVATIONS (DK, RKB, RT, GR, ETC.)*
6806' GR

20. TOTAL DEPTH, MD & TVD
12720' MD 11325'
5405' TVD 5484'

21. PLUG, BACK T.D., MD & TVD
12619' MD
5405' TVD

22. IF MULTICOMP.,
HOW MANY

23. INTERVALS
DRILLED BY

ROTARY TOOLS
X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)*

MC 6 Com; Mancos: 6263'-11214' MD

26. TYPE ELECTRIC AND OTHER LOGS RUN

25. WAS DIRECTIONAL SURVEY MADE

YES

27. WAS WELL CORED

No

28. CASING REPORT (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#, J-55	343' MD	12-1/4"	101sx - surface	
7"	23#, J-55	6210' MD	8-3/4"	930sx - surface	
4-1/2"	11.6#, P-110	11320' MD	6-1/8"	475sx - surface	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
4-1/2"	6055'				2.375", 4.7#, J-55 EUE 8rd	6173'	6011'

31. PERFORATION RECORD (Interval, size, and number)

MC 6 Com; Mancos: 6263'-11214' MD

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED

MANCOS 24th - 24, 0.40" holes

OIL CONS. DIV DIST. 3

MANCOS 23rd - 24, 0.40" holes

MANCOS 22nd - 24, 0.40" holes

MANCOS 21st - 24, 0.40" holes

MANCOS 20th - 24, 0.40" holes

MANCOS 19th - 24, 0.40" holes

MANCOS 18th - 24, 0.40" holes

MANCOS 17th - 24, 0.40" holes

MANCOS 16th - 24, 0.40" holes

6263'-6418'

208,800#, 30/50 PSA Sand

6469'-6624'

214,900#, 30/50 PSA Sand

6675'-6830'

214,000#, 30/50 PSA Sand

6681'-7036'

215,000#, 30/50 PSA Sand

7087'-7242'

217,100#, 30/50 PSA Sand

7293'-7448'

215,500#, 30/50 PSA Sand

7499'-7654'

215,300#, 30/50 PSA Sand

7705'-7860'

216,000#, 30/50 PSA Sand

7811'-8066'

213,500#, 30/50 PSA Sand

CONFIDENTIAL

ACCEPTED FOR RECORD

FEB 16 2016

FARMINGTON FIELD OFFICE
BY: *William Tambekou*

NMOCD

<u>MANCOS 15th</u> – 24, 0.40" holes	8117'-8272'	215,000#, 30/50 PSA Sand
<u>MANCOS 14th</u> – 24, 0.40" holes	8325'-8481'	216,300#, 30/50 PSA Sand
<u>MANCOS 13th</u> – 24, 0.40" holes	8529'-8684'	214,000#, 30/50 PSA Sand
<u>MANCOS 12th</u> – 24, 0.40" holes	8735'-8890'	216,300#, 30/50 PSA Sand
<u>MANCOS 11th</u> – 24, 0.40" holes	8944'-9096'	216,000#, 30/50 PSA Sand
<u>MANCOS 10th</u> – 24, 0.40" holes	9147'-9302'	214,700#, 30/50 PSA Sand
<u>MANCOS 9th</u> – 24, 0.40" holes	9353'-9508'	216,000#, 30/50 PSA Sand
<u>MANCOS 8th</u> – 24, 0.40" holes	9559'-9714'	215,500#, 30/50 PSA Sand
<u>MANCOS 7th</u> – 24, 0.40" holes	9765'-9920'	215,500#, 30/50 PSA Sand
<u>MANCOS 6th</u> – 24, 0.40" holes	9971'-10126'	216,000#, 30/50 PSA Sand
<u>MANCOS 5th</u> – 24, 0.40" holes	10180'-10332'	215,700#, 30/50 PSA Sand
<u>MANCOS 4th</u> – 24, 0.40" holes	10383'-10538'	214,300#, 30/50 PSA Sand
<u>MANCOS 3rd</u> – 24, 0.40" holes	10589'-10744'	216,000#, 30/50 PSA Sand
<u>MANCOS 2nd</u> – 24, 0.40" holes	10795'-10950'	214,500#, 30/50 PSA Sand
<u>MANCOS 1st</u> – 18, 0.40" holes RSI TOOL @ 11214'	11000'-11214'	193,000#, 30/50 PSA Sand

33. PRODUCTION

DATE OF FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump)				WELL STATUS (PRODUCING OR SI)	
Will file on delivery sundry							
DATE OF TEST	TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL - BBL.	GAS - MANCOSF	WATER - BBL.	GAS-OIL RATIO
FLOW TBG PRESS	CASING PRESSURE	CALCULATED 24-HOUR RATE		OIL - BBL.	GAS - MANCOSF	WATER - BBL.	OIL GRAVITY-API (CORR.)


34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): non flaring

TEST WITNESSED BY:

35. LIST OF ATTACHMENTS: SUMMARY OF POROUS ZONES, WELLBORE DIAGRAM, Directional EOW report

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

PRINTED NAME Marie E. Jaramillo SIGNED



TITLE Permit III

DATE 2/11/16

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP		BOTTOM		DESCRIPTION, CONTENTS, ETC.	NAME	
	MD	TVD					NAME
OJO ALAMO	1089	1087					
KIRTLAND	1321	1315					
PICTURE CLIFFS	1981	1928					
LEWIS	2091	2028					
CHACRA	2450	2356					
CLIFF HOUSE	3607	3414					
MENEFEE	3695	3494					
PT LOOKOUT	4454	4186					
MANCOS	4709	4416					
GALLUP	5139	4820					