1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure Is nit or below-grade tank covered by a "general plan"? Yes V No

WFS Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	✓					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 30 5 UNIT #060 API #: 30-039-2	U/L or Qtr/Qtr <u>H</u> SEC	<u>5</u> T <u>30N</u> R <u>5W</u>					
County: RIO ARRIBA Surface Owner: Federal ✓ State □ Private □ Indian □	9 Longitude <u>-107.37489</u>	NAD: 1927 ☑ 1983 □					
Pit Type: Drilling Production ✓ Disposal Workover Emergency Lined Unlined Unlined Thickness mil Clay Pit Volume 214 bbl	Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes If not, explain why not.						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo	ntered: No 🗹 Yes 🗌 If yes, show depth below gro	eneral description of remedial					
Additional Comments:	N	Meter: 85022					
FEB	23456 2006 00 DIM						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD squidelines , a general permit , or an (attached) alternative OCD-approved plan							
	1015/1/2	у-арргоуса ріап ■					
	nature MIZING, FOR WPS						
Your certification and NMOCD approval of this application/closure does not relieve or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	we the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other fede	nk contaminate ground water ral, state, or local laws and/or					
Approval:	N 7-A	\$50 0 a sec					
Printed Name/Title Signs INSPECTOR, DIST. Signs	ature 1 emp food	PEB 0 2 2006 Date:					

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 30 5 UNIT #060


API 30-039-21493

Meter: <u>85022</u>

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 20 Ft.

Width 20 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.84494

Longitude -107.37466

(NAD 1927)

Pit ID

850221

Pit Type

Separator

Date Closure Started: 3/29/05

Closure Method:

Pushed In

Date Closure Completed: 3/29/05

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space **BTEX** Total

Benzene (mg/kg)

TPH DRO (mg/kg)

100

Purpose

Location

Depth

140320NOV02

11/20/02

(mg/kg)

0.16

ASSESS



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6065112

Client Project ID: Phillips Pit Program

Project Sample Number: 6065112-005 Date Collected: 11/20/02 14:03 Lab Sample No: 605626415

Client Sample ID: 140320NOV02					k: Soil	Date Received: 11/22/02 09:4			
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles	-								
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	13.	1.3	12/03/02 05:	58 MIM			
Jet Fuel	ND	mg/kg	13.	1.3	12/03/02 05:	58 MIM			
Kerosene	ND	mg/kg	13.	1.3	12/03/02 05:	58 MIM			
Diesel Fuel	100	mg/kg	13.	1.3	12/03/02 05:	58 MIM	68334-30-5		
Fuel 011	ND	mg/kg	13.	1.3	12/03/02 05:	58 MIM	68334-30-5		
Motor Oil	ND	mg/kg	13.	1.3	12/03/02 05:	58 MIM			
n-Tetracosane (S)	112	*		1.0	12/03/02 05:	58 MIM	646-31-1		
p-Terphenyl (S)	106	*		1.0	12/03/02 05:	58 MIM	92-94-4		
Date Extracted	11/25/02				11/25/02				
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	21.7	*		1.0	11/26/02	JLC	1		
GC Volatiles	•								
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / El	PA 802	1				
Benzene	ND	ug/kg	63.	1.3	11/27/02 04:	03	71-43-2		
Ethylbenzene	ND	ug/kg	63.	1.3	11/27/02 04:	03	100-41-4		
Toluene	ND	ug/kg	63.	1.3	11/27/02 04:	03	108-88-3		
Xylene (Total)	160	ug/kg	160	1.3	11/27/02 04:	03	1330-20-7		•
a,a,a-Trifluorotoluene (S)	101	*		1.0	11/27/02 04:	03	98-08-8		

Date: 12/05/02

Page: 5 of 12

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

