1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗔							
WFS CLOSURE Type of action: Registration of a pit or below	y-grade tank Closure of a pit or below-grade tank	V					
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone: e-mail address:							
Address: 801 CHERRY ST FORT WORTH, TX 76102							
Facility or well name: SAN JUAN 28 6 UNIT #467 API #: 30-039-	25006 U/L or Qtr/Qtr <u>L</u> SEC	<u>34</u> T <u>28N</u> R <u>6W</u>					
County: RIO ARRIBA Latitude 36 36.5 Surface Owner: Federal ✓ State □ Private □ Indian □	937 N Longitude 107 27.646 W	NAD: 1927 ☑ 1983 □					
<u>Pit</u>	Below-grade tank Volume: bbl Type of fluid:						
Type: Drilling Production Disposal							
Workover	Construction Material: Double-walled, with leak detection? Yes If not, ex						
Lined Unlined 🗹	Double-walled, with leak detection? Yes If not, ex	piain why not.					
Liner Type: Synthetic Thickness mil Clay Pit Volume 23 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points) (10 points) <u>0</u>					
	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet	(20 points) (10 points) 0					
inigation canais, ditches, and perennal and epitemetal watercourses.)	Greater than 1,000 feet	(10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
	ationship to other equipment and tanks. (2) Indicate disposal	•					
onsite box if your are burying in place) onsite 🗹 offsite If offsite, name		eneral description of remedial					
action taken including remediation start date and end date. (4)Groundwater encountered: No 🗹 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.							
Additional Comments: FEB 2006 Meter: 81294							
U.S 3							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan							
Date: 10/3/05 Printed Name/Title No. 1 XX Co. XXXXIII							
Printed Name/Title Mark Harvey for Williams Field Services Signature							
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	ve the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other feder	ank contaminate ground water eral, state, or local laws and/or					
Approval:							
Printed Name/Title Signs	ature Deny July	— FEB 0 2 2006					

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: SAN JUAN 28 6 UNIT #467


API 30-039-25006

Meter: 81294

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 8 Ft.

Width 8 Ft.

Depth 2 Ft. **Location of Pit Center**

Latitude 36 36.932 N

Longitude 07 27.632 W

(NAD 1927)

Pit ID

812941

Pit Type

Unknown

Date Closure Started: 4/13/05

Closure Method:

Excavated, Blended, Treated Soil Returned

Date Closure Completed: 4/13/05

Bedrock Encountered?

V

Cubic Yards Excavated: 19

Vertical Extent of Equipment Reached?

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID Date

Sample

Head Space **BTEX** Total

Benzene (mg/kg)

TPH DRO Purpose

Location Depth

(mg/kg) (mg/kg) 151713APR05 4/13/05 245 30.1 0 1100 EX Confirm Walls See Risk Analysis 152813APR05 4/13/05 209 16.91 0 150 EX Confirm Flr See Risk Analysis

170301APR05 4/1/05 54.8 0 430 ASSESS Flr



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6093805

Client Project ID: N. Mex Pit Program Spring 2005

Lab Sample No: 608058715 Project Sample Number: 6093805-011 Date Collected: 04/01/05 17:03

Client Sample ID: 170301APR05				Matri	x: Soil		Date Receive	d: 04/1	2/05 09:20
Parameters	Results	Units	Report Limit	_DF	Analyze	l By	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	11.	1.1	04/15/05 15	58 RMN1	L		
Jet Fuel	ND	mg/kg	11.	1.1	04/15/05 15	58 RMN1	Ĺ		
Kerosene	ND	mg/kg	11.	1.1	04/15/05 15	58 RMN1	L	•	
Diesel Fuel	ND	mg/kg	11.	1.1	04/15/05 15	:58 RMN	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	04/15/05 15	:58 RMN:	68334-30-5		
Motor 011	ND	mg/kg	11.	1.1	04/15/05 15	:58 RMN:	<u>l</u>		
Total Petroleum Hydrocarbons	430	mg/kg	11.	1.1	04/15/05 15	:58 RMN:	<u>l</u>	1	
n-Tetracosane (S)	94	x		1.0	04/15/05 15	:58 RMN:	L 646-31-1		
p-Terphenyl (S)	91	×		1.0	04/15/05 15	:58 RMN:	l 92-94-4		
Date Extracted	04/14/05				04/14/05				
Organics Prep									
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	9.8	*		1.0	04/13/05	ALJ:	[
GC Volatiles									
Aromatic Volatile Organics	Prep/Method	: EPA 5030 M	fedium Soil / E	PA 802	1				
Benzene	ND	ug/kg	1100		04/14/05 18	:11 SHF	71-43-2		
Ethylbenzene	4300	ug/kg	1100	22.1	04/14/05 18	:11 SHF	100-41-4		
Toluene	7500	ug/kg	1100	22.1	04/14/05 18	:11 SHF	108-88-3		
Xylene (Total)	43000	ug/kg	2900	22.1	04/14/05 18	:11 SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	92	X		1.0	04/14/05 18	:11 SHF	98-08-8		

Date: 04/19/05

Page: 11 of 27

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6094208

Client Project ID: N MEXICO PIT PROGRAM

Project Sample Number: 6094208-004 Date Collected: 04/13/05 15:17 Lab Sample No: 608089579 Date Received: 04/22/05 09:30

Client Sample ID: 151713APR05	Matrix: Soil	Date Received: 04/22/05 09:3
	** **	

					•				
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	11.	1.1	04/27/05 20:30	RMN1			. •
Jet Fuel	ND	mg/kg	11.	1.1	04/27/05 20:30	RMN1			
Kerosene	ND	mg/kg	11.	1.1	04/27/05 20:30	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	04/27/05 20:30	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	04/27/05 20:30	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	04/27/05 20:30	RMN1			
Total Petroleum Hydrocarbons	1100	mg/kg	. 11.	- 1.1	04/27/05 20:30	RMN1		1	
n-Tetracosane (S)	101	*		1.0	04/27/05 20:30	RMN1	646-31-1		
p-Terphenyl (S)	92	X		1.0	04/27/05 20:30	RMN1	92-94-4		
Date Extracted	04/26/05				04/26/05				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	12.7	*		1.0	04/25/05	CJN1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 802	1				
Benzene	ND	ug/kg	490	• 9.9	04/26/05 09:08	SHF	71-43-2		
Ethylbenzene	2600	ug/kg	490	9.9	04/26/05 09:08	SHF	100-41-4		
Toluene	2500	ug/kg	490	9.9	04/26/05 09:08	SHF	108-88-3		
Xylene (Total)	25000	ug/kg	1300	9.9	04/26/05 09:08	3 SHF	1330-20-7		
a.a.a-Trifluorotoluene (S)	74	*		1.0	04/26/05 09:08	3 SHF	98-08-8		

Date: 04/29/05

Page: 4 of 42

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913,599.5665 Fax: 913,599,1759

Lab Project Number: 6094208

Client Project ID: N MEXICO PIT PROGRAM

Lab Sample No: 608089587 Project Sample Number: 6094208-005 Date Collected: 04/13/05 15:28

Client Sample ID: 152813APR05 Matrix: Soil Date Received: 04/22/05 09:30

Client Sample ID: 152813APR05				Matri	x: Soil	í	Date Receive	d: 04/2	22/05 09:3
Parameters	Results	Units	Report Limit	DF_	Analyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	?						
Mineral Spirits	ND	mg/kg	11.	1.1	04/27/05 20:48	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	04/27/05 20:48	RMN1			
Kerosene	ND	mg/kg	11.	1.1	04/27/05 20:48	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	04/27/05 20:48	RMN1	68334-30-5		
Fuel 011	ND	mg/kg	11.	1.1	04/27/05 20:48	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	04/27/05 20:48	RMN1			
Total Petroleum Hydrocarbons	150	mg/kg	11.	1.1	04/27/05 20:48	RMN1		2	
n-Tetracosane (S)	99	*		1.0	04/27/05 20:48	RMN1	646-31-1		
p-Terphenyl (S)	94	X		1.0	04/27/05 20:48	RMN1	92-94-4		
Date Extracted	04/26/05				04/26/05				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	9.9	*		1.0	04/25/05	CJN1			•
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 802	21				
Benzene	ND	ug/kg	460	9.2	04/25/05 22:20	5 SHF	71-43-2		
Ethylbenzene	1100	ug/kg	460	9.2	04/25/05 22:20	5 SHF	100-41-4		
Toluene	810	ug/kg	460	9.2	04/25/05 22:20	6 SHF	108-88-3		
Xylene (Total)	15000	ug/kg	1200	9.2	2 04/25/05 22:20	5 SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	79	*		1.0	04/25/05 22:2	6 SHF	98-08-8		

Date: 04/29/05

Page: 5 of 42

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

