District I 1625 N. French Dr., Hobbs, NM 88240 District III

District III

District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌

| lype of action: Registration of a pit of | or below-grade tank [Closure of a pit or below-grade | ade tank 🔀 | | |
|--|--|-----------------------------|---|--|
| Operator: BP AMERICA PROD. CO. | Telephone: (505)-326-9200 e-ma | ail address: | | |
| Address: 200 ENERGY COURT, FARMINGTON. | | ati addiess. | | |
| Facility or well name: BARRETT LS #3A | | Otr D Sec 20 | т 31N в 9W | |
| County: SAN JUAN Latitude 36.88883 Longitude 10 | | | | |
| | Nab. 1927 E 1903 & Surface C | when I ederal 23 State [| | |
| Pi <u>t</u> | Below-grade tank | | | |
| Type: Drilling Production Disposal SEPARATOR | Volume:bbl-Type-of-fluid: / | | | |
| Workover ☐ Emergency ☐ | Construction material: | | | |
| Lined Unlined STEEL TANK | Double-walled, with leak detection? Yes 1 If | t, explain why not. | | |
| Liner type: Synthetic Thicknessmil Clay _ | | | | |
| Pit Volumebbl | | | | |
| | Less than 50 feet | (20 points) | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal | 50 feet or more, but less than 100 feet | (10 points) | 0 | |
| high water elevation of ground water.) | 100 feet or more | (0 points) | | |
| | Yes | (20 points) | | |
| Wellhead protection area: (Less than 200 feet from a private domestic | No | (0 points) | 0 | |
| water source, or less than 1000 feet from all other water sources.) | | | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | Less than 200 feet | (20 points) | | |
| gation canals, ditches, and perennial and ephemeral watercourses.) | 200 feet or more, but less than 1000 feet | (10 points) | 0 | |
| | 1000 feet or more | (0 points) | | |
| | Ranking Score (Total Points) | | 0 | |
| If this is a pit closure: (1) attach a diagram of the facility showing the pit's | s relationship to other equipment and tanks. (2) Indic | ate disposal location: (cl | heck the onsite box if | |
| your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility_ | | | | |
| remediation start date and end date. (4) Groundwater encountered: No 🖾 | | | | |
| | | nt. and attach | 277 77 77 77 77 77 77 77 77 77 77 77 77 | |
| Attach soil sample results and a diagram of sample locations and excavation | 00 37 50 50 | CLL HEAD AS | CACCO COLOR | |
| Additional Comments: PIT LOCATED APPROXIMATEL | | ELL HEAD. 75. | | |
| PIT EXCAVATION: WIDTH N/Aft. LENGTH | · · · · · · · · · · · · · · · · · · · | | FED 2008 | |
| PIT REMEDIATION: CLOSE AS IS: ⊠. LANDFARM: □, C | COMPOST:, STOCKPILE:, OTHER (e: | xplain) (Go | FEDERAL S | |
| Cubic yards: N/A | | | | |
| BEDROCK BOTTOM | | | DIST. S | |
| | | | (| |
| I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline | | | or below-grade tank | |
| | es gas, a general persist [], or an atternative OCD | -approved plan 24. | The Court State | |
| Date: 06/21/05 | | | | |
| T 66 TO 1 1 4 4 C 0 PM | Jeffer e | e- | | |
| PrintedName/Title Jeff Blagg - P.E. # 11607 | Signature | | | |
| Your certification and NMOCD approval of this application/closure does | | | | |
| otherwise endanger public health or the environment. Nor does it relieve t regulations. | the operator of its responsibility for compliance with | any other federal, state, o | or local laws and/or | |
| | | | | |
| approval: GENERAL OR & GAS ANSWELLING ONST & 1 | | | | |
| Printed Name/Title Signature Signature Signature Date: | | | | |
| | | | | |

TRAVEL NOTES:

T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

CALLOUT: _



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

| Client: | Blagg / BP | Project #: | 94034-010 |
|----------------------|-----------------|---------------------|-----------|
| Sample ID: | 1 @ 5' | Date Reported: | 06-21-05 |
| Laboratory Number: | 33369 | Date Sampled: | 06-17-05 |
| Chain of Custody No: | 13951 | Date Received: | 06-17-05 |
| Sample Matrix: | Soil | Date Extracted: | 06-20-05 |
| Preservative: | Cool | Date Analyzed: | 06-21-05 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |

| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | ND | 0.2 |
| Diesel Range (C10 - C28) | ND | 0.1 |
| Total Petroleum Hydrocarbons | ND | 0.2 |

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Barrett LS 3A Sep Pit.

Analyst C. Q

Misterie m Walter Review