DISTRICT 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

<u>District IV</u> J220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank					
- DD AMEDICA EDOD CO	(505)-326-9200	- all addragas			
Operator: BP AMERICA FROD. CO. Address: 200 ENERGY COURT, FARMINGTON.		nail address:			
Facility or well name: ATLANTIC A LS #5A	API#: 30-045- 22879 U/L or Qtr	riOtr J Sec 26	T 31N R 10W		
County: SAN JUAN Latitude 36.86704 Longitude 10			3		
County	NAD. 1927 1965 2 Surface	Owner rederat <u>pu</u> State <u></u>	Titvate [interest [
Pit	Below-grade tank				
Type: Drilling ☐ Production ☐ Disposal ☒ BLOW	Volume:bbl-Type of fluid: /				
Workover Emergency	Construction material:				
Lined Unlined 🛛	Double-walled, with leak of tection? Yes 1 If	t, explain why not.			
Liner type: Synthetic Thicknessmil Clay _					
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	0		
ingh water elevation of ground water.)	100 feet or more	(0 points)			
W. III J	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	(0 points)	0		
water source, or less than 1000 reet from an other water sources.)	I	(20 i)	•		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
igation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet 1000 feet or more	(10 points) (0 points)	10		
	1000 feet of more	(o points)			
	Ranking Score (Total Points)		10		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if					
your are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility_	(3) Attach a genera	l description of remedial ac	ction taken including		
remediation start date and end date. (4) Groundwater encountered: No \boxtimes	Yes 🔲 If yes, show depth below ground surface	ft. and attach	ample results. (5)		
Attach soil sample results and a diagram of sample locations and excavation	15.		1718192077		
Additional Comments: PIT LOCATED APPROXIMATEL	Y 153 FT. N33E FROM W	'ELL HEAD. 💉 🗥	2 63		
PIT EXCAVATION: WIDTH N/Aft., LENGTH	N/Aft., DEPTH N/Aft		OFEB 20 E		
PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, C	COMPOST: [], STOCKPILE: [], OTHER [] (explain) P M	008		
Cubic vards: N/A		E (Way &		
		ঠিত	TO STANDER STANDER		
			C S		
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify tha	t the above-described pit	or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines \(\sigma, \) a general permit \(\sigma, \) or an alternative OCD-approved plan \(\sigma. \)					
Date: 05/02/05					
PrintedName/Title Jeff Blagg - P.E. # 11607 Signature					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or					
regulations.					
THE CAS INSPECTION DIST AL					
Printed Name/Title Signature Signatu					
Timiled Ivalife Line Si	ignature C	Date:			

30-045-228	79 . 30	6.86104 × 101.84	997		
20		G ENGINEERING	•	LOCATION NO: 81510	
CLIENT: BP		87, BLOOMFIELD 505) 632-1199	, NM 87413	COCR NO: 14003	
FIELD REPO	RT: PIT CL	OSURE VERIFI	CATION	PAGE No: _ i _ of _ j	
		WELL#: 5A TYPE		DATE STARTED: 4-29-05 DATE FINISHED: 4-29-05	
QUAD/UNIT: J SEC:	26 TWP: 31N RNG	: 10W PM: NM CNTY: S.	J ST: NM		
QTR/FOOTAGE: 170	o FSL× 1840 FEL A	WISE CONTRACTOR: P+S	•	ENVIRONMENTAL JCB	
EXCAVATION APP	ROX. NA FT. x	NA FT. X NA FT	DEEP. CUBIC	YARDAGE: O	
DISPOSAL FACILITY:	NA	REMEDIA	TION METHOD:	CLUSE AS IS	
_		LEASE: NM 0606		1	
FIELD NOTES & RE				336 FROM WELLHEAD.	
		ATER SOURCE: >1000			
		CLOSURE STD: 1000 PF			
				D. = 52.7 ppm	
SOIL AND EXCAV	ATION DESCRIPT	<u>'ION:</u>	OVM CALIB. GAS	S = 100 ppm RF = 0.52	
			·	am/pm DATE: 4/29	
SOIL TYPE: (SAND) SILT		CLAY / CLAY / GRAVEL / OTH	ER		
COHESION (ALL OTHERS):	NON COHESIVE SLIGHTLY	COHESIVE / COHESIVE / HIGHLY	COHESIVE		
CONSISTENCY (NON COHES	SIVE SOILS): LOOSE FIRM	/ DENSE / VERY DENSE			
•		IC / COHESIVE / MEDIUM PLASTIC	HIGHLY PLASTIC		
DENSITY (COHESIVE CLAYS MOISTURE: DRY (SLIGHTLY		FURATED / SUPER SATURATED		(CLOSED)	
DISCOLORATION/STAINING	OBSERVED: YES INO EXP				
HC ODOR DETECTED: YES					
SAMPLE TYPE: (GRAB)/CON ADDITIONAL COMMENTS:	MPOSITE - # OF PTS	- 18'x 18'x 5' DEE	P EARTHEN P	.T	
Í -	USE BACKHOE TO		SAMPLE		
<u> </u>		FIELD 418.1 CALC	111 ATIONS		
SCALE SAN	AP. TIME SAMP. ID	LAB NO. WEIGHT (g)		LUTION READING CALC. (ppm)	
37.1	MP. HME SAIMF. ID	LAB NO. WEIGHT (g)	ML FREUN DI	LOTION READING CALC. (ppin)	
0 FT					
N PIT PERI	MFTFR			PIT PROFILE	
A	170	OVM		1111110011100	
		READING			
(8)	TH	SAMPLE FIELD HEADSPACE (ppm)	Ì		
		1@ 9' (.6 2@ 9' 3.0	\exists		
		3@ 9' 4.Z	A	A	
* 0 0	(3)	4@	7	1	
0 0		5 @	5		
	1 *		1 L \		
*)]		_	7 7 9	
LAB SAMPLES					
SAMPLE ANALYSIS TIME					
/ TO A	PERMET 3	POWT TPH 1045			
& WELL	r/	00-5ED			
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE: ~ = APPROX T.B. = TANK BOTTOM					
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL NOTES:					
CALLOUT: 4/28/05 1630 ONSITE: 4/29/05 0930					



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	3-Point Comp.	Date Reported:	05-02-05
Laboratory Number:	32848	Date Sampled:	04-29-05
Chain of Custody No:	14003	Date Received:	04-29-05
Sample Matrix:	Soil	Date Extracted:	04-29-05
Preservative:	Cool	Date Analyzed:	05-02-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1.7	0.1
Total Petroleum Hydrocarbons	1.7	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Atlantic A LS 5A Blow Pit.

Analyst C. Ceyman

Mistme m Walters
Review