

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of NEW MEXICO  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes  No


Type of action: Registration of a pit or below-grade tank  Closure of a pit or below-grade tank

Operator: BP AMERICA PROD. CO. Telephone: (505-326-9200) e-mail address: \_\_\_\_\_  
Address: 200 ENERGY COURT, FARMINGTON, NM 87410  
Facility or well name: ATLANTIC B LS #1A API #: 30-045- 22995 U/L or Qtr/Qtr O Sec 33 T 31N R 10W  
County: SAN JUAN Latitude 36.85010 Longitude 107.88433 NAD: 1927  1983  Surface Owner Federal  State  Private  Indian

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>BLOW</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)	<b>0</b>
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	<b>0</b>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	<b>0</b>
<b>Ranking Score (Total Points)</b>		<b>0</b>

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite  offsite  If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 129 FT. N22W FROM WELL HEAD  
PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.  
PIT REMEDIATION: CLOSE AS IS:  LANDFARM:  COMPOST:  STOCKPILE:  OTHER  (explain)  
Cubic yards: N/A



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .

Date: 04/18/05

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 2 Signature Denny Zent Date: FEB 21 2006

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1067</u>
		COCR NO: <u>13954</u>

**FIELD REPORT: PIT CLOSURE VERIFICATION** PAGE No: 1 of 1

LOCATION: NAME: <u>ATLANTIC B LS</u> WELL#: <u>1A</u> TYPE: <u>Blow</u>	DATE STARTED: <u>4-15-05</u>
QUAD/UNIT: <u>0</u> SEC: <u>33</u> TWP: <u>31N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u>	DATE FINISHED: <u>4-15-05</u>
QTR/FOOTAGE: <u>80W FSL x 1550 FEL</u> <sup>SWISE</sup> CONTRACTOR: <u>P+S (Fernando)</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - Blm LEASE: SF 080917 FORMATION: MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 129 FT. N22W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = <u>52.2</u> ppm
OVM CALIB. GAS = <u>100</u> ppm RF = <u>0.52</u>
TIME: <u>1355</u> am/pm DATE: <u>4-15-05</u>

SOIL TYPE: SAND SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_

SOIL COLOR: DARK Brown

COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE)

CONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM / DENSE / VERY DENSE)

PLASTICITY (CLAYS): NON PLASTIC (SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC)

DENSITY (COHESIVE CLAYS & SILTS): SOFT (FIRM / STIFF / VERY STIFF / HARD)

MOISTURE: DRY (SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED)

DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION - V. MINOR STREAKS 4'-6'

HC ODOR DETECTED: YES / NO EXPLANATION - Minor 4'-6'

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. \_\_\_\_\_


ADDITIONAL COMMENTS: 18' x 18' x 4' Deep Everton Pit. Use backhoe to dig test trench.

CLOSED


FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)


SCALE



PIT PERIMETER



PIT PROFILE



OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 2'	28
2 @ 9'	60
3 @ 18'	57
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
2108	TPH	1350

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
T.H. = TEST HOLE; - = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: 4/15/05 1210 ONSITE: 4/15/05 1330

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	2 @ 8'	Date Reported:	04-18-05
Laboratory Number:	32665	Date Sampled:	04-15-05
Chain of Custody No:	13954	Date Received:	04-18-05
Sample Matrix:	Soil	Date Extracted:	04-18-05
Preservative:	Cool	Date Analyzed:	04-18-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	3.8	0.1
Total Petroleum Hydrocarbons	3.8	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Atlantic B LS 1A Blow Pit.**

  
Analyst

  
Review