

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505-326-9200)</u> e-mail address: _____		
Address: <u>200 ENERGY COURT, FARMINGTON, NM 87410</u>		
Facility or well name: <u>BLANCO COM 1 #1A</u> API #: <u>30-045- 25444</u> U/L or Qtr/Qtr <u>P</u> Sec <u>2</u> T <u>30N</u> R <u>11W</u>		
County: <u>SAN JUAN</u> Latitude <u>36.83673</u> Longitude <u>107.95399</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>DEHYDRATOR II</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) <b>0</b>
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	( 0 points) <b>0</b>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) <b>10</b>
	1000 feet or more	( 0 points)
<b>Ranking Score (Total Points)</b>		<b>10</b>

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: <u>PIT LOCATED APPROXIMATELY 117 FT. N57W FROM WELL HEAD.</u>
<u>PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.</u>
<u>PIT REMEDIATION: CLOSE AS IS: <input checked="" type="checkbox"/> LANDFARM: <input type="checkbox"/> COMPOST: <input type="checkbox"/> STOCKPILE: <input type="checkbox"/> OTHER <input type="checkbox"/> (explain)</u>
Cubic yards: <u>N/A</u>
<u>BEDROCK BOTTOM</u>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 03/25/05

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. #3 Signature Denny Fard Date: FEB 21 2006

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>A0012</u> COCR NO: <u>HALL</u>
-------------------	---	---

# FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: <u>BLANCO COM</u> WELL #: <u>1A</u> TYPE: <u>DEHY II</u>	DATE STARTED: <u>3/18/05</u>
QUAD/UNIT: <u>P</u> SEC: <u>2</u> TWP: <u>30N</u> RNG: <u>11W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u>	DATE FINISHED: _____
QTR/FOOTAGE: <u>1120'S / 950'E</u> SENSE: <u>CONTRACTOR: RILEY INDUST.</u>	ENVIRONMENTAL SPECIALIST: <u>NV</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA

DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: NM 073505 FORMATION: MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 117 FT. N57W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: <1000'

NMOC D RANKING SCORE: 10 NMOC D TPH CLOSURE STD: 1000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 51.5 ppm  
OVM CALIB. GAS = 100 ppm RE = 0.52  
TIME: 10:20 am/pm DATE: 3/18/05

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SANDSTONE)

SOIL COLOR: OK. YELL. ORANGE

COHESION (ALL OTHERS) NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD


MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - CLOSED

HC ODOR DETECTED: YES / NO EXPLANATION -

SAMPLE TYPE: GRAB COMPOSITE - # OF PTS. 1

ADDITIONAL COMMENTS: BEDROCK C 4.5'-5' BELOW GRADE. TEST HOLE ADVANCED VIA VACTRON. SAMPLE COLLECTED FROM SOIL ABOVE BEDROCK. BEDROCK - VERY HARD, COMPETENT. SOIL WET FROM WATER USED TO ADVANCE TEST HOLE.

SCALE 0 FT	FIELD 418.1 CALCULATIONS							
	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
PIT PERIMETER 	PIT PROFILE							
	OVM READING							
SAMPLE ID		FIELD HEADSPACE (ppm)						
1 @ 4'		0.0						
2 @								
3 @								
4 @								
5 @								
LAB SAMPLES								
SAMPLE ID	ANALYSIS	TIME						
1 @ 4'	TPH (8015R)	1031						
<u>PROCESSED</u>								

TRAVEL NOTES: CALLOUT: 3/17/05 - AFTER. ONSITE: 3/18/05 - MORN. (SCHED.)

# Hall Environmental Analysis Laboratory

Date: 28-Mar-05

CLIENT: Blagg Engineering  
Lab Order: 0503202  
Project: Blanco Com 1 #1A  
Lab ID: 0503202-02

Client Sample ID: 1@4'-dehydrator Pit (II)  
Collection Date: 3/18/2005 10:31:00 AM

Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8015B: DIESEL RANGE ORGANICS</b>						Analyst: SCC
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	3/23/2005 6:17:56 PM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	3/23/2005 6:17:56 PM
Surr: DNOP	96.8	60-124		%REC	1	3/23/2005 6:17:56 PM
<b>EPA METHOD 8015B: GASOLINE RANGE</b>						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	3/25/2005 5:04:53 PM
Surr: BFB	105	78.3-120		%REC	1	3/25/2005 5:04:53 PM

**Qualifiers:**  
ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
B - Analyte detected in the associated Method Blank  
\* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
R - RPD outside accepted recovery limits  
E - Value above quantitation range