

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505-326-9200) e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: ARNAUD A #3 API #: 30-045- 28184 U/L or Qtr/Qtr A Sec 20 T 32N R 9W
County: SAN JUAN Latitude 36.97436 Longitude 107.79700 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>BLOW</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> <u>STEEL TANK</u> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 20 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 0 1000 feet or more (0 points)
Ranking Score (Total Points) 20	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 228 FT. S59W FROM WELL HEAD

PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.

PIT REMEDIATION: CLOSE AS IS: ☒ LANDFARM: ☐ COMPOST: ☐ STOCKPILE: ☐ OTHER ☐ (explain)

Cubic yards: N/A

BEDROCK BOTTOM

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 04/13/05

Printed Name/Title: Jeff Blagg - P.E. # 11607

Signature: [Signature]



Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 4

Printed Name/Title: _____

Signature: [Signature]

Date: FEB 21 2006

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81503</u> COCR NO: <u>HAUL</u>																																																												
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																												
LOCATION: NAME: <u>ARNAUD</u> A WELL #: <u>3</u> TYPE: <u>BLOW</u> QUAD/UNIT: <u>A SEC: 20 TWP: 32N RNG: 9W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>1090'N/930'E</u> NE/NE CONTRACTOR: <u>HOI (OWNER)</u>		DATE STARTED: <u>4/7/05</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																																												
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>																																																														
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																																														
LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF 078513</u> FORMATION: <u>FT</u>																																																														
FIELD NOTES & REMARKS: <u>PIT LOCATED APPROXIMATELY 228' FT. S59W FROM WELLHEAD.</u>																																																														
DEPTH TO GROUNDWATER: <u><50'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u>																																																														
NMOCD RANKING SCORE: <u>20</u> NMOCD TPH CLOSURE STD: <u>100</u> PPM																																																														
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.4</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>9:30</u> am/pm DATE: <u>4/7/05</u>																																																												
SOIL TYPE: <u>(SAND)</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR: <u>DR. YELL. BROWN</u> <u>BEDROCK - PALE YELL. ORANGE</u> COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>(LOOSE)</u> / <u>(FIRM)</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES <u>(NO)</u> EXPLANATION - _____ HC ODOR DETECTED: YES <u>(NO)</u> EXPLANATION - _____ SAMPLE TYPE: <u>(GRAB)</u> COMPOSITE - # OF PTS. <u>—</u> ADDITIONAL COMMENTS: <u>COLLECTED SAMPLE FROM BEDROCK SURFACE. BEDROCK - VERY HARD, COMPETENT.</u> <u>BEDROCK BOTTOM</u>																																																														
FIELD 418.1 CALCULATIONS																																																														
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																				
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																							
PIT PERIMETER	PIT PROFILE																																																													
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">OVM READING</th> </tr> <tr> <th>SAMPLE ID</th> <th colspan="2">FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 6'</td><td colspan="2">0.0</td></tr> <tr><td>2 @</td><td colspan="2"> </td></tr> <tr><td>3 @</td><td colspan="2"> </td></tr> <tr><td>4 @</td><td colspan="2"> </td></tr> <tr><td>5 @</td><td colspan="2"> </td></tr> <tr><td> </td><td colspan="2"> </td></tr> <tr><td> </td><td colspan="2"> </td></tr> <tr><td> </td><td colspan="2"> </td></tr> <tr><td> </td><td colspan="2"> </td></tr> <tr><td> </td><td colspan="2"> </td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>DEG</td> <td>TPH (80158)</td> <td>1400</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> <p style="text-align: center; font-size: 1.5em; font-weight: bold;">PASSED</p>		OVM READING			SAMPLE ID	FIELD HEADSPACE (ppm)		1 @ 6'	0.0		2 @			3 @			4 @			5 @																		LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	DEG	TPH (80158)	1400															
OVM READING																																																														
SAMPLE ID	FIELD HEADSPACE (ppm)																																																													
1 @ 6'	0.0																																																													
2 @																																																														
3 @																																																														
4 @																																																														
5 @																																																														
LAB SAMPLES																																																														
SAMPLE ID	ANALYSIS	TIME																																																												
DEG	TPH (80158)	1400																																																												
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																																														
TRAVEL NOTES: CALLOUT: <u>4/7/05 - MORN.</u> ONSITE: <u>4/7/05 - AFTER.</u>																																																														

Hall Environmental Analysis Laboratory

Date: 15-Apr-05

CLIENT: Blagg Engineering
Lab Order: 0504093
Project: Arnaud A #3
Lab ID: 0504093-02

Client Sample ID: 1 @ 6'-Blow Pit
Collection Date: 4/7/2005 2:00:00 PM

Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE ORGANICS						Analyst: SCC
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/13/2005 2:54:19 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/13/2005 2:54:19 AM
Surr: DNOP	103	60-124		%REC	1	4/13/2005 2:54:19 AM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/13/2005 1:44:47 AM
Surr: BFB	101	78.3-120		%REC	1	4/13/2005 1:44:47 AM

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range