District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

DIALC UL INCW IVICATOR **Energy Minerals and Natural Resources**

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or	Below-	<u>Grade</u>	<u>Tank</u>	Registr	<u>ration</u>	or	<u>Closu</u>	<u>re</u>

Is pit or below-grade tan Type of action: Registration of a pit o	k covered by a "general plan"? Yes 🔯 No or below-grade tank 🔲 Closure of a pit or below-g	o □ rade tank ⊠	
Operator: BP AMERICA PROD. CO. Address: 200 ENERGY COURT. FARMINGTON.	Telephone: 505-326-9200 e-m NM 87410 API#: 30-045- 27893 U/L or Qtr	nail address:	T 32N R 11W
Pit Type: Drilling □ Production □ Disposal ☒ ABANDON Workover □ Emergency □ Lined □ Unlined ☒ Liner type: Synthetic □ Thicknessmil Clay □ Pit Volumebbl	Below-grade tank Volume:bbl_Type of fluid: Construction material: Double-walled, with leak detection? Yes [1] If 1	at explain why not.	-
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, igation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	10
	Ranking Score (Total Points)		10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No ☒ Attach soil sample results and a diagram of sample locations and excavation ☐ Additional Comments: PIT LOCATED APPROXIMATEL PIT EXCAVATION: WIDTH N/Aft LENGTH PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, O	Yes If yes, show depth below ground surface	I description of remedial ft. and attac	action taken including the sample results. (5)
Cubic yards: N/A			DIST. 8
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline Date: 05/27/05 PrintedName/Title Jeff Blagg - P.E. # 11607 Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	es 🗵, a general permit 🗌, or an alternative OCE Signature not relieve the operator of liability should the conten	t the above-described po-approved plan .	aminate ground water or
Approval: Printed Name/Title Si	ignature Dery For	Date:	2 1 2006

00 073-2100	كالمستجرين فتناوع بالمراوا أمسا					
	BLAGG ENGINEERING, INC.			LOCATION NO	D: 8153Z	
CLIENT: BP	P.O. BOX	87, BLO 505) 632		, NM 8741;	COCR NO:	14149
FIELD REPOR	T: PIT CL	OSURE	VERIFI	CATION		
LOCATION: NAME: FIEL		WELL#:		ABD.	DATE STARTED:	6/2/
QUAD/UNIT: H SEC: 28	TWP:32 N RNG	SILL PM: A	IM CNTY: SJ		ENVIRONMENTAL	
QTR/FOOTAGE: /440 FA				(ROLANDER 947-4710)	SPECIALIST:	FCS
EXCAVATION APPRO						\mathcal{L}
	NA NA			TION METHOD		<u>« / s</u>
LANDUSE: RANGE TIELD NOTES & REMA	- BCAL	LEASE: IV	77 010		ORMATION: _	
DEPTH TO GROUNDWATER: _				FT. S	FACE WATER:	M WELLHEAD. く / ひひり
NMOCD RANKING SCORE:					PACE WATER:	
					AD. = 52.1 pp	m
SOIL AND EXCAVAT	ON DESCRIPT	ION:		OVM CALIB. GA		m <u>RF = 0.52</u>
SOIL TYPE: SAND / SILTY S	AND / SILT KSILTY	CLAY & CLAY /	GRAVEL / OTH		am/pm) DATE:	3-23-01
SOIL COLOR: DARK COHESION (ALL OTHERS): NON	BROWN					
CONSISTENCY (NON COHESIVE				CONESIVE		
PLASTICITY (CLAYS): NON PLAS DENSITY (COHESIVE C <u>LAYS & SI</u>	i contract of the contract of			HIGHLY PLASTIC		
MOISTURE: DRY (SLIGHTLY MOI	IST MOIST / WET / SAT	TURATED / SUPE				CLOSED)
DISCOLORATION/STAINING OBSI HC ODOR DETECTED: YES (NO		PLANATION				
SAMPLE TYPE: GRAB COMPOS		- 656	(31 ×)	an Earth	a AY-Ab	andre -
ADDITIONAL COMMENTS:	Use Backhe	to collec	+ 50,06.	No evide	ace of AT	use.
	•		LD 418.1 CALC		<i>y</i>	
SCALE SAMP. 1	CIME SAMP, ID	LAB NO.	T		ILUTION READIN	IG CALC, (ppm)
		2.2	(g)			. С. С. С. (рр.ш.)
O FT						
	TER	٦ ^	\		PIT PROF	ILE
TOUTELL			VM DING			
A	PD	SAMPLE ID	FIELD HEADSPACE (ppm)			
6'	_ / ' + d	1 @ 6 2 @	0.0	 		
	119	3 @ 4 @			9 -	
		5@				1
6 (1)				32		/ /
	1]		
) /	6
		SAMPLE	AMPLES		}	1.
A		_ ID AI	NALYSIS TIME			ψ
150	plan	PA	755ED)			
P.D. = PIT DEPRESSION; B.G. = BELC T.H. = TEST HOLE; ~ = APPROX.; T.E	OW GRADE; B = BELOW	·				
TRAVEL NOTES			0110177	1/ =====	- Bre bor	
CALLO	JT: <u>5/25/05</u>	1705	ONSITE:	1655 5	105/05	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	05-27-05
Laboratory Number:	33109	Date Sampled:	05-25-05
Chain of Custody No:	14149	Date Received:	05-26-05
Sample Matrix:	Soil	Date Extracted:	05-26-05
Preservative:	Cool	Date Analyzed:	05-27-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Fields A 19 Abandon Pit.

Analyst C. Oglinia

Prince of Walters

(Review