Current Schematic ConocoPhillips Well Name: ARIZONA JICARILLA #2 Well Configuration Type API / UWI Surface Legal Location 026-025N-004W-D 3003905864 **NEW MEXICO** BLANCO P.C. SOUTH (GAS) VERTICAL original KB/RT Elevation (ft) Ground Elevation (f) KB-Ground Distan ng Flange Distance (ft) KB-Tubing Hanger Distance (ft) 6,980.00 6,990.00 10.00 VERTICAL - Original Hole, 9/19/2016 9:47:47 AM Formation MD (ftKB) Vertical schematic (actual) Tops 9.8 165.0 1; Surface; 8 5/8 in; 8.097 in; 10.0 ftKB; 166.0 ftKB Surface Casing Cement; 10.0-166.0; Reamed 6-3/4" hole to 7-5/8" from 166' -8/6/1959; Cemented w/ 90 sx regular 166.0 3455 cmt. Tubing; 2 3/8 in; 4.70 lb/ft; J-55; 10.0 ftKB; 3,353.9 ftKB 2,787.1 OJO AL... 2,850.1 2,899.9 KIRTLAND 2,988.8 FRUITL ... 3,337.9 **高級** 3,339.9 PICTUR ... Pump Seating Nipple; 2 3/8 in; 3,353.9 OIL CONS. DIV DIST. 3 ftKB; 3,355.0 ftKB 7000X 3,354.0 PERF - PICTURED CLIFFS; 3,338.0-**网络** 3,380.0; 8/25/1959 SEP 2 0 2016 Hydraulic Fracture; 8/25/1959; FRAC PICTURED CLIFFS WITH 1060 BBLS 3,355.0 WATER AND 75000# SAND **000** Tubing; 2 3/8 in; 4.70 lb/ft; J-55; 3,355.0 000 ftKB; 3,386.2 ftKB 3,379.9 **网络** 3,386.2 Mule Shoe; 2 3/8 in; 3,386.2 ftKB; 3,387.0 ftKB 3,387.1 3,435.0 Production Casing Cement; 2,850.0-PBTD; 3,436.0 3,455.0; 8/24/1959; Cemented w/ 75 sx 2; Production1; 4 1/2 in; 4.052 in; 10.0 3,436.0 regular cmt. TOC @ 2850' per TS ftKB; 3,436.0 ftKB 8/24/59 Auto cement plug; 3,435.9-3,455.0; 8/24/1959; Automatically created 3,455.1 cement plug from the casing cement because it had a tagged depth. Report Printed: 9/19/2016 Page 1/1