District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

| WFS Type of action: Registration of a pit or below- | red by a "general plan"? Yes 💌 No 🗀 grade tank 🔲 Closure of a pit or below-grade tank | ✓ | | | | | | |
|---|--|--|--|--|--|--|--|--|
| Operator: CONOCOPHILLIPS COMPANY Telephone: | e-mail address: | | | | | | | |
| Address: PO BOX 2197 HOUSTON, TX 77252 | • | | | | | | | |
| Facility or well name: SAN JUAN 31 6 UNIT #031 API #: 30-039-2 | 2110 U/L or Qtr/Qtr P SEC | <u>35</u> T <u>31N</u> R <u>6W</u> | | | | | | |
| County: RIO ARRIBA Surface Owner: Federal ✓ State □ Private □ Indian □ | 76 N Longitude 107 25.553 W | NAD: 1927 ☑ 1983 □ | | | | | | |
| Pit Type: Drilling □ Production ☑ Disposal □ Workover □ Emergency □ Lined □ Unlined ☑ Liner Type: Synthetic □ Thickness mil Clay □ Pit Volume 60 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water | Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes If not, ex Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more Yes | plain why not 8 2006 (20 points) (10 points) (0 points) (20 points) | | | | | | |
| source, or less than 1000 feet from all other water sources.) | Yes No | (0 points) <u>0</u> | | | | | | |
| Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet | (20 points) (10 points) <u>0</u> (0 points) | | | | | | |
| | Ranking Score (TOTAL POINTS): | <u>0</u> | | | | | | |
| If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of offsite if offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No very Yes if yes, show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations. | | | | | | | | |
| and attach sample results. (5)Attach soil sample results and a diagram of sample loc | | | | | | | | |
| Additional Comments: | P | Meter: <u>85383</u> | | | | | | |
| | Ţ | Meter: <u>85383</u> | | | | | | |
| Additional Comments: I hereby certify that the information above is true and complete to the best of my kn | nowledge and belief. I further certify that the above-describe | ed pit or below-grade | | | | | | |
| Additional Comments: I hereby certify that the information above is true and complete to the best of my kn tank has been/will be constructed or closed according to NMOCD guidelines | nowledge and belief. I further certify that the above-describe , a general permit , or an (attached) alternative OC | ed pit or below-grade | | | | | | |
| Additional Comments: I hereby certify that the information above is true and complete to the best of my kn tank has been/will be constructed or closed according to NMOCD guidelines Date: | nowledge and belief. I further certify that the above-describe , a general permit , or an (attached) alternative OC | ed pit or below-grade | | | | | | |
| Additional Comments: I hereby certify that the information above is true and complete to the best of my kn tank has been/will be constructed or closed according to NMOCD guidelines Date: | nowledge and belief. I further certify that the above-describe , a general permit , or an (attached) alternative OC mature | ed pit or below-grade D-approved plan | | | | | | |

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 31 6 UNIT #031


API 30-039-22110

Meter: <u>85383</u>

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

15 Ft. Width

1.5 Ft. Depth

Location of Pit Center

Latitude <u>36 51.067 N</u>

Longitude 07 25.531 W

(NAD 1927)

Pit ID

853831

Pit Type

Glycol Dehydrator

Date Closure Started: 3/28/05

Closure Method:

Pushed In

Date Closure Completed: 3/28/05

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Space

Head

BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

113522MAR05

3/22/05

ASSESS

Flr

3.5

Lab Project Number: 6093428

Client Project ID: N. Mex. Pit Program

Lab Sample No: 608027041 48 Project Sample Number: 6093428-008 Date Collected: 03/22/05 13:57 Client Sample ID: /1357/22MAR05 Matrix: Soil Date Received: 04/01/05 09:00

| Parameters | Results | Units_ | Report Limit | DF | Analyzed | Ву | CAS_No. | Qua1 | RegLmt |
|--------------------------------|--------------|-------------|-----------------|-------|----------------|------|--------------------|------|--------|
| GC Semivolatiles | | | | | | | | | |
| Total Extractable Hydrocarbons | Prep/Method: | 0A2 / 0A2 | | | | | | | |
| Mineral Spirits | ND | mg/kg | 11. | 1.1 | 04/05/05 13:48 | RMN1 | | | |
| Jet Fuel | ND | mg/kg | 11. | 1.1 | 04/05/05 13:48 | RMN1 | | | |
| Kerosene | ND | mg/kg | 11. | 1.1 | 04/05/05 13:48 | RMN1 | | | |
| Diesel Fuel | ND | mg/kg | 11. | 1.1 | 04/05/05 13:48 | RMN1 | 68334-30-5 | | |
| Fuel Oil | . ND | mg/kg | 11. | 1.1 | 04/05/05 13:48 | RMN1 | 68334-30- 5 | | |
| Motor 0il | ND | mg/kg | 11. | 1.1 | 04/05/05 13:48 | RMN1 | | | |
| Total Petroleum Hydrocarbons | 430 | mg/kg | 11. | 1.1 | 04/05/05 13:48 | RMN1 | | 5 | |
| n-Tetracosane (S) | 114 | * | | 1.0 | 04/05/05 13:48 | RMN1 | 646-31-1 | | |
| p·Terphenyl (S) | 109 | * | | 1.0 | 04/05/05 13:48 | RMN1 | 92-94-4 | | |
| Date Extracted | 04/04/05 | | | | 04/04/05 | | | | |
| Organics Prep | | | | | | | | | |
| Percent Moisture | Method: SM 2 | 540G | | | | | | | |
| Percent Moisture | 8.3 | * | | 1.0 | 04/05/05 | ALJ1 | | | |
| GC/MS Volatiles | | | | | | | | | |
| UST VOCs in Soil | Prep/Method: | EPA 5030 Me | edium Soil / EF | A 826 | 0 | | | | |
| Benzene | ND | ug/kg | 55. | 1.1 | 04/04/05 17:26 | AEP | 71-43-2 | | |
| To1 uene | ND | ug/kg | 55. | 1.1 | 04/04/05 17:26 | AEP | 108-88-3 | | |
| Ethylbenzene | ND | ug/kg | 55. | 1.1 | 04/04/05 17:26 | AEP | 100-41-4 | | |
| Xylene (Total) | ND | ug/kg | 160 | 1.1 | 04/04/05 17:26 | AEP | 1330-20-7 | | |
| Dibromofluoromethane (S) | 95 | * | | 1.0 | 04/04/05 17:26 | AEP | 1868-53-7 | | |
| 1,2-Dichloroethane-d4 (S) | 96 | * | | 1.0 | 04/04/05 17:26 | AEP | 17060-07-0 | | |
| Toluene-d8 (S) | 111 | * | | 1.0 | 04/04/05 17:26 | AEP | 2037-26-5 | | |
| 4-Bromofluorobenzene (S) | 107 | * | | 1.0 | 04/04/05 17:26 | AEP | 460-00-4 | | |

Date: 04/08/05

Page: 7 of 29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

