1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No ...

WFS CLOSURE Type of action: Registration of a pit or below								
Operator: CDX RIO, LLC Telephone:	e-mail address:	_						
Address: 5485 BELTLINE ROAD DALLAS, TX 752547656								
Facility or well name: <u>JICARILLA CONTRACT 146 #039</u> API #: <u>30-039-</u>	22522 U/L or Qtr/Qtr <u>J</u> SEC	<u>3</u> T <u>25N</u> R <u>5W</u>						
County: RIO ARRIBA Latitude 36.923	Longitude 107.57045	NAD: 1927 🗹 1983 🗌						
Surface Owner: Federal 🖾 State 🖺 Private 🖾 Indian 🗏								
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.							
Lined Unlined 🗹	Double-walled, with leak detection: 1 cs == 11 hot, ex	plant why not.						
Liner Type: Synthetic Thickness mil Clay								
Pit Volume 60 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)						
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0						
	100 feet or more	(0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)						
source, or less than 1000 feet from all other water sources.)	No	(0 points) $\underline{0}$						
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) $\underline{0}$ (0 points)						
	Greater than 1,000 feet	(o points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the								
onsite box if your are burying in place) onsite of offsite offsite, name of facility action taken including remediation start date and end date. (4)Groundwater encountered: No Vers offsite offsite, name of facility offsite, name of facility offsite offsite, name of facility offsite offsite, name of facility offsite offsite offsite, name of facility offsite offsite offsite offsite offsite offsite, name of facility offsite of								
and attach sample results. (5)Attach soil sample results and a diagram of sample lo	• •	Ti.						
Additional Comments:		Meter: <u>85643</u>						
wreter: 85043								
FEB 2000 CM								
The second secon								
1 DIO DIO DIO 21								
Thereby certify that the information above is true and complete to the best of minutes.	grounds ground halis (V) with an applify that the share describe	-d nik on holomondo						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. Further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit . , or an (attached) alternative OCD-approved plan								
The state of the s								
Date: 10/3/05 Printed Name/Title No. 1 M. C. W. 11 P. 11 G. C. W. 11 P. 11 P. 11 P. 11 P. 11 G. C. W. 11 P.	MIZING, FOR WPS							
Printed Name/Title Mark Harvey for Williams Field Services Signature								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval:								
Printed Name/Title PPUTY OR & GAS INSPECTOR, OIST. IS Sign.	ature leng tout	FEB 0 2 2006						

ADDENDUM TO OCD FORM C-144


Operator: <u>CDX RIO, LLC</u>

Well Name: JICARILLA CONTRACT 146 #039


API <u>30-039-22522</u>

Meter: 85643

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length $\underline{15}$ Ft.

Width <u>15</u> Ft.

Depth 1.5 Ft.

Location of Pit Center

Latitude <u>36.92302 N</u>

Longitude <u>107.57027 W</u>

(NAD 1927)

Pit ID

<u>856431</u>

Pit Type

Other (

Date Closure Started: 6/20/05

Closure Method:

Pushed In

Date Closure Completed: 6/20/05

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg)

17

Purpose

Location D

Depth

154520JUN05

6/20/05

12

0.055

이

ASSESS

Flr

3.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6096737

Client Project ID: N MEX PITS SUMMER 2005

1.0 07/05/05 18:17 SHF 98-08-8

Lab Sample No: -608302519 Project Sample Number: 6096737-003

Date Collected: 06/20/05 15:45

Client Sample ID: 154520JUN05		•	Matrix: Soil				Date Received: 06/25/05 08:1		
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	10.	1.0 07	7/02/05 01:20	MAM			•
Jet Fuel	ND	mg/kg	10.	1.0 07	7/02/05 01:20	MAM			
Kerosene	ND	mg/kg	10.	1.0 07	7/02/05 01:20	MAM			
Diesel Fuel	ND	mg/kg	10.	1.0 07	7/02/05 01:20	MAM	68334-30-5		
Fuel Oil	ND	mg/kg	10.	1.0 07	7/02/05 01:20	MAM	68334-30-5		
Motor Oil	ND	mg/kg	10.	1.0 07	7/02/05 01:20	MAM			
Total Petroleum Hydrocarbons	17.	mg/kg	10.	1.0 07	7/02/05 01:20	MAM		1	•
n-Tetracosane (S)	107	×		1.0 07	7/02/05 01:20	MAM	646-31-1		
p-Terphenyl (S)	92	×		1.0 07	7/02/05 01:20	MAM	92-94-4		
Date Extracted	06/30/05			06	5/30/05				
Organics Prep									
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	4.7	X		1.0 00	6/29/05	ALJ:	l '		
GC Volatiles									-
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / E	PA 8021					
Benzene	ND	ug/kg	52.		7/05/05 18:17	SHF	71-43-2		
Ethylbenzene	ND	ug/kg	52.	1.1 0	7/05/05 18:17	SHF	100-41-4		
Toluene	55.	ug/kg	52.	1.1 0	7/05/05 18:17	SHF	108-88-3		
Xylene (Total)	ND	ug/kg	140	1.1 0	7/05/05 18:17	SHF	1330-20-7		

Date: 07/06/05

a,a,a-Trifluorotoluene (S)

102

Page: 3 of 15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

