<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

For temporary pits, below-grade tanks, and Dinflity of bluid management pits, submit to the appropriate WMOCD District Office.

For nermanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. 1. Operator: WPX Energy Production, LLC OGRID #: 120782 Address: PO Box 640/721 S Main Aztec, NM 87410
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. 1. Operator: WPX Energy Production, LLC OGRID #: 120782
Address: PO Box 640//21 S Main Aztec, NM 8/410
Facility or well gome. Dogo Unit #015 A
Facility or well name: Rosa Unit #015A API Number: 30-039-25525 OCD Permit Number:
U/L or Qtr/Qtr J Section 29 Township 31N Range 5W County: Rio Arriba
Center of Proposed Design: Latitude N36.86834 Longitude W107.37925 NAD83
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
2.
Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management Low Chloride Drilling Fluid ☐ yes ☐ no
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:bbl Type of fluid:Produced Water
Tank Construction material: Fiberglass Tank w/Banded 30-mil HDPE Secondary Liner
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
4.
4. Alternative Method:
4.
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5.
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen □ Netting □ Other		
Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC		
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
☐ Signed in compliance with 19.15.16.8 NMAC		
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.		
General siting		
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	Yes No	
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No	
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No	
Below Grade Tanks		
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)		
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	

Within 100 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Temporary Pit Non-low chloride drilling fluid		
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Permanent Pit or Multi-Well Fluid Management Pit		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number: or Permit Number:		
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Previously Approved Design (attach copy of design) API Number: or Permit Number:		

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Final Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.		
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No	

 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Vithin a 100-year floodplain. - FEMA map Yes N	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure problem a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17 Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannown Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC .15.17.11 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel	ief.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
e-mail address:	2018 g the closure report.
e-mail address: Telephone:	2018 g the closure report. t complete this

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this clobelief. I also certify that the closure complies with all applicable closure req	
Name (Print):Deborah Watson	Title:Environmental Specialist
Signature:	Date:December 28, 2017
e-mail address:_ deborah.watson@wpxenergy.com	Telephone:505-333-1880

WPX Energy Production Co., LLC San Juan Basin: New Mexico Assets

Below-Grade Tank Removal Closure Report Rosa Unit #015A (API #30-039-25525) Unit Letter J, Section 29, T31N, R05W Rio Arriba County, NM

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general closure requirements of below-grade tanks (BGT) on WPX Energy Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

Mr. Randolph Bayliss, NMOCD, approved the WPX BGT closure plan on October 20, 2017. (See Enclosed Form C-144)

Closure Notice:

1. Prior to initiating any BGT Closure except in the case of an emergency, WPX will notify the surface owner of the intent to close the BGT by certified mail no later than 72 hours or 1 week before closure and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner of record will be notified as soon as practical.

Approved Variance: If the surface owner is of public entity (i.e.: BLM) WPX Energy Production, LLC will notify by email the intent to close the BGT in place of a certified mail letter. WPX Energy Production, LLC will request a read receipt of the email which will be equal and/ or equivalent notification as certified mail.

WPX notified BLM, prior to BGT closure. The notification email and filed sundry is attached.

- 2. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)

WPX sent notification to the District III Office via email on October 20, 2017. The notification is attached. The District III Office was advised of time and date of closure. No representatives from NMOCD were in attendance during BGT closure sampling on October 25, 2017.

Closure Method:

3. All liquids will be removed from the BGT following cessation of operation. Produced water will be disposed at an NMOCD approved facility depending on the proximity of the BGT site. Facilities may include: Rosa Unit SWD #1 (Order: SWD-916, API: 30-039-27055), Rosa Unit SWD #2 (Order: SWD-1236-0, API: 30-039-30812), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005). Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011) or Industrial Ecosystems Inc (Permit Number NM-01-0010B).

Liquids were removed prior to BGT closure.

4. WPX will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liners materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of 19.15.35 NMAC.

Disposal will be at a licensed disposal facility, such as San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

The BGT and liner were disposed of in a division-approved manner.

5. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.

All associated equipment was removed from the location.

- 6. Following removal of the tank and any liner material, WPX will test the soils beneath the BGT as follows:
 - At a minimum, a five-point composite sample will be taken to include any obvious stained or wet soils or any other evidence of contamination.

A five-point composite sample (BGT-1) was collected from beneath the BGT following BGT removal on October 25, 2017. No obvious stained soils were observed beneath the BGT.

c. The laboratory sample shall be analyzed for the constituents listed in Table 1. Results will be reported to the Division following receipt from the lab on Form C-141.

The sample was submitted to Hall Environmental Analysis Laboratory, Albuquerque, NM, for analysis of benzene, BTEX, TPH, and chlorides. The analytical laboratory report is attached. Form C-141 is attached.

Table 1: Closure Criteria for BGTs

Components	Testing Methods(1)	Closure Limits (2) (mg/kg)	Results (mg/kg)
Benzene	EPA SW-846 Method 8021B or 8260B	0.2	<0.023
BTEX	EPA SW-846 Method 8021B or 8260B	50	<0.21
Total TPH	EPA SW-846 Method 418.1	100	<18
Chlorides	EPA 300.0	250	<30

(1) Or other test methods approved by the division

7. If the Division and/or WPX determine there is a release, WPX will comply with WPX will comply with 19.15.17.13.C.3b.

Sampling results indicate no release occurred from the BGT. See attached Form C-141.

8. Upon completion of the tank removal, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot of top soil or background thickness whichever is greater and to existing grade. The surface will be re-contoured to match the native grade and prevent ponding.

The BGT location was backfilled with clean soil and compacted during following BGT removal. The BGT location will be reclaimed when it is no longer needed for production operations.

⁽²⁾ Numerical limits or natural background level, whichever is greater (19.15.17.13 NMAC)

9. For those portions of the former BGT area no longer required for production activities, WPX will seed the disturbed areas the first favorable growing season after the BGT is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. WPX will notify the Division when reclamation and re-vegetation is complete.

Reclamation of the BGT shall be considered complete when:

- a. Vegetative cover reflects a life form ratio of +/- 50% of pre-disturbance levels
- b. Total percent plant cover of at least 70% of pre-disturbance levels (Excluding noxious weeds)

OR

c. Pursuant to 19.15.17.13.H.5d WPX will comply with obligations imposed by other applicable federal or tribal agencies in which their re-vegetation and reclamation requirements provide equal or better protection of fresh water, human health and the environment.

The BGT location was backfilled with clean soil and compacted during following BGT removal. The BGT location will be reclaimed when it is no longer needed for production operations.

10. For those portions of the former BGT area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

The BGT location was backfilled with clean soil and compacted during following BGT removal. The BGT location will be reclaimed when it is no longer needed for production operations.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. (**Operator Closure Certification has been completed**.) The Report will include the following:

- Proof of Closure Notice (surface owner & NMOCD)
- Backfilling & Cover Installation
- Confirmation Sampling Analytical Results
- Disposal Facility Name(s) and Permit Number(s)
- Application Rate & Seeding techniques
- Photo Documentation of Reclamation

Attachments:

C-144 Closure Approval
BLM Notification (emails)
NMOCD Notification (emails)
Form C-141
Laboratory Analytical Report (#1710F03)
Photograph log

District I 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr.

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Santa Fe, NM 87505 11 01

	Pit, Closed-Loop System, Below-Grade Tank, or		
	Proposed Alternative Method Permit or Closure Plan Application		
	Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,		
	below-grade tank, or proposed alternative method		
	Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request		
	Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.		
	Operator: WILLIAMS PRODUCTION COMPANY, LLC OGRID #: 120782		
	Address: PO Box 640 Aztec, NM 87410		
	Facility or well name: ROSA UNIT #015A		
	API Number: 3003925525 OCD Permit Number:		
	Section 29J Township 31N Range 05W County RIO ARRIBA		
	Latitude: 36.868270000000000 Longitude 107.37985 NAD: 1983 Surface Owner: FEDERAL		
	2		
	Pit: Subsection F or G of 19.15.17.11 NMAC		
	Temporary: Drilling Workover		
	☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A		
	Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other		
	☐ String-Reinforced		
	Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D		
	3.		
	Closed-loop System: Subsection H of 19.15.17.11 NMAC		
ì	Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)		
	☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other		
	Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other		
	Liner Seams: Welded Factory Other		
j	4.		
	Below-grade tank: Subsection I of 19.15.17.11 NMAC		
	Volume: bbl Type of fluid: PRODUCED WATER		
	Tank Construction material: FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER		
	Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off		
	☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other		
	Liner type: Thickness mil		
200			
	s. Alternative Method:		

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	
7. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC	
9. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	Yes No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) 15.
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
 ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.		
	Disposal Facility Permit Number:	
	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities oc ☐ Yes (If yes, please provide the information below) ☐ No	•	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☑ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ⊠ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☒ No
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☑ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less NM Office of the State Engineer - iWATERS database; Visual inspection (pring, in existence at the time of initial application.	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh wate adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approve	•	☐ Yes ☑ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visua	al inspection (certification) of the proposed site	☐ Yes ☒ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☑ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	☐ Yes ☒ No
Within a 100-year floodplain FEMA map		☐ Yes ⊠ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print):HOLLY C. PERKINS Title:EH&S SPECIALIST
Signature: Date: 2/11/2009
e-mail address: holly.perkins@williams.com Telephone: 505-634-4209
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: 200ct17
Title: Hydrologist OCD Permit Number: n.a.
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
22.
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude Longitude NAD: \[\begin{align*} 1927 \bigcap 1983 \end{align*}
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print): Title:
Signature:
e-mail address: Telephone:

Williams Production Co., LLC San Juan Basin: New Mexico Assets

Below-Grade Tank Removal Closure Plan

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general closure requirements of below-grade tanks (BGT) on Williams Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

Closure Conditions and Timing:

Pursuant to 19.15.17.13 (A) NMAC, WPX will initiate closure of any BGT should any one of these conditions occur:

- The Division requires closure because of imminent danger to fresh water, public health or the environment.
- The integrity of the BGT fails. Notification will be within 48 hours to the Division and closure will be schedule as specified in 19.15.17.12 (A)(5) NMAC.
- WPX chooses to take the BGT out-of-service due to operational needs. Closure
 under these conditions will be closed within 60 days of cessation of the BGT's
 operation.
- BGTs installed prior to June 16, 2008 that do not meet the requirements under 19.15.17.11.I(6) NMAC and WPX chooses not to retrofit or upgrade. Closure under these conditions will be completed within five years (by June 16, 2013).

General Plan Requirements:

- Prior to initiating any BGT Closure except in the case of an emergency, WPX will
 review County Tax Records for the current surface owner of record. The surface
 owner of record will be notified of the intent to closure the BGT by certified mail and
 a copy of this notification will be included in the closure report. In the case of an
 emergency, the surface owner of record will be notified as soon as practical.
- Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)
- 3. All piping will be rerouted to an alternative produced water storage/disposal location (e.g. surface tanks, temporary frac tank, ...). The well will be temporarily shutin until the rerouting is completed.
- 4. All produced water will be removed from the BGT following discharge-pipe rerouting. Produced water will be disposed at one of the following NMOCD approved facilities depending on the proximity of the BGT site: Rosa Unit SWD #1 (Order: SWD-916, API: 30-039-27055), Rosa Unit #94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 5. Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011).
- 6. WPX will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report.

 Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liners materials will be cleaned without soils or contaminated material for disposal as

solid waste. Fiberglass tanks and liner materials will meet the conditions of paragraph 1 subsection D of 19.15.9.712 NMAC. Disposal will be at a licensed disposal facility, presently San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

- 7. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.
- 8. Following removal of the tank and any liner material, a five-point composite sample will be taken of the excavation and tested per 19.15.17.13(E)(4) NMAC as identified in Table 1. Grab samples will be collected from any area that is wet, discolored or showing other evidence of a release. Results will be report to the Division following receipt from the lab on Form C-141.

Table 1: Closure Criteria for BGTs

Components	Testing Methods	Closure Limits (ing/Ka)
Benzene	EPA SW-846 Method 8021B or 8260B	0.2
BTEX	EPA SW-846 Method 8021B or 8260B	50
TPH	EPA SW-846 Method 418.1(1)	100
Chlorides	EPA SW-846 Method 300.1(1)	250(2)

(1) Method modified for solid waste.

(2) If background concentration of Chlorides greater than 250 mg/Kg, then higher concentration will be used for closure.

- 9. If the Division and/or WPX determine there is a release, WPX will comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC.
- 10. Upon completion of the tank removal, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot of top soil or background thickness whichever is greater and to existing grade. The surface will be recontoured to match the native grade and prevent ponding.
- 11. For those portions of the former pit area no longer required for production activities, WPX will seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Note: If a surface owner agreement requires reseeding or other surface restoration that do not meet the revegetation requirements of 19.15.17.13.I NMAC then WPX will submit the proposed alternative with written documentation that the surface owner agrees to the alternative, for Division approval.
- 12. For those portions of the former pit area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

Closure Report:

1 2 0

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner & NMOCD)
- Backfilling & Cover Installation
- Site Diagram with coordinates
- Available Inspection reports
- Confirmation Sampling Analytical Results
- Disposal Facility Name(s) and Permit Number(s)
- Application Rate & Seeding techniques
- Photo Documentation of Reclamation

Watson, Debbie

From:

Watson, Debbie

Sent:

Friday, October 20, 2017 9:15 AM

To:

'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD'; 'Thomas, Leigh'; Foley, Brandon M.

Cc:

Bradshaw, Rob

Subject:

BGT Closure Notification-Three Locations

Tracking:

Recipient

Delivery

'Smith, Cory, EMNRD'
'Fields, Vanessa, EMNRD'

'Thomas, Leigh'

Foley, Brandon M. Bradshaw, Rob

Delivered: 10/20/2017 9:16 AM

Good Morning,

WPX has scheduled BGT closures at the following locations for Wednesday, October 25, 2017. Sampling will begin at the Rosa Unit #15A at 9:00 am and proceed to the remaining BGTs. Please note locations are located in the same general area.

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #015A (30-039-25525)

Well Head Location: N36.868213, W107.3794556

BGT Location: N36.86827, W107.37985

Surface Owner: Federal Lease #:SF 078764

Location: Unit Letter J, Section 29, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 at 9:00 AM

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #26C (30-039-27597)

Well Head Location: N36.855999, W107.3770523

BGT Location: N36.86090, W107.37675

Surface Owner: State

Location: Unit Letter I, Section 32, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 TBD

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #146 (30-039-25513)

Well Head Location: N36.8657608, W107.3703232

BGT Location: N36.866039, W107.37026

Surface Owner: Federal Lease #:SF 078769

Location: Unit Letter N, Section 28, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 TBD

Please contact me with any questions. Thank you.

Have a great weekend,

Debbie

Deborah Watson Environmental Specialist PO Box 640 | Aztec, NM 87410 office 505.333.1880 | cell 505.386.9693 | fax 505.333.1805

deborah.watson@wpxenergy.com



If you have received this message in error, please reply to advise the sender of the error and then immediately delete this message. Thank you.

Watson, Debbie

From:

Watson, Debbie

Sent:

Friday, October 20, 2017 9:15 AM

To:

'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD'; 'Thomas, Leigh'; Foley, Brandon M.

Cc:

Bradshaw, Rob

Subject:

BGT Closure Notification-Three Locations

Tracking:

Recipient

Delivery

'Smith, Cory, EMNRD'

'Fields, Vanessa, EMNRD'

'Thomas, Leigh' Foley, Brandon M.

Bradshaw, Rob

Delivered: 10/20/2017 9:16 AM

Good Morning,

WPX has scheduled BGT closures at the following locations for Wednesday, October 25, 2017. Sampling will begin at the Rosa Unit #15A at 9:00 am and proceed to the remaining BGTs. Please note locations are located in the same general area.

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #015A (30-039-25525)

Well Head Location: N36.868213, W107.3794556

BGT Location: N36.86827, W107.37985

Surface Owner: Federal Lease #:SF 078764

Location: Unit Letter J, Section 29, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 at 9:00 AM

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #26C (30-039-27597)

Well Head Location: N36.855999, W107.3770523

BGT Location: N36.86090, W107.37675

Surface Owner: State

Location: Unit Letter I, Section 32, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 TBD

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #146 (30-039-25513)

Well Head Location: N36.8657608, W107.3703232

BGT Location: N36.866039, W107.37026

Surface Owner: Federal Lease #:SF 078769

Location: Unit Letter N, Section 28, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 TBD

Please contact me with any questions. Thank you.

Have a great weekend,

Debbie

Deborah Watson Environmental Specialist PO Box 640 | Aztec, NM 87410 office 505.333.1880 | cell 505.386.9693 | fax 505.333.1805

deborah.watson@wpxenergy.com



If you have received this message in error, please reply to advise the sender of the error and then immediately delete this message. Thank you.

Watson, Debbie

From:

Microsoft Outlook

To:

Smith, Cory, EMNRD; Fields, Vanessa, EMNRD

Sent:

Friday, October 20, 2017 9:16 AM

Subject:

Relayed: BGT Closure Notification-Three Locations

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

Smith, Cory, EMNRD (Cory.Smith@state.nm.us)

Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Subject: BGT Closure Notification-Three Locations

Watson, Debbie

From:

Microsoft Outlook

To:

Thomas, Leigh

Sent:

Friday, October 20, 2017 9:16 AM

Subject:

Relayed: BGT Closure Notification-Three Locations

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

Thomas, Leigh (I1thomas@blm.gov)

Subject: BGT Closure Notification-Three Locations

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

OCT 2 0 2017

RECEIVED

FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMSF 078764

SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an of Office

abandoned w	rell. Use Form 3160-3 (A	APD) for such pro	posals.	ent	,
	T IN TRIPLICATE - Other instr			7. If Unit of CA/Agreem Rosa Unit	nent, Name and/or No.
1. Type of Well				Rosa Offic	
	☐ Gas Well ☐ Other			8. Well Name and No. Rosa Unit #015A	-
2. Name of Operator WPX Energy Production, LLC				9. API Well No. 30-039-25525	
3a. Address		3b. Phone No. (include	area code)	10. Field and Pool or Ex	ploratory Area
PO Box 640 Aztec, NM 8741	.0	505-333-1800	,	Blanco MV/DK	
4. Location of Well (Footage, Sec. 1790'FSL &820'FEL, Sec 29, T				11. Country or Parish, St Rio Arriba, NM	ate
12.	CHECK THE APPROPRIATE B	OX(ES) TO INDICATE	NATURE OF NOTE	CE, REPORT OR OTHER	R DATA
TYPE OF SUBMISSION			TYPE OF ACT	ION	
Disting of Intent	Acidize	Deepen	Prod	luction (Start/Resume)	☐Water ShutOff
☐Notice of Intent	☐Alter Casing	☐ Hydraulic Fracturi	ng.	amation	☐Well Integrity
☑ Subsequent Report	☐ Casing Repair	☐ New Construction	n	omplete	☑ Other BGT Closure
	☐ Change Plans	☐ Plug and Abandon	i Tem	nporarily Abandon	
Final Abandonment Notice	Convert to Injection	☐Plug Back	□Wate	er Disposal	
reclamation, have been completed as	v interval, a Form 3160-4 must be filed and the operator has determined that the	e site is ready for final inspe		ent Notices must be filed only	y after all requirements, including
For all questions/conce	erns regarding this matte	er, please contact	Deborah Wats	on.	
4. I hereby certify that the foregoin Deborah Watson	g is true and correct. Name (Prin	ted/Typed) Title: En	vironmental Spe	ecialist	
Signature Debu U	latu	Date: 10	0/20/17		
4,	THE SPACE	FOR FEDERAL	OR STATE OF	CE USE	
Approved by					
Sarah Sa	M	Ti	tle Sypun	Date Date	10/23/17
Conditions of approval, if any, are a ertify that the applicant holds legal	or equitable title to those rights i		fice 660		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NIM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

				50	iiita i	re, 19191 673	03					
			Rele	ease Notific	eatic	on and Co	rrective A	ction				
						OPERA	ΓOR		Initia	l Report	\boxtimes	Final Report
Name of Co	mpany W	PX Energy I	Productio	n, LLC		Contact Deb	orah Watson					
Address PO						Telephone N	No.505-333-188	0				
Facility Nan	ne Rosa U	nit #015A				Facility Typ	e Well Pad					
Surface Own	ner Federa	.1		Mineral C	wner	Federal			API No.	30-039-25	5525	
				LOCA	TIC	ON OF REI	LEASE					
Unit Letter	Section	Township	Range	Feet from the		th/South Line	Feet from the	East/We	est Line		Count	ty
J	29	31N	5W	1831		South	732	Ea	ıst		Rio Arr	riba
			I	atitude N36.86	834 I	ongitude W1	07.37925 NAD	083	'			
						E OF RELI						
Type of Relea	ase BGT Cl	osure/No Rel	ease	NAI	_	olume of Release			Volume 1	Recovered	No Rele	ease
Source of Rel					_		Occurrence No F	Release	Date and	Hour of D	iscovery	y No Release
Was Immedia	te Notice C				If	YES, To Whon	n?					
			Yes	No 🛛 Not	N/	/A						
Required												
By Whom?						ate and Hour N						
Was a Watero	ourse Reac		V V	L.N.	If	YES, Volume l	mpacting the Wa	tercourse.				
			Yes 🛚									
If a Watercou	rse was Imp	pacted, Descri	ibe Fully.*									
N/A												
Describe Cau	se of Proble	em and Reme	dial Action	Taken *								
				lected beneath the	BGT	on October 25.	2017. Laborator	y analytic	al results	for BGT-1	were re	eported
				nalytical report (H								
Describe Area	Affacted o	and Cleanup /	ation Tak	an *								
Describe Area	Affected	ilid Cicaliup A	iction ran	CII.								
No further act	tion is recor	nmended.										
I hanahar aanti	C. that that	. fa		in two and name	lata ta	the best of mar	len avuladas and v	n d anatan d	that muma	ant to NIM	OCD	ulas and
				is true and completed or file certain re								
				e of a C-141 repo								
should their o	perations ha	ave failed to a	dequately	investigate and re	emedia	ate contamination	on that pose a thre	eat to grou	ind water,	surface wa	iter, hur	man health
				tance of a C-141	report	does not relieve	e the operator of r	responsibi	lity for co	mpliance v	vith any	other
federal, state,							011 0011	ann II.	TYON	DIVITOR		
	Du	mah Wi	the				OIL CONS	SERVA	TION .	DIVISIO	<u>N</u>	
Signature:												
orginaldio.						Approved by	Environmental Sp	pecialist:				
Printed Name	: Deborah V	Watson										
Title: Environ	mental Spe	cialist				Approval Dat	e:	Ex	piration I	Date:		
D 21 4 1 1	1.1.1					0 1:::						
E-mail Addre	ss: deborah	.watson(a)wp	kenergy.co	om		Conditions of	Approval:			Attached		

Phone: 505-333-880

Date: 12/28/17

^{*} Attach Additional Sheets If Necessary



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 08, 2017

Debbie Watson WPX Energy 721 S Main Ave Aztec, NM 87410 TEL: (505) 333-1880

FAX

RE: Rosa Unit 15A

OrderNo.: 1710F03

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 10/27/2017 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

Bullet

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1710F03

Date Reported: 11/8/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: WPX Energy

Project: Rosa Unit 15A

Lab ID: 1710F03-001

Client Sample ID: BGT-1

Collection Date: 10/25/2017 11:00:00 AM

Received Date: 10/27/2017 8:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	MAB
Petroleum Hydrocarbons, TR	ND	18	mg/Kg	1	11/8/2017	34830
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	30	mg/Kg	20	11/4/2017 1:16:38 AM	34812
EPA METHOD 8015M/D: DIESEL RANGI	ORGANICS				Analyst	TOM
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	10/31/2017 6:47:53 PM	34712
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	10/31/2017 6:47:53 PM	34712
Surr: DNOP	70.1	70-130	%Rec	1	10/31/2017 6:47:53 PM	34712
EPA METHOD 8015D: GASOLINE RANG	iΕ				Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/1/2017 7:39:48 PM	34708
Surr: BFB	87.7	15-316	%Rec	1	11/1/2017 7:39:48 PM	34708
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.023	mg/Kg	1	10/31/2017 8:18:24 PM	34708
Toluene	ND	0.047	mg/Kg	1	10/31/2017 8:18:24 PM	34708
Ethylbenzene	ND	0.047	mg/Kg	1	10/31/2017 8:18:24 PM	34708
Xylenes, Total	ND	0.093	mg/Kg	1	10/31/2017 8:18:24 PM	34708
Surr: 4-Bromofluorobenzene	106	80-120	%Rec	1	10/31/2017 8:18:24 PM	34708

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710F03

08-Nov-17

Client:

WPX Energy

Project:

Rosa Unit 15A

Sample ID MB-34812

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

Batch ID: 34812

PQL

1.5

RunNo: 46865

Prep Date: 11/3/2017

Analysis Date: 11/3/2017

SeqNo: 1496174

Units: mg/Kg

Analyte Chloride

Result ND SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD **RPDLimit**

Qual

Sample ID LCS-34812

SampType: Ics

Batch ID: 34812

RunNo: 46865

TestCode: EPA Method 300.0: Anions

Client ID:

LCSS

Prep Date: 11/3/2017

Analysis Date: 11/3/2017

SegNo: 1496175

Units: mg/Kg

RPDLimit

Qual

Analyte

Result

SPK value SPK Ref Val

%REC 99.7 LowLimit

HighLimit

%RPD

15

15.00

Chloride

PQL 1.5

0

90

110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits J

P Sample pH Not In Range

RL Reporting Detection Limit Sample container temperature is out of limit as specified

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710F03

08-Nov-17

Client:

WPX Energy

Project:

Rosa Unit 15A

Sample ID MB-34830

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

Prep Date:

PBS

11/6/2017

Batch ID: 34830

PQL

20

20

RunNo: 46961

SeqNo: 1498219

Units: mg/Kg

RPDLimit

Qual

Analyte Petroleum Hydrocarbons, TR

Analysis Date: 11/8/2017

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

SampType: LCS

TestCode: EPA Method 418.1: TPH

Sample ID LCS-34830

Client ID: LCSS

Batch ID: 34830

RunNo: 46961

126

Prep Date: 11/6/2017

Analysis Date: 11/8/2017

84

Result

ND

SeqNo: 1498220

Units: mg/Kg

Result PQL

SPK value SPK Ref Val %REC 100.0

LowLimit 83.6

HighLimit %RPD **RPDLimit** Qual

Petroleum Hydrocarbons, TR

Client ID:

Sample ID LCSD-34830

LCSS02

SampType: LCSD

Batch ID: 34830

Analysis Date: 11/8/2017

TestCode: EPA Method 418.1: TPH

RunNo: 46961

SeqNo: 1498221

Units: mg/Kg

126

RPDLimit Qual

Analyte Petroleum Hydrocarbons, TR

Prep Date: 11/6/2017

83

20

SPK value SPK Ref Val 100.0 0

%REC 82.6 LowLimit HighLimit 80.5

%RPD 1.21

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Η

ND Not Detected at the Reporting Limit

POL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

Sample container temperature is out of limit as specified

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710F03

08-Nov-17

Client:

WPX Energy

Project:

Rosa Unit 15A

Sample ID LCS-34712	SampTy	pe: LC	S	Tes	Code: E	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LCSS	Batch	ID: 34	712	R	tunNo: 4	6767				
Prep Date: 10/30/2017	Analysis Da	ate: 10	/31/2017	S	eqNo: 1	491802	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	93.0	73.2	114			
Surr: DNOP	4.3		5.000		85.4	70	130			

Sample ID MB-34712	SampT	уре: МЕ	BLK	Tes	tCode: E	PA Method	8015M/D: Die	esel Range	e Organics	
Client ID: PBS	Batch	ID: 34	712	F	RunNo: 4	6767				
Prep Date: 10/30/2017	Analysis D	ate: 10)/31/2017	S	SeqNo: 1	491803	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.8		10.00		88.4	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710F03

08-Nov-17

Client:

WPX Energy

Project:

Rosa Unit 15A

Sample ID MB-34708

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

LowLimit

Client ID:

Analyte

PBS

Batch ID: 34708

PQL

RunNo: 46775

Prep Date: 10/30/2017

Analysis Date: 10/31/2017

SeqNo: 1491523

Units: mg/Kg

SPK value SPK Ref Val %REC

HighLimit

%RPD

%RPD

RPDLimit

Qual

Gasoline Range Organics (GRO) Surr: BFB

Result ND 1100

1000

107

316

Sample ID LCS-34708

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

RunNo: 46775

LowLimit

15

Client ID: Prep Date: 10/30/2017 Analyte

LCSS

Batch ID: 34708

Analysis Date: 10/31/2017

5.0

SeqNo: 1491525

%REC

Units: mg/Kg

RPDLimit

Qual

Gasoline Range Organics (GRO)

Result 30

25.00 1000 118

75.9

131

HighLimit

Surr: BFB

1200

SPK value SPK Ref Val

0

119

15

316

Oualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710F03

08-Nov-17

Client:

WPX Energy

Project:

Rosa Unit 15A

Sample ID MB-34708	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	n ID: 34	708	F	tunNo: 4	6775				
Prep Date: 10/30/2017	Analysis D	ate: 10	0/31/2017	S	eqNo: 1	491544	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120			

Sample ID LCS-34708	SampT	ype: LC	S	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batch	n ID: 34	708	R	RunNo: 4	6775				
Prep Date: 10/30/2017	Analysis D	ate: 10	0/31/2017	S	SeqNo: 1	491545	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	113	77.3	128			
Toluene	1.1	0.050	1.000	0	109	79.2	125			
Ethylbenzene	1.0	0.050	1.000	0	105	80.7	127			
Xylenes, Total	3.1	0.10	3.000	0	102	81.6	129			
Surr: 4-Bromofluorobenzene	1.1		1.000		110	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NF. Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.ballenvironmental.com

Sample Log-In Check List

Client Name: WPX ENERGY	Work Order Numb	er: 1710F03		ReptNo:	1
Received By: Sophia Campuzano	10/27/2017 11:28:00) AM	Sopher Corpor-	-	
Completed By: Ashley Gallegos	10/27/2017 3:52:32	PM	1		
Reviewed By: SYZE 10130/17			V		
Chain of Custody					
1. Custody scale intact on sample bottles?		Yes 🗌	No 🔲	Not Present 🗹	
2. Is Chain of Custody complete?		Yes 🗹	No 🗀	Not Present 🗀	
3. How was the sample delivered?		Courier			
<u>Log In</u>					
4. Was an attempt made to cool the samples?		Yes 🔽	No 🗆	NA 🗆	
5. Were all samples received at a temperature	of >0° C to 6.0°C	Yes 🗹	No 🗆	na 🗆	
6. Sample(s) in proper container(e)?		Yes 🔽	No \square		
7. Sufficient sample volume for indicated test(s)	7	Yes 🔽	No 🗀		
8. Are samples (except VOA and ONG) properly	preserved?	Yes 🗹	No 🗆		
9. Was preservative added to bottles?		Yes 📙	No 🗹	NA 🗆	
10.VOA vials have zero headspace?		Yes 🗌	No 🗆	No VOA Viats 🗹	
11. Were any sample containers received broker	17	Yes \sqcap	No 🗹 🕆	# of preserved	
12. Does paperwork match bottle labels?		Yes 🗹	No, 🔲	for pH:	2
(Note discrepancies on chain of custody)					>12 unless noted)
13. Are matrices correctly identified on Chain of (Custody?	Yes 🗹	No L	Adjusted?	
14, is it clear what analyses were requested? 15. Were all holding times able to be met?		Yes 🗹	No □	Checked by:	lo
(If no, notify customer for authorization.)		Yes 🔽	40 1-1 [
Special Handling (if applicable)					
16. Was client notified of all discrepancies with th	is order?	Yes 🗌	No 🗆	NA 🗹	
Person Notified:	Date.				
By Whom:	Vis:	☐ eMail ☐ Pi	none 🔲 Fax	In Person	
Regarding:	· · · · · · · · · · · · · · · · · · ·				
Client Instructions:	· · · · · · · · · · · · · · · · · · ·				
17. Additional remarks:		, , , , , , , , , , , , , , , , , , , ,	-	. ,	ı
18. Cooler Information Cooler No Temp C Condition Second 1 3.1 Good Yes	al Intact Seal No	Soal Date	Signed By		
Poss 1 - 61					

		roda:	alytical	thoe	aicd or	irly not	g uco	# #	cred da	CONTRO	die Ai	ξ. An	oseibil	obce of this po	8. This serves as n	coredited laboratorie	ontracted to other ac	If necessary, bamples submitted to Hall Environmental may be subcontracted to other accredited laboratonies. This serves as notice of this possibility. Any sub-contracted data will be dickry rotated on the analytical report.	Bamples subn	necessary,	
l		1						1						500	1827/17 1800	101	Syster Co	Must words	(William to	ર્ભન	Undo!
														Time			Received by:	ec by:	Relinquishe	Time:	Dato:
														1540	1/25/2	Nohade	/ h AL	Delmintiation	Delvo	1540	ich elu
L	-	ļ			Ī	ľ	ŀ	ł	ł	ŀ		Remarks:	9	Time	Date To		Received by:	ec by:	Relinquished by:	Time:	Date:
	_		_					_				_									
						-						_									
<u> </u>							_	_	\vdash	·	-	_									
	_	<u> </u>				\vdash	\vdash	\vdash	├		-	_									
<u> </u>	_	_	<u> </u>			\vdash	\vdash	 	├		_	_	_								
<u> </u>	_	$oldsymbol{oldsymbol{oldsymbol{eta}}}$	_			T	\vdash	-	\vdash	ļ	-	╁.	<u> </u>								
\vdash			_			T	T	+-	\vdash	-	-	\vdash	↓	_							
<u> </u>		<u> </u>	_	-		厂		╀	╀	╁	\vdash	\vdash	_								
1_	-		_			T		╁	+	╂	╀	1	1								j
4	1	↓_	_		Γ	1	\dagger	+	╁	╀	+	1	1	\downarrow							
1	+	1	1		1	†	+	+	╁	+	+	4	4								
4	_	_	_				\dashv	_													
_	_						又			X	X	H	M	2	-001	Cold	1-402	B6T-1	501	1100	10.25.11
				8270 (Semi-	8260B (VOA	8081 Pestic	Anions (F.C	PAH's (8310 RCRA 8 Me	EDB (Metho	TPH (Metho	TPH 8015B	BTEX + MT	BTEX + ME	0	HEAL NO.	Preservative Type	Container Type and #	Sample Request ID	Matrix	Time	Date
				vo	1)		M	÷	_		_		_	L.	+0.2 (ce) =	Sample Temperature: 2.9 +0.2 (cc) =3.1	Sample Temp			(Type)	□ EDD (Type)
		•		A)))	_							8	XΥes			□ Other	\ \	□ NELAP
								ruč						(i	Masin	Sampler:			tation	Accreditation
								OINIO)	218463		(O)((s (80	(سو		20N	D. Watson	☐ Level 4 (Full Validation)		Standard	Standard
							30 ,	•			ARC					iga.	Troject manager.	CANC BELLEVIAN CHARACTER PACKET AND COM	C DO TOTAL	dam?	
-1	-		-		Sednes		Milalysis	- 2)	_		,				100 . COV. FOOL	1.00	Faulti I	
				Fax 505-345-4107	345	505	Fax	Ö	Tel. 505-345-3975	1345	. 505	Tel.						1807 1807	Acico NM		Dhone #
			Ę	α/ α/	že,	nerqu	Abuquerque, NM 87108	· ·	4301 Hawkins NE •	WKIN		400					Project #	8.1			
			3		֓֞֞֞֜֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	ā					<u>=</u> [¥	Rosa Unit #154	Rosa	Mailing Address: 721 C Walls	72/ 3	Address	Mailing
•				}	<u>.</u> 1			<u> </u>		E						· 53	Project Name				
≺ "	Z ?	7 3	ANALYSIS LABORATORY	BO	≥ 8	S	SI	ζ!	Z	≥:	IJ L		ן ר			□ Rush	成, Standard		A BARRA	CHETT MIPX FROM Y	Cilent
	>	7		Ź	5	5	Z			Ľ	Ĺ	-	7								21.

Air Bubbles (Y or N)

Chain-of-Custody Record

Turn-Around Time:

WPX Energy Production, LLC Rosa Unit #015A BGT Closure Report Photograph Log


WPX Energy Production, LLC

Rosa Unit #015A

29-31N-05W Rio Arriba County, New Mexico

Date: October 25, 2017

Photograph #1



WPX Energy Production, LLC

Rosa Unit #015A

29-31N-05W Rio Arriba County, New Mexico

Date: October 25, 2017

Photograph #2



WPX Energy Production, LLC Rosa Unit #015A BGT Closure Report Photograph Log


WPX Energy Production, LLC

Rosa Unit #015A

29-31N-05W Rio Arriba County, New Mexico

Date: October 26, 2017

Photograph #3



WPX Energy Production, LLC

Rosa Unit #015A

29-31N-05W Rio Arriba County, New Mexico

Date: October 27, 2017

Photograph #4

