*District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

	District Office.
16227	Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
	Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method
Instruc	ctions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
environment. No	that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the r does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. Operator: C	Coleman Oil &Gas, Inc.
	O. Drawer 3337, Farmington, NM 87499
	name: Juniper West Com 25#42
API Number:	30-045-35000 OCD Permit Number:
	H Section 25 Township T24N Range R11W County: San Juan
Center of Propo	osed Design: Latitude <u>N36.28787</u> Longitude <u>W-107.94968</u> NAD: <u>1927</u> NAD: 1983
Surface Owner:	: 🛮 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian Allotment
2.	OIL CONS. DIV DIST. 3
	ection F or G of 19.15.17.11 NMAC
Temporary:	Drilling Workover
	☐ Emergency ☐ Cavitation ☐ P&A Unlined Liner type: Thickness 20 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other Unlined Liner type: Thickness 20 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other
	Emilied Emilies 100 100 100 100 100 100 100 100 100 10
String-Rein String-Rein String-Rein String-Rein String-Rein	
Liner Seams: L	☐ Welded ☐ Factory ☐ Other Volume:bbl Dimensions: Lx Wx D
3.	Southern Coloration Harf 10 15 17 11 NIMAC
	p System: Subsection H of 19.15.17.11 NMAC tion: □ P&A □ Drilling a new well □ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
intent)	doil. Text Diffing a new went Workover of Diffining (Applies to activities which require prior approval of a permit of notice of
☐ Drying Pad	☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
Lined U	nlined Liner type: Thicknessmil
Liner Seams: [☐ Welded ☐ Factory ☐ Other
4.	
Below-grad	de tank: Subsection I of 19.15.17.11 NMAC
Volume:	bbl Type of fluid:
Tank Construct	tion material:
☐ Secondary	containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible side	ewalls and liner Visible sidewalls only Other
Liner type: Thi	icknessmil
5.	
Alternative	e Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
8.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ☐ No ☐ NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Operating and Maintenance Plan API Number:
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: □ Drilling □ Workover □ Emergency □ Cavitation □ P&A □ Permanent Pit □ Below-grade Tank □ Closed-loop System □ Alternative Proposed Closure Method: □ Waste Excavation and Removal □ Waste Removal (Closed-loop systems only) □ On-site Closure Method (Only for temporary pits and closed-loop systems) □ In-place Burial □ On-site Trench Burial □ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.					
Disposal Facility Name: Disposal Facility Permit Number:					
Disposal Facility Name: Disposal Facility Permit Number:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future ser Yes (If yes, please provide the information below) No	vice and operations?				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes □ No □ NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☒ No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☒ No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☒ No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ⊠ No				
Within a 100-year floodplain FEMA map	☐ Yes ⊠ No				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Operator Application Certification: I hereby certify that the information submitted with this application is true, accura	ate and complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan OCD Representative Signature:	Approval Date: 29/18
OCD Representative Signature:	1
Title: Environmental Spec	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to the closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan plan has	o implementing any closure activities and submitting the closure report. he completion of the closure activities. Please do not complete this osure activities have been completed.
22	Closure Completion Date:
22. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alterna ☐ If different from approved plan, please explain.	tive Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, drill two facilities were utilized. Disposal Facility Name: Disposal Facility Name: Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation)	Disposal Facility Permit Number:
 ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique 	
24. Closure Report Attachment Checklist: Instructions: Each of the following ite mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) □ On-site Closure Location: Latitude N36.30150 Longit	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure relations. I also certify that the closure complies with all applicable closure requirements.	
Name (Print): Michael T. Hanson Title	e: Operations Engineer
Signature: Muhaffffano	Date: 1/30/2018
e-mail address: mhanson@cog-fmn.com	Telephone:(505) 327-0356

Lease Name:

Juniper West Com 25 #42

API No.:

API # 30-045-35000

Description:

H, Section 25, T24N, R11W

In accordance with Pit Rule NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144.

- Proof of Closure Notice
- Proof of Deed Notice
- Plot Plan
- C-105
- Sampling Results
- Details on Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation Photos (Including Steel Marker)
- 1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycled, reused, or reclaimed in a manner that the Aztec Division office approves.

Fluids were pulled from reserve pit and sent to an approved disposal.

2. The referred method of closure for all temporary pits will be on-site, in-place burial, assuming that all criteria listed in Subsection (B) of 19.15.17.13 are met.

On-site in-place burial was approved by the Aztec office on December 15, 2009.

3. The surface owner shall be notified of Coleman Oil and Gas proposed closure plan using a means that provided proof of notice, i.e., Certified Mail, return receipt requested.

Surface Owner Navajo Allotted FIMO Farmington office was notified of Coleman's proposed closer plan in the Surface Use Plan of APD process and again by certified letter dated January 30, 2018. BLM Farmington was notified by sundry notice dated January 02, 2012.

4. Within 6 months of Rig Off status occurring Coleman Oil and Gas will ensure that temporary pits are closed, re-contoured, and reseeded.

Released Rotary Tools on July 18, 2011; Reserve pit was reclaimed and re-contoured February 28, 2012.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's Name
 - ii. Well Name and API Number
 - iii. Location by Unit Letter, Section, Township, Range

Aztec OCD was given notice of temporary pit closer via email on January 10, 2012.

6. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve appropriate solidification. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part contents.

Pit contents were mixed with non-waste containing earthen material in order to achieve appropriate solidification. The solidification process was accomplished using a combination of natural drying and mechanically mixing using a dozer and track-hoe. Pit contents were mixed with non-waste material to a consistency that was deemed safe and stable. The mixing ration did not exceed three parts clean soil to one part pit contents.

7. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed within six inches of mud line. After removal of pit liner it was hauled to and disposed of at the San Juan County Land Farm.

8. A five point composite sample will be taken using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e. dig and haul. Disposal facilities to be utilized should this method be required will be Envirotech Permit No. NM01-0011 or IEI, Permit No. NM01-0010B.

A five point composite sample was taken and submitted to Envirotech, see attached analysis.

9. Upon completion of solidification and testing, the pit area will be backfilled and compacted, non-waste containing earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

Upon completion of solidification and testing, the pit area was backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover was achieved and the cover included just one foot of background topsoil suitable for establishing vegetation at the site.

10. Re-contouring of the location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, ponding prevention, and erosion prevention. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with a smooth surface, fitting the natural landscape.

Re-contouring of location matches fit, shape, line form and texture of the surrounding area. Re-shaping of the location included drainage control, pounding prevention and erosion prevention. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale.

11. Notification will be sent to OCD when the reclaimed area is seeded.

Notification via copy of BLM sundry after seeding will be sent to Aztec OCD office.

12. Coleman Oil and Gas shall seed the disturbed areas the first growing season after the pit is closed. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM of Forest Service stipulated seed mixes will be used on Federal Lads. Vegetative cover will equal 70% of the native perennial vegetative cover (unimpacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeks, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Notification via copy of BLM sundry after reclaimed area successfully achieves re-vegetation for two successive growing seasons will be sent to Aztec OCD office.

13. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the on-site burial upon the abandonment of all the wells on the pad. The marker will be

flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of the wells on the pad are abandoned. The operator's information will include the following: Operator's Name, Lease Name, Well Name and Number, Unit Number, Section, Township, Range and an indicator that the marker is an on-site burial location.

The temporary pit was located with a steel marker four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial with a threaded collar on top. The following information was welded on a twelve inch by twelve inch plate and screwed into a four inch collar (Coleman Oil & Gas, Inc., Juniper West Com 25 #42, Unit H, Section 25, T24N, R11W).

 Coleman Oil and Gas shall file a deed notice identifying the exact location of the on-site burial with the county clerk in the county where the on-site burial occurs.

Temporary pit closer notification was sent to surface owner via certified mail and a deed notice was filed with the San Juan County Clerks Office.

Proof of Closure Notice

Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	RCVD	JAN	12	'12
	APPROVE			
OMB	March 31	STONIC	: 0	ITU
Expires	March 31	2007	, L	TA.

CHAIDDY	NOTICEC	AAID	REPORTS	ON	MELL	_
SUNDRY	NUTICES	AND	REPURIS	ON	VVELL	3

5 Lease Senal No NO-G-0411-1712

Date

DIST. 3

	NOTICES AND THE	OILIO OIL	WELLS	C TCT 1 Allews - T-1-N
Do not use thi abandoned we	s form for proposals t II. Use Form 3160-3 (A	o drill or to APD) for such	re-enter an proposals	6 If Indian, Allottee or Tribe Name
SUBMIT IN TRI	PLICATE- Other instr			7 If Unit or CA/Agreement, Name and/or No
1 Type of Well Oil Well	Gas Well Other		DEC 23 2011	8 Well Name and No. Juniper U
2 Name of Operator Coleman Oil 6	& Gas. Inc.	Bureau	nington Field Office of Land Manageme	Bonito 28#1 Com 25#4
3a. Address P.O. Drawer 3337		3b Phone No (505-327-035	include area code)	30-045-35000 10 Field and Pool, or Exploratory Area
4 Location of Well (Footage, Sec., 7	, R, M, or Survey Description)			Basin Fruitland Coal
1350' FNL, 1130' FEL H, Sect	ion 25, T24N, R11W Latitu	ide 36.28785°, L	ongitude 107.94960°	11 County or Parish, State San Juan, New Mexico
12. CHECK AP	PROPRIATE BOX(ES) TO	INDICATE N	ATURE OF NOTICE, R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Constru Plug and Aba Plug Back	ction Recomplete	Well Integrity Other
following completion of the invitesting has been completed. Fur determined that the site is ready	olved operations. If the operation al Abandonment Notices shall be for final inspection.)	results in a multipl filed only after all	e completion or recompletion requirements, including reclar	ed subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once nation, have been completed, and the operator has ERAL WEEKS, SEE ATTACHED
	OPERATOR EDG	M OBTAINI	EPTANCE OF THIS E THE LESSEE AND NG ANY OTHER O FOR OPERATIONS ANDS	GEC 0 9 2012 FARMINGTON FIELD OFFICE BY
SPUD WELL JUNE 20, 20 RELEASED ROTARY TO	OOLS JUNE 28, 2011		with the clos	sure plan filed with
14 I hereby certify that the fore Name (Printed/Typed)	going is true and correct	1		
MICHAEL T. H.	ANSON	Т	itle OPERATIONS ENG	INEER
Signature Muchae	F. Hans		Date 12/22/	2011
	THIS SPACE FOR	FEDERAL (OR STATE OFFICE	USE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)

Conditions of approval, if any, are attached Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon

Title

Reserve Pit Closer Plan

Coleman Oil & Gas, Inc. plans to close reserve pit as follows.

- 1. Sample soil, five point composite sample for Benzene, BTEX, TPH-(GRO & DRO), TPH and Chloride.
- 2. Notify Aztec Office OCD, Brandon Powell, (505) 334 6178 EX 15 and BLM Environmental Protection Staff (505) 599-8900 seventy two hours prior to reserve pit reclamation.
- 3. Remove all free liquid from reserve pit.
- 4. Remove temporary fence.
- 5. Remove pit liner within six inches of mud line and haul to San Juan County Land Farm.
- 6. Mix contents of reserve pit at a ratio less than three to one.
- Cover reserve pit with four feet of compacted soil. Install top soil on top of compacted soil.
- 8. Install four inch marker at center of on site burial thirty six inches deep with a threaded collar on top. The following information to be stamped on twelve inch by twelve inch plate and screwed into four inch collar (operator name, lease name, well number, and location description). Location description to include unit letter, section, township and range.

Coleman Oil & Gas, Inc, plans on seeding reclamation shortly after completion phase.

Tribal Trust Wells:

Bonito 25 #1	API# 30-045-35000	Section 25, T24N, R11W
Juniper West 24 #42	API# 30-045-33591	Section 24, T24N, R11W
Juniper West 24 #44	API# 30-045-33595	Section 24, T24N, R11W

From: brian wood <bri>drian@permitswest.com>

Subject: Rosetta pit closure notices

Date: November 17, 2009 11:44:33 AM MST

To: howarddraper@frontiernet.net



As required by NMOCD pit rule Subsection F of 19.15.17.13 NMAC, I am notifying the Navajo Nation that Rosetta will close 3 temporary (reserve) pits (after they are built and used) using on site closure (burial) in the same pit.

The wells (all in San Juan County, NM) are:

Bonito 25 #1 (1350 FNL & 1130 FEL 25-24n-11w) Split Lip 26 #1 (1965 FNL & 1975 FE 26-24n-11w) Split Lip 26 #2 (1645 FNL & 1100 FW 26-24n-11w)

Please call me if you have any questions.

Brian Wood Permits West, Inc. 37 Verano Loop, Santa Fe, NM 87508 Phone: 505 466-8120

FAX: 505 466-9682



Mike Hanson

From:

"Mike Hanson" < mhanson@cog-fmn.com>

To:

"Brandon Powell" <Brandon.Powell@state.nm.us>; "Mark Kelly" <mkelly@blm.gov>

Cc:

"Jonathan Kelly" < Jonathan. Kelly@state.nm.us>

Sent:

Tuesday, January 10, 2012 11:46 AM

Attach:

Bonito 25 #1 Reserve Pit Closer Plan.pdf; Juniper West 24 #42 Reserve Pit Closer Plan.pdf; Juniper West 24 #44

Reserve Pit Closer Plan.pdf

Subject:

Fw: Reserve Pit Closer

Gentlemen,

Dirt contractor is planning on moving in reclamation equipment to start reserve pit reclamation this Thursday. They are planning on starting as early as Friday Morning.

Juniper West 24 #42 API# 30-045-33591 1700' FNL & 700' FEL H, Section 24, T24N, R11W Latitude 36.301361, Longitude 107.948111 Lease No. NMNM 104609

Juniper West 24 #44 API# 30-045-33595 1100' FSL & 700' FEL P, Section 24, T24N, R11W Latitude 36.294583, Longitude 107.948139 Lease No. NMNM 104609

Bonito 25 #1 API# 30-045-35000 1350' FNL & 1130' FEL H, Section 25, T24N, R11W Latitude 36.28785, Longitude 107.94960 Lease No. NO-G-0411-1712

Let me know if you have any questions or concerns.

Thanks.

---- Original Message -----From: Mike Hanson To: Brandon Powell

Cc: Jonathan Kelly

Sent: Thursday, December 22, 2011 1:31 PM

Subject: Reserve Pit Closer

Brandon,

Coleman Oil & Gas, Inc., plans to reclaim the reserve pits on the locations listed below within the next several weeks. Please see attached Reserve Pit Closer Plans.

Juniper West 24 #42 API# 30-045-33591 1700' FNL & 700' FEL H, Section 24, T24N, R11W Latitude 36.301361, Longitude 107.948111 Lease No. NMNM 104609

Juniper West 24 #44 API# 30-045-33595 1100' FSL & 700' FEL P, Section 24, T24N, R11W Latitude 36.294583, Longitude 107.948139 Lease No. NMNM 104609

Bonito 25 #1 API# 30-045-35000 1350' FNL & 1130' FEL H, Section 25, T24N, R11W Latitude 36.28785, Longitude 107.94960 Lease No. NO-G-0411-1712

Let me know if you have any questions or concerns.

Michael T. Hanson Operations Engineer Coleman Oil & Gas, Inc. Office (505) 566-1996 Mobile (505) 330 -2903 Fax (505) 327-9425

OFFICE: 505-327-0356 FAX: 505-327-9425



Michael Hanson e-mail: mhanson@cog-fmn.com Direct Line: 505.564.5996

CERTIFIED RETURN RECEIPT REQUESTED 70171450000153001876

Tuesday, January 30, 2018

The Navajo Nation Post Office Box 9000 Window Rock, AZ 86515-9000

Attention: Mr. Howard Draper

RE: PIT CLOSURE NOTIFICATION

Township 24 North, Range 11 West

Section 24: SE/4, NE/4 Section 25: SE/4

Please be advised that, in accordance with Section 19.15.17.13.F (1) (b) of the NMAC, Coleman Oil & Gas, Inc. as operator is hereby providing notice to the current surface owner of an on-site burial of a temporary pit at the following location(s):

 Well Name:
 Juniper West 24 #42

 API Number:
 30-045-33595

Lease Number: NM NM 104609 (USA Minerals)

Latitude (HDDD.DDDDD): N 36.30136°

Longitude (HDDD.DDDDDO): W 107.98481°

 Unit Letter (¼ ¼):
 P (SESE)

 Section:
 24

 Township:
 24 North

 Range:
 11 West

County: San Juan State: New Mexico

 Well Name:
 Juniper West 24 #44

 API Number:
 30-045-33591

Lease Number: NM NM 104609 (USA Minerals)

Latitude (HDDD.DDDDD^o): N 36.29463° **Longitude (HDDD.DDDDD**^o): W 107.94820° The Navajo Nation

Attention: Mr. Howard Draper

Tuesday, June 02, 2009

Page 2

Unit Letter (1/4 1/4):

Section:

Township: Range:

County:

State:

Well Name:

API Number:

Lease Number:

Latitude (HDDD.DDDDD^O):

Longitude (HDDD.DDDDD^O):

Unit Letter (1/4 1/4):

Section:

Township:

Range:

County:

State:

H (SENE)

24

24 North

11 West

San Juan

New Mexico

Juniper West 25 #42

30-045-35000

NOG 04111712

36.28787° N

107.94968° W

H (SENE)

25

24 North

11 West

San Juan

New Mexico

Sincerely,

Michael T Hanson

Operations Engineer

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON D	ELIVERY
Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you.	A. Signature	☐ Agent ☐ Addressee
Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name)	C. Date of Delivery
The Navajo Nation Post Office Box 9000	D. Is delivery address different from If YES, enter delivery address be	
Window Rock, AZ 86515-9000		
9590 9402 2920 7094 7237 82	☐ Adult Signature ☐ Adult Signature Restricted Delivery ☐ Certified Mail®	☐ Priority Mail Express® ☐ Registered Mail™ ☐ Registered Mail Restricted ☐ Delivery ☐ Return Receipt for Merchandise
2 Article Number (Transfer from service label) 7017 1450 0001 5300 18	Collect on Delivery Restricted Delivery	☐ Signature Confirmation™☐ Signature Confirmation Restricted Delivery
S Form 3811, July 2015 PSN 7530-02-000-9053	, De	omestic Return Receipt

ED LINE	 1876 1	1876	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.com®. OFFICIAL USE
PLACE STICKER AT TOP OF ENVELOPE TO THE OF THE RETURN ADDRESS, FOLD AT DOTTE OF THE OFFICE OF THE OFFICE OF	7017 1450 0001 530C	7017 1450 0001 530C	Certified Mall Fee \$ Extra Services & Fees (check box, add fee as appropriate) Return Receipt (nardcopy) Return Receipt (electronic) Certified Mall Restricted Delivery \$ Adult Signature Required Adult Signature Restricted Delivery \$ Postage \$ Total Postage and Fees \$ Sent Total Postage and Fees \$ Serverse for Instructions PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

OFFICE: 505-327-0356



Michael Hanson e-mail: mhanson@cog-fmn.com Direct Line: 505.564.5996

CERTIFIED RETURN RECEIPT REQUESTED 70171450000153001869

Tuesday, January 30, 2018

Bureau Of Indian Affairs DOI 6251 College Boulevard, Suite B Farmington, NM 87402

RE:

PIT CLOSURE NOTIFICATION

Township 24 North, Range 11 West

Section 25: SE/4

Please be advised that, in accordance with Section 19.15.17.13.F (1) (b) of the NMAC, Coleman Oil & Gas, Inc. as operator is hereby providing notice to the current surface owner of an on-site burial of a temporary pit at the following location(s):

Well Name:

Juniper West 25 #42

API Number:

30-045-35000

Lease Number:

NOG 04111712

Latitude (HDDD.DDDDD⁰):

N 36.28787°

Longitude (HDDD.DDDDD⁰):

W 107.94968°

Unit Letter (1/4 1/4):

25

Section: Township:

24 North

H (SENE)

Range:

24 NOILII

C

11 West

County:

San Juan

State:

New Mexico

Sincerely,

Michael T Hanson Operations Engineer

COMPLETE THIS SECTION ON DELIVERY **SENDER: COMPLETE THIS SECTION** A. Signature Complete items 1, 2, and 3. ☐ Agent ■ Print your name and address on the reverse ☐ Addressee so that we can return the card to you. B. Received by (Printed Name) C. Date of Delivery Attach this card to the back of the mailpiece, or on the front if space permits. D. Is delivery address different from item 1? Yes if YES, enter delivery address below: No 1. Article Addressed to: Bureau Of Indian Affairs DOI 6251 College Boulevard, Suite B Farmington, NM 87402 3. Service Type ☐ Priority Mail Expre Registered Mali™ Registered Mali™ Registered Mali Restricted Delivery Return Receipt for Merchandise Signature Confirmation™ ☐ Adult Signature ☐ Adult Signature Restricted Delivery Certified Mail® Certified Mail Restricted Delivery 9590 9402 2920 7094 7237 99 Collect on Delivery Restricted Delivery Collect on Delivery Restricted Delivery Insured Mail 2. Article Number (Transfer from service label) ☐ Signature Confirmation Restricted Delivery 7017 1450 0001 5300 1869 all Restricted Delivery PS Form \$811, July 2015 PSN 7530-02-000-9053

U.S. Postal Service™ **CERTIFIED MAIL® RECEIPT** Domestic Mail Only 98 For delivery information, visit our Certified Mail Fee 53 \$
Extra Services & Fees (check box, add fee as appropriate Return Receipt (hardcopy) \$______ 0001 Return Receipt (electronic) Postmark Certified Mail Restricted De Here Adult Signature Required Adult Signature Restricted Deliv 1450 ostage Total Postage and Fees

Domestic Return Receipt

STATE OF NEW MEXICO			
COUNTY OF SAN JUAN	}		

RECORDATION NOTICE OF PIT BURIAL

In accordance with Section 19.15.17.13.F.1.f of the NMAC, operator hereby provides notice in the public record of an on-site burial of a temporary pit at the following location:

Well Name:

Juniper West 25 #42

API Number:

30-045-35000

Latitude (HDDD.DDDDD^O):

36.28787° N

Longitude (HDDD.DDDDD^O):

W 107.94968°

Unit Letter (1/4 1/4):

H (SENE)

Section:

25

Township:

24 North

Range:

11 West San Juan

County: State:

New Mexico

IN WITNESS WHEREOF, this Recordation Notice of Pit Burial has been executed on the date indicated below by the undersigned.

COLEMAN OIL & GAS, INC.

Michael T. Hanson – Operations Engineer

OFFICIAL SEAL Michael L. Palmer NOTARY PUBLIC My Commission Expires:

STATE OF NEW MEXICO

COUNTY OF SAN JUAN

This instrument was acknowledged before me this day of January, 2018, by Michael T. Hanson as Operations Engineer for Coleman Oil & Gas, Inc.

My Commission Expires: November 28, 2019

Michael Palmer - Notary Public

1 of 1 B1626 P716 \$25.00 San Juan County, NM TANYA SHELBY



Plot Plan

Form 3160-3 (April 2004)

Bonita to Bonito

FORM APPROVED OMB No: 1004-0137 Expires March 31, 2007

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

5. Lease Serial No. NO-G-0411-1712

APPLICATION FOR PERMIT TO	DRILL OF	Farming	and Ma SR Fiel	d Office	ni6. If Indian, Allotee	or Tribe	Name
la. Type of work: DRILL REENTH	ER				7 If Unit or CA Agr N/A	eement, Na	me and No.
lb. Type of Well: Oil Well ✓ Gas Well Other	√ Sn	ngle Zone	Multiple Zone		8. Lease Name and BONITO 25 #		
Name of Operator ROSETTA RESOURCES OPERATING					9 API Well No. 30-045-35	500	0
3a. Address 717 TEXAS AVE., SUITE 2800 HOUSTON, TX 77002	3b. Phone No (713) 3	35-4104	ea code)		10. Field and Pool, or BASIN FRUI		•
Location of Well (Report location clearly and in accordance with an At surface 1350' FNL & 1130' FEL At proposed prod. zone SAME					11. Sec., T. R. M. or I		rvey or Area
14. Distance in miles and direction from nearest town or post office*					12. County or Parish	-	13. State
13 AIR MILES WNW OF NAGEEZI, NM	Tic Vi of o			ta Cassa	SAN JUAN	mall	NM
15. Distance from proposed* location to nearest property or lease line, ft	16. No. of a	icres in lease			g Unit dedicated to this	well	
(Also to nearest drig. unit line, if any) 1130	160				320 acres)		
18 Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. N/A	19. Proposed	d Depth			BIA Bond No. on file		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 6,450' GL	22 Approxim	ximate date work will start t		rt [†]	23. Estimated duration 2 WEEKS		
	24. Attac	hments				actio d	PR 20'10
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 		4 Bond Item 2 5. Opera 6. Such	to cover to above).	he operation cation specific info	is form: ns unless covered by an ormation and/or plans a	n existing t	ST. 3
25 Signature		(Printed/Typ	ped)			Date 06/2	20/2009
Title CONSULTANT	PHON	E: (505) 46	6-8120	FAX	K: (505) 466-9682		
Approved by (Signature) Mankee 1500	Name	(Printed/Ty	ped)			Date /	bus
Title AFM	Office	FL	-0			711	
Application approval does not warrant or certify that the applicant hold conduct operations thereon. Conditions of approval, if any, are attached.	ls legal or equi	table title to	those righ	ts in the sub	ject lease which would	entitle the	applicant to
Trtle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a ci States any false, fictitious or finandulent statements or representations as	to any matter w	vithin its juri:	sdiction.			or agency	of the United
*(Instructions on page 2) BLM'S APPRO ACTION DOE OPERATOR F AUTHORIZA' ON FEDERAL	S NOT RIFROM OB TION REC	ELIEVE TAINING QUIRED	THE L G ANY FOR C	OTHER OPERATI	AND	ND 0	a.HRS
			OTI	CV A	TTEC O	746	7 1 11 10

PRIOR TO CASING & CEMENT
PRIOR TO CASING & CEMENT
SUBJECT TO COMPLIANCE WITH ATTACHED
"GENERAL REQUIREMENTS".

. 1 2 ta

This action is subject to technical and procedural review pursuant to 43 CFR 3165.3 and appeal pursuant to 43 CFR 3165.4

NMOCD 16

District I 1625 N French Dr., Hobbs, NM 88240 State of New Mexico Form C-102 Revised October 12, 2005 Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

Instructions on back Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies Instructions on back District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 1220 South St. Francis 23 2009 Santa Fe, NM 8750523 2009 District IV 1220 S St Francis Dr., Santa Fe, NM 87505 AMENDED REPORT **Bureau of Land Management Farmington Field Office** WELL LOCATION AND ACREAGE DEDICATION PLAT ³Pool Name API Number Pool Code 71629 BASIN FRUITLAND COAL 30-045-35000 Well Number Property Code Property Name **BONITO 25** 1 3.8119 Elevation OGRID No *Operator Name 6450 ROSETTA RESOURCES OPERATING LP 239235 ¹⁰ Surface Location Feet from the North/South line County UL or lot no Section Lot Idn East/West line Township Feet from the 24N 25 1350 NORTH 1130 EAST SAN JUAN 11W H 11 Bottom Hole Location If Different From Surface UL or lot no Section Township North/South line Feet from the Fast/West line County Feet from the 12 Dedicated Acres 13 Joint or Infill 14 Consplidation Code 15 Order No. 320.0 Acres - (E/2) C NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION "OPERATOR CERTIFICATION 16 5231.82 I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. 350 LAT: 36.28785 N LONG: 107.94960 W DATUM: NAD1983 6-20-09 1130 Signature Date **BRIAN WOOD** LEASE Printed Name NO-G-0411-1712 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. N 52 5268 5261. Date of Survey: APRIL 24, 2009 Signature and Seal of Professional Surveyor C. EDWARDS JASON MEXICO MEN PEGISTON PROFESSIONAL SANETOR

5237.76

DWARDS

15269

Certificate Number

District I 1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department

> OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-102 Revised October 12, 2005 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies


AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

'API Number	*Pool Code	*Pool Name
	71629	BASIN FRUITLAND COAL
Property Code		perty Name "Well Number
	BC	NITO 25
'OGRID No.		rator Name "Elevation
239235	ROSETTA RESO	RCES OPERATING LP 6450
	¹⁰ Sunfa	ce Location

UL or lot no. Sect ion Township Lot Idn Feet from the North/South line County Range Fast/West line Feet from the 25 H 24N 11W 1350 NORTH 1130 EAST SAN JUAN 11 Bottom Hole Location If From Surface Different UL or lot no. Section Range Lot Idn Feet from the North/South line Feet from the Fast/West line County 12 Dedicated Acres 3 Joint or Infill 14 Consolidation Code 15 Order No. 320.0 Acres - (E/2)

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED ! OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION





Submit To Appropr Two Copies	riate District	Office		State of New Mexico				Form C-105								
District I 1625 N. French Dr.	Hobbs, NA	M 88240		Energy, Minerals and Natural Resources				July 17, 2008 1. WELL API NO.								
District II 1301 W. Grand Ave			,					30-045-35000								
District III			'	Oil Conservation Division 1220 South St. Francis Dr.				2. Type of Lease								
1000 Rio Brazos Ro District IV									Jr.	-	STATE FEE FED/INDIAN 3. State Oil & Gas Lease No.					AN
1220 S. St. Francis		-				Santa Fe, N			0100	4	5. State Off &	. Gas Lo	case No.	DO DESCRIPTION AND DESCRIPTION	ENGL	ALTERNATION PROPERTY.
4. Reason for fili		EHON	ORE	KECO	MPLI	ETION REI	POF	KI AN	D LOG	-	5. Lea	se Nam	e or Uni	t Agreemer	nt Nar	ne
COMPLET		ORT (Fill	in boxes	#1 throug	gh #31 f	for State and Fee	wells	s only)		-	Juniper V 6. Well Numb	Vest Co		tt rigitemen	10 1 101	
C-144 CLOS										or		42				
7. Type of Comp	oletion:															
8. Name of Opera		WORKO	VER	DEEPE	NING	PLUGBACE		DIFFERI	ENT RESERVO		9. OGRID					
	Co	leman Oil	& Gas, In	ic.						_			838			
10. Address of O		O. Drawer	3337, Fa	rmingtor	, NM	87499					11. Pool name	or Wild		n Fruitland	Coal	
12.Location	Unit Ltr	Section	on	Towns	nip	Range	Lot		Feet from th	ne	N/S Line	Feet fi	rom the	E/W Line	_	County
Surface:	Н	2:	5	241	1	11W			1350		N	113	0	Е		San Juan
вн:										\forall						
13. Date Spudded		ate T.D. Re	ached			Released		1	6. Date Comple	eted	(Ready to Prod	uce)		. Elevation		and RKB,
July 10, 2011 18. Total Measur		6, 2011 of Well			18, 201 lug Bac	l k Measured Dep	oth	2	0. Was Directi	ona	l Survey Made?	7		r, GR, etc.) e Electric a		her Logs Run
22. Producing In	terval(s), o	of this com	pletion -	Top, Bot	tom, Na	ime										
					CAS	INC DEC	OD	D (D a	a cert oll ate	:	ra act in xx	011)				
CASING SI	ZE	WEIG	HT LB./			ING REC	UK		OLE SIZE	1115	CEMENTIN		ORD	AMO	UNT	PULLED
01101110 01		***************************************	222 2211			222 111 020 1										
							_						-			
24.					LIN	ER RECORD				25.	Т	UBIN	G REC	ORD		
SIZE	TOP		BO	TTOM		SACKS CEM	ENT	SCRE		SIZ			PTH SE		ACK	ER SET
								-				-				
26. Perforation	n record (i	nterval siz	e and nu	mher)				27 A	CID SHOT	FR	ACTURE, CE	MEN	r sou	FFZF FT	C	
		area van, oze	v, ши и	111001)					H INTERVAL		AMOUNT A					
28							DD	ODII	CTION	_						
28. Date First Produ	iction		Produc	tion Met	hod (Fle	owing, gas lift, p)	Well Status	s (Prod.	or Shut	-in)		
					,											
Date of Test	Hour	s Tested	Ch	oke Size		Prod'n For		Oil - E	Bbl .	Ga	s - MCF	Wa	ter - Bbl	. (Gas - (Dil Ratio
						Test Period										
Flow Tubing	Casin	ng Pressure		lculated	24-	Oil - Bbl.		G	as - MCF	_	Water - Bbl.		Oil Gra	evity - API	- (Cor	r.)
Press.				our Rate												
29. Disposition of	of Gas (So	ld, used fo	fuel, ver	ited, etc.,)							30. To	est Witne	essed By		
31. List Attachm	nents															
32. If a temporar	ry pit was	used at the	well, atta	ach a pla	with th	ne location of the	e temp	orary pit								
33. If an on-site	burial was	s used at th	e well, re	port the	exact lo						1 2220					
I hereby cert	ify that t	the inform	natjon s	shown	on bot	Latitude h sides of thi					to the best of		NAI knowle		belie	f
Signature	Mich	aft of	fare		Pri	nted Name N	Aicha	ael T. H	anson Tit	le (Operations E	Engine	er Da	te Januar	y 30	, 2018
E-mail Addre	ess m	hanson@	cog-fm	n.com												



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Sample ID: Laboratory Number: Chain of Custody No: Sample Matrix: Preservative:	Coleman Oil & Gas, Inc Reserve Pit 60481 14035 Soil Cool	Project #: Date Reported: Date Sampled: Date Received: Date Extracted: Date Analyzed:	05206-0001 12-07-11 11-30-11 11-30-11 11-30-11 12-02-11
Preservative:	Cool	Date Analyzed:	12-02-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Bonito 25 #1

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	12-02-11 QA/QC	Date Reported:	12-07-11
Laboratory Number:	60481	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	12-02-11
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	40879	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	40879	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	0.6	0.2
Diesel Range C10 - C28	1.5	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	ND	ND	0.00%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.00%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	239	95.7%	75 - 125%
Diesel Range C10 - C28	ND	250	209	83.4%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 60299 and 60481



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Coleman Oil & Gas, Inc	Project #:	05206-0001
Sample ID:	Reserve Pit	Date Reported:	12-07-11
Laboratory Number:	60481	Date Sampled:	11-30-11
Chain of Custody:	14035	Date Received:	11-30-11
Sample Matrix:	Soil	Date Analyzed:	12-06-11
Preservative:	Cool	Date Extracted:	11-30-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilution:	10		
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)		
		, 5		
Benzene	ND	0.9		
Toluene	1.3	1.0		
Ethylbenzene	1.4	1.0		
p,m-Xylene	1.7	1.2		
o-Xylene	2.7	0.9		
Total BTEX	7.1			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	84.6 %
	1,4-difluorobenzene	92.4 %
	Bromochlorobenzene	93.4 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Bonito 25 #1

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	1206BBL2 QA/QC	Date Reported:	12-07-11
Laboratory Number:	60430	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	12-06-11
Condition:	N/A	Analysis:	BTEX
		Dilution:	10

					· ·
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.
Detection Limits (ug/L)	Secret La	Accept. Rang	je 0 - 15%	Conc	Limit
Benzene	2.3109E+007	2.3155E+007	0.2%	ND	0.1
Toluene	2.3403E+007	2.3450E+007	0.2%	ND	0.1
Ethylbenzene	2.0579E+007	2.0620E+007	0.2%	ND	0.1
p,m-Xylene	5.1334E+007	5.1437E+007	0.2%	ND	0.1
o-Xylene	1.9028E+007	1.9066E+007	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Du	plicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	1.9	1.8	5.3%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	500	459	91.9%	39 - 150
Toluene	ND	500	456	91.3%	46 - 148
Ethylbenzene	ND	500	462	92.4%	32 - 160
p,m-Xylene	ND	1000	929	92.9%	46 - 148
o-Xylene	1.9	500	465	92.6%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 60299, 60430-60433, 60450, 60481-60483 and 60496

Analyst



Chloride

Client:

Coleman Oil & Gas, Inc.

Project #:

05206-0001

Sample ID:

Reserve Pit

Date Reported:

12-05-11

Lab ID#:

60481

Date Sampled:

11-30-11

Sample Matrix:

Soil

Date Received:

11-30-11

Preservative:

Cool

Date Analyzed:

12-01-11

Condition:

Intact

Chain of Custody:

14035

Parameter

Concentration (mg/Kg)

Total Chloride

1,690

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Bonito 25 #1

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

14035

CHAIN OF CUSTODY RECORD

Email results to: ManSon & Cog	GAS, I	YC Pro	ject Name / Locat	on:	5#								AN	ALY	SIS	/ PAF	RAM	ETER	S				
Email results to:	0	Sar	mpler Name://	•					<u></u>	21)	6											\top	1
mhanson & Cog	-fmw.	co	Mille	-4	ANS	0>			801	1 80	826	2				-							
Client Phone No.: 505 - 566 - 199	/	Clie	ent No.:						pou	otho	hod	Neta	nion		Ŧ	910	÷.	ш				ool	
505-566-199	6		25206-0	100					Met	(M	(Met	18	۸/۲		with	able	418	ORID				를 를 고	
Sample No./ Identification	Sample Date	Sample Time	Lab No.		Volume entainers	HgCl ₂	HCI HCI	ve	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	<u>S</u>	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE				Sample Cool	
Reserve f. F	1/30/2011	3:00	100481	/	/				X	X								X			3	у	
,	/	PM																					
																					\top		
								\top						\top							\dagger		1
																							1
11	7																						
Relinquished by: (Signature)				Date		Recei	ved by	: (Sig	natu	re)	1		_							Da	ite	Time	1
Make Ja	n			11/30/1	11:08	1			-		-		,	M						10/50	VICE	400	bo
Relinquished by: (Signature)						Recei	ved by	: (Sig	natu	ire)													
Sample Matrix																				\top			1
Soil Solid Sludge																							
☐ Sample(s) dropped off after	hours to sec	ure drop off	area.	3 6	nv	ir C) † E	e C	h														
5795 US Highway 64	• Farmingto	n, NM 87401	• 505-632-0615 • T	hree Spri	ngs • 65 M	ercac	lo Stree	et, Sui	te 11	5, Du	rango	, co	8130	• lo	boro	atory	@env	iroted	ch-inc.	.com			



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Coleman Oil & Gas, Inc.	Project #:	05206-0001
Sample ID:	Reserve Pit	Date Reported:	12-22-11
Laboratory Number:	60481	Date Sampled:	11-30-11
Chain of Custody No:	14035	Date Received:	12-15-11
Sample Matrix:	Soil	Date Extracted:	12-19-11
Preservative:	Cool	Date Analyzed:	12-19-11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

238

18.2

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Bonito 25 #1

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

12-22-11

Laboratory Number:

12-19-TPH, QA/QC 60481

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

12-19-11

Preservative:

N/A

Date Extracted:

12-19-11

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date 10-18-11 C-Cal Date 12-19-11

I-Cal RF:

1,800

1,670

7.2%

C-Cal RF: % Difference Accept. Range +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

TPH

TPH

ND

21.6

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference

Accept. Range

238

202

15.2%

+/- 30%

Spike Conc. (mg/Kg)

Sample 238

Spike Added Spike Result % Recovery 2,000

1,940

86.7%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 60481-60483, 60605, 60655-60656, 60659, 60661-60662

14035

CHAIN OF CUSTODY RECORD

Client: Coleman Dil Formal results to: Manson & Cog Client Phone No.	6A5 , I	AC Pro	piect Name / Locat	ion:	5#	/							AN	IALY	'SIS	/ PAF	RAME	TERS				
Email results to:	2	Sai	npler Name:/	^	/			+		£	<u> </u>		Т					T	T			
mhanson & Cog	-forw.	con	Mike	-4	LANS	02			3015	805	8260	S				-						
Client Phone No.:	1	Clie	ent No.:						pou	thoo	hod	Metal	nion		Ŧ	910-	-	ш			00	Itact
Str - 566 - 199	6		25206-0	100					Meth	(Me	(Met	8 1	۸/ ر		with	able	418	윤			e C	le lu
Sample No./ Identification	Sample Date	Sample Time	Lab No.		/Volume ontainers	HgCl ₂	HCI HCI	e	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
Reserve f. F	1/30/2011	3.00	100481		/				X	X							X	K			7	У
	/	PM															add	ed				
								\top									12/1	5	\dagger			
, 1																						
Relinquished by: (Signature)				Date	Time	Recei	ved by:	: (Sig	natu	re)	72	_								Date	Tin	ne
Make Ifa	n			11/30/10	11:08	4						_		M					1	YOUR	42	900
Relinquished by: (Signature)						Recei	ved by:	: (Sig	natu	re)												
Sample Matrix																						
Soil Solid Sludge	Aqueous	Other 🗌																				
☐ Sample(s) dropped off after	hours to sec	ure drop off	area.	3 6	en V Anal	irc) te	e C	h													
5795 US Highway 64	 Farmingto 	n, NM 87401	• 505-632-0615 • 1	hree Spri	ings • 65 N	lercac	lo Stree	et, Suit	le 11	5, Du	rango	o, CC	8130	1 • 10	abord	atory	@envir	otech-	inc.co	m		

Temporary Pit Inspection Form

The Following Drilling Reserve Pit Was Inspected By Me Or Under My Direct Supervision On A Daily Basis While The Drilling Rig Was On Location. The Following Visuals Inspections Were Made As Required By The Current Pit Rule; Free Board, Integrity Of Pit Liner And Fluids.

Lease Name: Juniper West Com 25 #42 Legal: H Section 25 Township 24N Range 11W

API# 30-045-35000 Lease# NO-G-0411-1712

	MTH	DC	BT	Comments
7/9/2011	124	RE		\
7/10/2011		2019		
7/11/2011		" STE		
7/12/2011	,	20		
7/13/2011		Ole.		
7/14/2011		Set :		
7/15/2011		XXO_		
7/16/2011		De.		
7/17/2011		AX.		
7/18/2011		De-	*	1
1				

MTH Michael T. Hanson; Operations Engineer
DC Donald Coleman; Drilling Supervisor
BT Bruce Taylor; Production Foreman

The Following Drilling Reserve Pit Was Inspected By Me Or Under My Direct Supervision On A Weekly Basis After The Drilling Rig Was Released. The Following Visuals Inspections Were Made As Required By The Current Pit Rule; Free Board, Integrity Of Pit Liner And Fluids.

Lease Name: Juniper West Com 25 #42 Legal: H Section 25 Township 24N Range 11W

API# 30-045-35000 Lease# NO-G-0411-1712

	MA	R.T.	Comments
7/25/2011		OT.	· · · · · · · · · · · · · · · · · · ·
8/1/2011		70.7	
8/8/2011	11	2.7	
8/15/2011	, ,	2.7.	
8/22/2011		RT	,
8/29/2011		Sele	
9/5/2011		R.T.	
9/19/2011		RI	
9/26/2011		AJ	1
10/3/2011		R.J	
10/10/2011		0.7	
10/17/2011		7.7	
10/24/2011		37	
10/31/2011		RI	
11/7/2011		RT	
11/14/2011			
11/21/2011		K.T.	
11/28/2011		R.T.	
12/5/2011	100 000 000	R.T.	
12/12/2011		Rd.	
12/19/2011		RT	
12/27/2011		R.T.	
1/4/2012		Reti	
1/9/2012		R.T.	
1/16/2012		S.T.	
1/23/2012		Bet.	
1/30/2012		Bet.	
2/6/2012		R-/-	
2/13/2012		B.T.	
2/20/2012		B.T.	
2/27/2012	MAT	B.T.	
			1

MTH Michael T. Hanson; Operations Engineer
DC Donald Coleman; Drilling Supervisor
BT Bruce Taylor; Production Foreman

Site Reclamation Photos



