### State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Heather Riley, Division Director Oil Conservation Division



Matthias Sayer Deputy Cabinet Secretary

New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-4 or 3160-5 form.

Operator Signature Date: 11/2/18 Well information:
HILCORP ENERGY COMPANY SAN JUAN 28 6 UNIT #110, API# 30-039-82369
Application Type:  P&A Drilling/Casing Change Location Change  Recomplete/DHC (For hydraulic fracturing operations review EPA Underground injection control Guidance #84; Submit Gas Capture Plan form prior to spudding or initiating recompletion operations)  Other:
Conditions of Approval:
<ul> <li>Notify the NMOCD 24hrs prior to beginning operations.</li> <li>Submit the CBL to the agencies for review and approval prior to any remediation or perforations.</li> </ul>
Kitheric Buln/ 
NMOCD Approved by Signature Date

Form 3160-5 (August 2007)

Final Abandonment Notice

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

OMB No. 1004-0137 Expires: July 31, 2010

ease Seria	l No	

NMSF079367B

Do not use	DRY NOTICES AND REPO this form for proposals to well. Use Form 3160-3 (A	to drill or to re-enter an	6. If Indian, Allottee or Tribe N	fame
SU	BMIT IN TRIPLICATE - Other ins	tructions on page 2.	7. If Unit of CA/Agreement, Na	ame and/or No.
1. Type of Well Oil Well	Gas Well Other		8. Well Name and No.  San Jua	n 28-6 Unit 110
2. Name of Operator			9. API Well No.	
	Hilcorp Energy Compa	any	30-0	39-82369
3a. Address		3b. Phone No. (include area code)	10. Field and Pool or Explorate	ory Area
382 Road 3100, Aztec, N	IM 87410	505-599-3400	Blanco Mesa	verde/Basin Dakota
4. Location of Well (Footage, Sec., T.,F Surface Unit L (N	N.,M., or Survey Description)  WSW) 1550'FSL & 990' FV	VL, Sec. 25, T27N, R06W	11. Country or Parish, State Rio Arriba ,	New Mexico
12. CHECK	THE APPROPRIATE BOX(ES)	TO INDICATE NATURE OF	NOTICE, REPORT OR OTHE	ER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
X Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-Off
	Alter Casing	Fracture Treat	Reclamation	Well Integrity
Subsequent Report	Casing Repair	New Construction	X Recomplete	Other

Plug and Abandon

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once Testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Plug Back

Hilcorp Energy Company plans to recomplete the subject well in the Mesaverde formation and downhole commingle with the existing Dakota. Attached is the MV C102, recomplete procedure & wellbore schematic. The DHC application will be submitted and approved prior to commingling. A closed loop system will be utilized. Interim reclamation will be performed after surface disturbing activities.

\*\*Please note: MV is pending approval of well density hearing TION DOES NOT BELIEVE THE LESSEE AND CTION DOES NOT RELIEVE THE LESSEE AND OPERATOR FROM OBTAINING ANY OTHER NMach

NOV 26 2018

Casing Repair Change Plans

Convert to Injection

AUTHORIZATION REQUIRED FOR OPERATIONS IN THE STRAL AND INDIAN LANDS

Temporarily Abandon

Water Disposal

MISTRICT III

HOLD G104 FOR Devisity exception

and a state of the			
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)			
Tammy Jones	Title	Operations/Regulatory Technician - Sr.	
Signature Tamma Dass	Date	11/2/2018	
THIS SPACE FOR FEE	ERAL C	R STATE OFFICE USE	
Approved by			/. /.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction



District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe. NM 87505

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-82369	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No.
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6546


#### 10. Surface Location

	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
	L	25	27N	06W		1550	S	990	W		RIO ARRIBA
1											

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
									County
12. Dedicated Acres		13. Joint or Infil	13. Joint or Infill		14. Consolidation Code		15. Order No.		
320.00									

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: To

Tammy Jones

Title:

Operations/Regulatory Technician - Sr.

Date:

11/2/2018

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Kilven

Date of Survey:

9/25/1962

Certificate Number:

1760

Form C-102 August 1, 2011

Permit 259296



## HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 110 MESA VERDE RECOMPLETION SUNDRY

#### JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2 3/8" tubing set at 7,531'.
- 3. Set a 4-1/2" plug at +/- 7,350' to isolate the Dakota.
- 4. RU Wireline. Run CBL. Record Top of Cement.
- 5. IF NECESSARY (Based on the results of the CBL top of cement) Perform cement squeeze work.
- 6. Set a 4-1/2" plug at +/- 6,040'.
- 7. Load the hole and pressure test the casing.
- 8. N/D BOP, N/U frac stack and pressure test frac stack.
- 9. Perforate and frac the Mesa Verde formation (Top Perforation @ 4,838'; Bottom Perforation @ 5,790').
- 10. Isolate frac stages with a plug.
- 11. Nipple down frac stack, nipple up BOP and test.
- 12. TIH with a mill and drill out top isolation plug and Mesa Verde frac plugs.
- 13. Clean out to Dakota isolation plug.
- 14. Drill out Dakota isolation plug and cleanout to PBTD of 7,631'. TOOH.
- 15. TIH and land production tubing. Get a commingled Dakota/Mesa Verde flow rate.



## HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 110 MESA VERDE RECOMPLETION SUNDRY

