

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District office

|                |  |
|----------------|--|
| Incident ID    |  |
| District RP    |  |
| Facility ID    |  |
| Application ID |  |

## Release Notification

### Responsible Party

|  |   |
|--|---|
| Responsible Party: Hilcorp Energy Company                  | OGRID: 372171                               |
| Contact Name: Lindsay Dumas                                | Contact Telephone: 832-839-4585             |
| Contact email: Ldumas@hilcorp.com                          | Incident # (assigned by OCD): NCS1803748358 |
| Contact mailing address: 1111 Travis St. Houston, TX 77002 |   |

### Location of Release Source

Latitude \_\_\_\_\_ 36.2696075 \_\_\_\_\_ Longitude \_\_\_\_\_ -107.1682205  
(NAD 83 in decimal degrees to 5 decimal places)

|                                  |                                    |
|----------------------------------|------------------------------------|
| Site Name: Chacon Federal 2      | Site Type: Gas                     |
| Date Release Discovered: 1/18/18 | API# (if applicable): 30-039-21580 |

| Unit Letter | Section | Township | Range | County     |
|-------------|---------|----------|-------|------------|
| E           | 33      | 24N      | 03W   | Rio Arriba |

Surface Owner:  State  Federal  Tribal  Private (Name: Freedom Outfitters - Bobby Patton)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

|  |  |  |
|--|--|--|
| <input type="checkbox"/> Crude Oil                 | Volume Released (bbls)   | Volume Recovered (bbls)                                  |
| <input checked="" type="checkbox"/> Produced Water | Volume Released (bbls) 10 bbls   | Volume Recovered (bbls) 0 bbls                           |
|  | Is the concentration of dissolved chloride in the produced water >10,000 mg/l? | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <input checked="" type="checkbox"/> Condensate     | Volume Released (bbls) 10 bbls   | Volume Recovered (bbls) 0 bbls                           |
| <input type="checkbox"/> Natural Gas               | Volume Released (Mcf)  | Volume Recovered (Mcf)                                   |
| <input type="checkbox"/> Other (describe)          | Volume/Weight Released (provide units)   | Volume/Weight Recovered (provide units)                  |

#### Cause of Release

The release was a result of corrosion of the bottom of the production tank. There was no standing product to recover.

NMOCD

FEB 13 2019

DISTRICT III

116

|                |  |
|----------------|--|
| Incident ID    |  |
| District RP    |  |
| Facility ID    |  |
| Application ID |  |

|   |  |
|---|--|
| Was this a major release as defined by 19.15.29.7(A) NMAC?<br><br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | If YES, for what reason(s) does the responsible party consider this a major release? |
|---|--|

If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?

### Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

|  |
|--|
| <input checked="" type="checkbox"/> The source of the release has been stopped.<br><input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment.<br><input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.<br><input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately. |
|--|

If all the actions described above have not been undertaken, explain why:

All actions above were completed.

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|  |                                 |
|--|---------------------------------|
| Printed Name: Lindsay Dumas  | Title: Environmental Specialist |
| Signature:  | Date: 1-17-19                   |
| email: Ldumas@hilcorp.com  | Telephone: 832-839-4585         |

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

|                |  |
|----------------|--|
| Incident ID    |  |
| District RP    |  |
| Facility ID    |  |
| Application ID |  |

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Lindsay Dumas Title: Environmental Specialist  
 Signature:  Date: 1-17-19  
 email: Ldumas@hilcorp.com Telephone: 832-839-4585

**OCD Only**

Received by:  Date: 2/13/19

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:  Date: 2/20/19  
 Printed Name: Cory Title: Environmental Spec.

On 1/18/18 HEC discovered a release on the Chacon Federal #2 well pad. HEC contracted Timberwolf Environmental to delineate the release. HEC decided to use on site bioremediation piles to remediate the contaminated soil.

On 5/1/2018 HEC began excavation of the release and on 5/2/2018 had confirmation sampling of the walls and bottom of the excavation. Approximately 1800 cubic yards of contaminated soil was removed from the excavation. The contaminated soil was placed in biopile cells and turned weekly to maximize volatilization and biodegradation rates.

The NW corner of the excavation had levels exceed NMOCD standards when sampled on 5/2/2018. After the first biopile cells were sampled for closure on 6/12/18, HEC continued to excavate the NW corner further. All biopiles cells sampled on 6/12/2018 were below NMOCD standards and were closed. All contaminated soils were placed in the open biopile cells. On 7/11/2018 the NW corner was sampled for closure again with results below NMOCD standards.

The soils placed in the new biopiles cells between 6/29/18 and 7/11/18 were also turned weekly to maximize volatilization and biodegradation rates until closure sampling on 8/11/18. All closure samples were below NMOCD standards and the cells were closed. All soil was backfilled.

On 11/6/18 HEC conducted vadose zone sampling of the biopile cell area, all results were below NMOCD standards and the biopiles were permanently closed.

TABLE 1

SOIL ANALYTICAL RESULTS  
CHACON FEDERAL 2  
HILCORP ENERGY - L48 WEST

| Soil Sample Identification        | Sample Date | Field Headspace (ppm) | Benzene (mg/kg) | Toluene (mg/kg) | Ethylbenzene (mg/kg) | Total Xylenes (mg/kg) | Total BTEX (mg/kg) | GRO (mg/kg) | DRO (mg/kg) | MRO (mg/kg) | TPH (mg/kg)  |
|-----------------------------------|-------------|-----------------------|-----------------|-----------------|----------------------|-----------------------|--------------------|-------------|-------------|-------------|--------------|
| BOTTOM                            | 5/2/2018    |                       | 0               | 0.26            | 0.94                 | 16                    | 17.20              | 300.00      | 430.00      | 120.00      | 850          |
| SOUTH WALL                        | 5/2/2018    |                       | 0               | 0               | 0                    | 0                     | 0.00               | 0.00        | 0.00        | 0.00        | 0            |
| SOUTHWEST WALL                    | 5/2/2018    |                       | 0               | 0               | 0                    | 0                     | 0.00               | 0.00        | 0.00        | 0.00        | 0            |
| NORTHWEST WALL                    | 5/2/2018    |                       | 0               | 0.63            | 1.8                  | 33                    | 35.43              | 630.00      | 950.00      | 230.00      | 1,810        |
| NORTH WALL                        | 5/2/2018    |                       | 0               | 0               | 0                    | 0                     | 0.00               | 0.00        | 0.00        | 0.00        | 0            |
| EAST WALL                         | 5/2/2018    |                       | 0               | 0               | 0                    | 0                     | 0.00               | 0.00        | 0.00        | 0.00        | 0            |
| NORTHWEST WALL                    | 6/29/2018   |                       | 0               | 0               | 0.617                | 6.29                  | 6.91               | 183.00      | 4210.00     | 796.00      | 5,189        |
| NORTHWEST BASE                    | 6/29/2018   |                       | 0               | 0               | 0                    | 0.704                 | 0.70               | 26.00       | 156.00      | 44.60       | 227          |
| NORTHWEST WALL                    | 7/11/2018   |                       | 0               | 0               | 0                    | 0                     | 0.00               | 0.00        | 0.00        | 0.00        | 0            |
| BIOPILE CELL 1                    | 6/12/2018   |                       | 0.000696        | 0               | 0                    | 0.00198               | 0.00               | 0.00        | 49.50       | 31.00       | 81           |
| BIOPILE CELL 2                    | 6/12/2018   |                       | 0.000641        | 0               | 0                    | 0.00272               | 0.00               | 0.17        | 83.80       | 46.60       | 131          |
| BIOPILE CELL 3                    | 6/12/2018   |                       | 0.000622        | 0               | 0                    | 0                     | 0.00               | 0.00        | 60.80       | 41.70       | 103          |
| BIOPILE CELL 4                    | 6/12/2018   |                       | 0.00094         | 0               | 0                    | 0.00259               | 0.00               | 0.00        | 43.00       | 29.80       | 73           |
| BIOPILE CELL 5                    | 6/12/2018   |                       | 0.000622        | 0               | 0                    | 0.00203               | 0.00               | 0.00        | 88.10       | 55.10       | 143          |
| BIOPILE CELL 6                    | 6/12/2018   |                       | 0.00713         | 0               | 0                    | 0                     | 0.01               | 0.33        | 56.10       | 43.60       | 100          |
| BIOPILE CELL 7                    | 6/12/2018   |                       | 0.000766        | 0               | 0                    | 0.00231               | 0.00               | 0.19        | 60.50       | 45.90       | 107          |
| BIOPILE CELL 8                    | 6/12/2018   |                       | 0.00055         | 0               | 0                    | 0.00804               | 0.01               | 1.36        | 478.00      | 162.00      | 641          |
| BIOPILE CELL 9                    | 6/12/2018   |                       | 0.000618        | 0               | 0                    | 0.00167               | 0.00               | 0.16        | 59.30       | 36.00       | 95           |
| BIOPILE CELL 10                   | 6/12/2018   |                       | 0.000788        | 0               | 0                    | 0.00206               | 0.00               | 0.17        | 83.00       | 41.50       | 125          |
| BIOPILE CELL 11                   | 6/12/2018   |                       | 0.000766        | 0               | 0                    | 0.00177               | 0.00               | 0.28        | 123.00      | 63.70       | 187          |
| BIOPILE CELL 12                   | 6/12/2018   |                       | 0.000558        | 0               | 0                    | 0.00242               | 0.00               | 0.16        | 145.00      | 74.40       | 220          |
| BIOPILE CELL 13                   | 6/12/2018   |                       | 0               | 0               | 0.00446              | 0.0109                | 0.02               | 0.77        | 392.00      | 160.00      | 553          |
| BIOPILE CELL 14                   | 6/12/2018   |                       | 0               | 0               | 0                    | 0.00167               | 0.00               | 0.18        | 159.00      | 86.50       | 246          |
| BIOPILE CELL 15                   | 6/12/2018   |                       | 0.000656        | 0               | 0.00605              | 0.0117                | 0.02               | 0.85        | 190.00      | 86.30       | 277          |
| BIOPILE SAMPLE 1                  | 8/11/2018   |                       | 0               | 0               | 0                    | 0.00322               | 0.00               | 0.66        | 147.00      | 62.10       | 210          |
| BIOPILE SAMPLE 2                  | 8/11/2018   |                       | 0               | 0               | 0                    | 0.00243               | 0.00               | 0.47        | 136.00      | 61.30       | 198          |
| BIOPILE SAMPLE 3                  | 8/11/2018   |                       | 0.000524        | 0               | 0                    | 0                     | 0.00               | 0.21        | 65.70       | 34.20       | 100          |
| BIOPILE SAMPLE 4                  | 8/11/2018   |                       | 0               | 0               | 0                    | 0                     | 0.00               | 0.00        | 50.50       | 35.80       | 86           |
| BIOPILE SAMPLE 5                  | 8/11/2018   |                       | 0               | 0               | 0                    | 0                     | 0.00               | 0.00        | 29.80       | 22.40       | 52           |
| VADOSE ZONE NW BIOPILE AREA       | 11/6/2018   |                       | 0.000647        | 0               | 0                    | 0                     | 0.00               | 0.00        | 8.24        | 7.78        | 16           |
| VADOSE ZONE N MIDDLE BIOPILE AREA | 11/6/2018   |                       | 0.000749        | 0               | 0                    | 0                     | 0.00               | 0.00        | 18.50       | 14.90       | 33           |
| VADOSE ZONE NE BIOPILE AREA       | 11/6/2018   |                       | 0.000538        | 0               | 0                    | 0                     | 0.00               | 0.00        | 10.90       | 10.10       | 21           |
| VADOSE ZONE W BIOPILE AREA        | 11/6/2018   |                       | 0.000526        | 0               | 0                    | 0                     | 0.00               | 0.00        | 9.01        | 10.10       | 19           |
| VADOSE ZONE E BIOPILE AREA        | 11/6/2018   |                       | 0.000646        | 0               | 0                    | 0                     | 0.00               | 0.00        | 4.22        | 5.83        | 10           |
| <b>NMOCD Standards</b>            |             |                       | <b>10</b>       |                 |                      |                       | <b>50</b>          |             |             |             | <b>1,000</b> |

## NOTES:

&lt; - indicates result is less than the stated laboratory reporting limit

**Bold** - indicates value exceeds stated NMOCD standard

BTEX - benzene, toluene, ethylbenzene, total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

MRO - motor oil range organics

NE - Not Established

NMOCD - New Mexico Oil Conservation Division

ppm - parts per million


TPH - total petroleum hydrocarbons

# Chacon Federal 2 – Final Excavation Extent




25' deep



# Biopile Cells




6-8-18



Charcoal Fed # 2


# Vadose Zone Sampling Map

1 composite sample was taken from the East & West Cells of the North Soil Piles. 1 composite sample was taken from each of the west and east soil piles.



# During excavation









# Biopiles






# Vadose Zone Sampling



North



East



West



Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

May 08, 2018

Lindsay Dumas  
HILCORP ENERGY  
PO Box 4700  
Farmington, NM 87499  
TEL: (505) 564-0733  
FAX

RE: Chacon Federal #2

OrderNo.: 1805255

Dear Lindsay Dumas:

Hall Environmental Analysis Laboratory received 6 sample(s) on 5/3/2018 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a white background.

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: BOTTOM

Project: Chacon Federal #2

Collection Date: 5/2/2018 10:30:00 AM

Lab ID: 1805255-001

Matrix: SOIL

Received Date: 5/3/2018 7:55:00 AM

| Analyses   | Result | PQL    | Qual | Units | DF | Date Analyzed        |
|--|--------|--------|------|-------|----|----------------------|
| <b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b> |        |        |      |       |    | Analyst: TOM         |
| Diesel Range Organics (DRO)                      | 430    | 10     |      | mg/Kg | 1  | 5/7/2018 4:11:24 PM  |
| Motor Oil Range Organics (MRO)                   | 120    | 51     |      | mg/Kg | 1  | 5/7/2018 4:11:24 PM  |
| Surr: DNOP                                       | 109    | 70-130 |      | %Rec  | 1  | 5/7/2018 4:11:24 PM  |
| <b>EPA METHOD 8015D: GASOLINE RANGE</b>          |        |        |      |       |    | Analyst: NSB         |
| Gasoline Range Organics (GRO)                    | 300    | 24     |      | mg/Kg | 5  | 5/7/2018 11:08:02 AM |
| Surr: BFB  | 603    | 15-316 | S    | %Rec  | 5  | 5/7/2018 11:08:02 AM |
| <b>EPA METHOD 8021B: VOLATILES</b>               |        |        |      |       |    | Analyst: NSB         |
| Benzene  | ND     | 0.12   |      | mg/Kg | 5  | 5/7/2018 11:08:02 AM |
| Toluene  | 0.26   | 0.24   |      | mg/Kg | 5  | 5/7/2018 11:08:02 AM |
| Ethylbenzene                                     | 0.94   | 0.24   |      | mg/Kg | 5  | 5/7/2018 11:08:02 AM |
| Xylenes, Total                                   | 16     | 0.48   |      | mg/Kg | 5  | 5/7/2018 11:08:02 AM |
| Surr: 4-Bromofluorobenzene                       | 126    | 80-120 | S    | %Rec  | 5  | 5/7/2018 11:08:02 AM |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

|                    |     |   |    |   |
|--------------------|-----|---|----|---|
| <b>Qualifiers:</b> | *   | Value exceeds Maximum Contaminant Level.              | B  | Analyte detected in the associated Method Blank           |
|                    | D   | Sample Diluted Due to Matrix                          | E  | Value above quantitation range                            |
|                    | H   | Holding times for preparation or analysis exceeded    | J  | Analyte detected below quantitation limits                |
|                    | ND  | Not Detected at the Reporting Limit                   | P  | Sample pH Not In Range                                    |
|                    | PQL | Practical Quantitative Limit                          | RL | Reporting Detection Limit                                 |
|                    | S   | % Recovery outside of range due to dilution or matrix | W  | Sample container temperature is out of limit as specified |

**Hall Environmental Analysis Laboratory, Inc.**

**CLIENT:** HILCORP ENERGY

**Client Sample ID:** S WALL

**Project:** Chacon Federal #2

**Collection Date:** 5/2/2018 10:37:00 AM

**Lab ID:** 1805255-002

**Matrix:** SOIL

**Received Date:** 5/3/2018 7:55:00 AM

| Analyses   | Result | PQL    | Qual | Units | DF | Date Analyzed       |
|--|--------|--------|------|-------|----|---------------------|
| <b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b> |        |        |      |       |    | Analyst: <b>TOM</b> |
| Diesel Range Organics (DRO)                      | ND     | 9.6    |      | mg/Kg | 1  | 5/7/2018 4:33:42 PM |
| Motor Oil Range Organics (MRO)                   | ND     | 48     |      | mg/Kg | 1  | 5/7/2018 4:33:42 PM |
| Surr: DNOP                                       | 97.4   | 70-130 |      | %Rec  | 1  | 5/7/2018 4:33:42 PM |
| <b>EPA METHOD 8015D: GASOLINE RANGE</b>          |        |        |      |       |    | Analyst: <b>NSB</b> |
| Gasoline Range Organics (GRO)                    | ND     | 4.7    |      | mg/Kg | 1  | 5/5/2018 6:21:57 PM |
| Surr: BFB  | 94.3   | 15-316 |      | %Rec  | 1  | 5/5/2018 6:21:57 PM |
| <b>EPA METHOD 8021B: VOLATILES</b>               |        |        |      |       |    | Analyst: <b>NSB</b> |
| Benzene  | ND     | 0.024  |      | mg/Kg | 1  | 5/5/2018 6:21:57 PM |
| Toluene  | ND     | 0.047  |      | mg/Kg | 1  | 5/5/2018 6:21:57 PM |
| Ethylbenzene                                     | ND     | 0.047  |      | mg/Kg | 1  | 5/5/2018 6:21:57 PM |
| Xylenes, Total                                   | ND     | 0.095  |      | mg/Kg | 1  | 5/5/2018 6:21:57 PM |
| Surr: 4-Bromofluorobenzene                       | 108    | 80-120 |      | %Rec  | 1  | 5/5/2018 6:21:57 PM |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

|                    |   |   |             |
|--------------------|---|---|-------------|
| <b>Qualifiers:</b> | * Value exceeds Maximum Contaminant Level.              | B Analyte detected in the associated Method Blank           |             |
|                    | D Sample Diluted Due to Matrix                          | E Value above quantitation range                            |             |
|                    | H Holding times for preparation or analysis exceeded    | J Analyte detected below quantitation limits                | Page 2 of 9 |
|                    | ND Not Detected at the Reporting Limit                  | P Sample pH Not In Range                                    |             |
|                    | PQL Practical Quantitative Limit                        | RL Reporting Detection Limit                                |             |
|                    | S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |             |

**Hall Environmental Analysis Laboratory, Inc.**

**CLIENT:** HILCORP ENERGY

**Client Sample ID:** SW WALL

**Project:** Chacon Federal #2

**Collection Date:** 5/2/2018 10:40:00 AM

**Lab ID:** 1805255-003

**Matrix:** SOIL

**Received Date:** 5/3/2018 7:55:00 AM

| Analyses   | Result | PQL    | Qual | Units | DF | Date Analyzed       |
|--|--------|--------|------|-------|----|---------------------|
| <b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b> |        |        |      |       |    | Analyst: <b>TOM</b> |
| Diesel Range Organics (DRO)                      | ND     | 9.1    |      | mg/Kg | 1  | 5/7/2018 4:55:42 PM |
| Motor Oil Range Organics (MRO)                   | ND     | 45     |      | mg/Kg | 1  | 5/7/2018 4:55:42 PM |
| Surr: DNOP                                       | 103    | 70-130 |      | %Rec  | 1  | 5/7/2018 4:55:42 PM |
| <b>EPA METHOD 8015D: GASOLINE RANGE</b>          |        |        |      |       |    | Analyst: <b>NSB</b> |
| Gasoline Range Organics (GRO)                    | ND     | 4.8    |      | mg/Kg | 1  | 5/5/2018 6:45:24 PM |
| Surr: BFB  | 89.7   | 15-316 |      | %Rec  | 1  | 5/5/2018 6:45:24 PM |
| <b>EPA METHOD 8021B: VOLATILES</b>               |        |        |      |       |    | Analyst: <b>NSB</b> |
| Benzene  | ND     | 0.024  |      | mg/Kg | 1  | 5/5/2018 6:45:24 PM |
| Toluene  | ND     | 0.048  |      | mg/Kg | 1  | 5/5/2018 6:45:24 PM |
| Ethylbenzene                                     | ND     | 0.048  |      | mg/Kg | 1  | 5/5/2018 6:45:24 PM |
| Xylenes, Total                                   | ND     | 0.095  |      | mg/Kg | 1  | 5/5/2018 6:45:24 PM |
| Surr: 4-Bromofluorobenzene                       | 103    | 80-120 |      | %Rec  | 1  | 5/5/2018 6:45:24 PM |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

|                    |   |   |
|--------------------|---|---|
| <b>Qualifiers:</b> | * Value exceeds Maximum Contaminant Level.              | B Analyte detected in the associated Method Blank           |
|                    | D Sample Diluted Due to Matrix                          | E Value above quantitation range                            |
|                    | H Holding times for preparation or analysis exceeded    | J Analyte detected below quantitation limits                |
|                    | ND Not Detected at the Reporting Limit                  | P Sample pH Not In Range                                    |
|                    | PQL Practical Quantitative Limit                        | RL Reporting Detection Limit                                |
|                    | S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY

Client Sample ID: NW WALL

Project: Chacon Federal #2

Collection Date: 5/2/2018 10:45:00 AM

Lab ID: 1805255-004

Matrix: SOIL

Received Date: 5/3/2018 7:55:00 AM

| Analyses   | Result | PQL    | Qual | Units | DF | Date Analyzed        |
|--|--------|--------|------|-------|----|----------------------|
| <b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b> |        |        |      |       |    | Analyst: TOM         |
| Diesel Range Organics (DRO)                      | 950    | 9.7    |      | mg/Kg | 1  | 5/7/2018 5:17:53 PM  |
| Motor Oil Range Organics (MRO)                   | 230    | 49     |      | mg/Kg | 1  | 5/7/2018 5:17:53 PM  |
| Surr: DNOP                                       | 122    | 70-130 |      | %Rec  | 1  | 5/7/2018 5:17:53 PM  |
| <b>EPA METHOD 8015D: GASOLINE RANGE</b>          |        |        |      |       |    | Analyst: NSB         |
| Gasoline Range Organics (GRO)                    | 630    | 23     |      | mg/Kg | 5  | 5/7/2018 11:54:42 AM |
| Surr: BFB  | 1080   | 15-316 | S    | %Rec  | 5  | 5/7/2018 11:54:42 AM |
| <b>EPA METHOD 8021B: VOLATILES</b>               |        |        |      |       |    | Analyst: NSB         |
| Benzene  | ND     | 0.12   |      | mg/Kg | 5  | 5/7/2018 11:54:42 AM |
| Toluene  | 0.63   | 0.23   |      | mg/Kg | 5  | 5/7/2018 11:54:42 AM |
| Ethylbenzene                                     | 1.8    | 0.23   |      | mg/Kg | 5  | 5/7/2018 11:54:42 AM |
| Xylenes, Total                                   | 33     | 0.47   |      | mg/Kg | 5  | 5/7/2018 11:54:42 AM |
| Surr: 4-Bromofluorobenzene                       | 135    | 80-120 | S    | %Rec  | 5  | 5/7/2018 11:54:42 AM |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

|                    |     |   |    |   |
|--------------------|-----|---|----|---|
| <b>Qualifiers:</b> | *   | Value exceeds Maximum Contaminant Level.              | B  | Analyte detected in the associated Method Blank           |
|                    | D   | Sample Diluted Due to Matrix                          | E  | Value above quantitation range                            |
|                    | H   | Holding times for preparation or analysis exceeded    | J  | Analyte detected below quantitation limits                |
|                    | ND  | Not Detected at the Reporting Limit                   | P  | Sample pH Not In Range                                    |
|                    | PQL | Practical Quantitative Limit                          | RL | Reporting Detection Limit                                 |
|                    | S   | % Recovery outside of range due to dilution or matrix | W  | Sample container temperature is out of limit as specified |

**Hall Environmental Analysis Laboratory, Inc.**

**CLIENT:** HILCORP ENERGY

**Client Sample ID:** N WALL

**Project:** Chacon Federal #2

**Collection Date:** 5/2/2018 10:47:00 AM

**Lab ID:** 1805255-005

**Matrix:** SOIL

**Received Date:** 5/3/2018 7:55:00 AM

| Analyses   | Result | PQL    | Qual | Units | DF | Date Analyzed       |
|--|--------|--------|------|-------|----|---------------------|
| <b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b> |        |        |      |       |    | Analyst: <b>TOM</b> |
| Diesel Range Organics (DRO)                      | ND     | 9.6    |      | mg/Kg | 1  | 5/7/2018 6:02:06 PM |
| Motor Oil Range Organics (MRO)                   | ND     | 48     |      | mg/Kg | 1  | 5/7/2018 6:02:06 PM |
| Surr: DNOP                                       | 96.0   | 70-130 |      | %Rec  | 1  | 5/7/2018 6:02:06 PM |
| <b>EPA METHOD 8015D: GASOLINE RANGE</b>          |        |        |      |       |    | Analyst: <b>NSB</b> |
| Gasoline Range Organics (GRO)                    | ND     | 4.9    |      | mg/Kg | 1  | 5/5/2018 7:31:57 PM |
| Surr: BFB  | 89.4   | 15-316 |      | %Rec  | 1  | 5/5/2018 7:31:57 PM |
| <b>EPA METHOD 8021B: VOLATILES</b>               |        |        |      |       |    | Analyst: <b>NSB</b> |
| Benzene  | ND     | 0.025  |      | mg/Kg | 1  | 5/5/2018 7:31:57 PM |
| Toluene  | ND     | 0.049  |      | mg/Kg | 1  | 5/5/2018 7:31:57 PM |
| Ethylbenzene                                     | ND     | 0.049  |      | mg/Kg | 1  | 5/5/2018 7:31:57 PM |
| Xylenes, Total                                   | ND     | 0.098  |      | mg/Kg | 1  | 5/5/2018 7:31:57 PM |
| Surr: 4-Bromofluorobenzene                       | 104    | 80-120 |      | %Rec  | 1  | 5/5/2018 7:31:57 PM |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

|                    |   |   |
|--------------------|---|---|
| <b>Qualifiers:</b> | * Value exceeds Maximum Contaminant Level.              | B Analyte detected in the associated Method Blank           |
|                    | D Sample Diluted Due to Matrix                          | E Value above quantitation range                            |
|                    | H Holding times for preparation or analysis exceeded    | J Analyte detected below quantitation limits                |
|                    | ND Not Detected at the Reporting Limit                  | P Sample pH Not In Range                                    |
|                    | PQL Practical Quantitative Limit                        | RL Reporting Detection Limit                                |
|                    | S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

**Hall Environmental Analysis Laboratory, Inc.**

**CLIENT:** HILCORP ENERGY

**Client Sample ID:** E WALL

**Project:** Chacon Federal #2

**Collection Date:** 5/2/2018 10:55:00 AM

**Lab ID:** 1805255-006

**Matrix:** SOIL

**Received Date:** 5/3/2018 7:55:00 AM

| Analyses   | Result | PQL    | Qual | Units | DF | Date Analyzed       |
|--|--------|--------|------|-------|----|---------------------|
| <b>EPA METHOD 8015M/D: DIESEL RANGE ORGANICS</b> |        |        |      |       |    | Analyst: <b>TOM</b> |
| Diesel Range Organics (DRO)                      | ND     | 9.4    |      | mg/Kg | 1  | 5/7/2018 6:24:33 PM |
| Motor Oil Range Organics (MRO)                   | ND     | 47     |      | mg/Kg | 1  | 5/7/2018 6:24:33 PM |
| Surr: DNOP                                       | 96.6   | 70-130 |      | %Rec  | 1  | 5/7/2018 6:24:33 PM |
| <b>EPA METHOD 8015D: GASOLINE RANGE</b>          |        |        |      |       |    | Analyst: <b>NSB</b> |
| Gasoline Range Organics (GRO)                    | ND     | 4.6    |      | mg/Kg | 1  | 5/5/2018 7:55:13 PM |
| Surr: BFB  | 93.6   | 15-316 |      | %Rec  | 1  | 5/5/2018 7:55:13 PM |
| <b>EPA METHOD 8021B: VOLATILES</b>               |        |        |      |       |    | Analyst: <b>NSB</b> |
| Benzene  | ND     | 0.023  |      | mg/Kg | 1  | 5/5/2018 7:55:13 PM |
| Toluene  | ND     | 0.046  |      | mg/Kg | 1  | 5/5/2018 7:55:13 PM |
| Ethylbenzene                                     | ND     | 0.046  |      | mg/Kg | 1  | 5/5/2018 7:55:13 PM |
| Xylenes, Total                                   | ND     | 0.092  |      | mg/Kg | 1  | 5/5/2018 7:55:13 PM |
| Surr: 4-Bromofluorobenzene                       | 107    | 80-120 |      | %Rec  | 1  | 5/5/2018 7:55:13 PM |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

|                    |   |   |
|--------------------|---|---|
| <b>Qualifiers:</b> | * Value exceeds Maximum Contaminant Level.              | B Analyte detected in the associated Method Blank           |
|                    | D Sample Diluted Due to Matrix                          | E Value above quantitation range                            |
|                    | H Holding times for preparation or analysis exceeded    | J Analyte detected below quantitation limits                |
|                    | ND Not Detected at the Reporting Limit                  | P Sample pH Not In Range                                    |
|                    | PQL Practical Quantitative Limit                        | RL Reporting Detection Limit                                |
|                    | S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1805255  
08-May-18

**Client:** HILCORP ENERGY  
**Project:** Chacon Federal #2

| Sample ID                   | <b>LCS-37955</b> | SampType:      | <b>LCS</b>      | TestCode:   | <b>EPA Method 8015M/D: Diesel Range Organics</b> |          |              |      |          |      |
|-----------------------------|------------------|----------------|-----------------|-------------|--|----------|--------------|------|----------|------|
| Client ID:                  | <b>LCSS</b>      | Batch ID:      | <b>37955</b>    | RunNo:      | <b>51078</b>                                     |          |              |      |          |      |
| Prep Date:                  | <b>5/4/2018</b>  | Analysis Date: | <b>5/7/2018</b> | SeqNo:      | <b>1659095</b>                                   | Units:   | <b>mg/Kg</b> |      |          |      |
| Analyte                     | Result           | PQL            | SPK value       | SPK Ref Val | %REC   | LowLimit | HighLimit    | %RPD | RPDLimit | Qual |
| Diesel Range Organics (DRO) | 49               | 10             | 50.00           | 0           | 98.2   | 70       | 130          |      |          |      |
| Surr: DNOP                  | 4.2              |                | 5.000           |             | 84.4   | 70       | 130          |      |          |      |

| Sample ID                      | <b>MB-37955</b> | SampType:      | <b>MBLK</b>     | TestCode:   | <b>EPA Method 8015M/D: Diesel Range Organics</b> |          |              |      |          |      |
|--------------------------------|-----------------|----------------|-----------------|-------------|--|----------|--------------|------|----------|------|
| Client ID:                     | <b>PBS</b>      | Batch ID:      | <b>37955</b>    | RunNo:      | <b>51078</b>                                     |          |              |      |          |      |
| Prep Date:                     | <b>5/4/2018</b> | Analysis Date: | <b>5/7/2018</b> | SeqNo:      | <b>1659097</b>                                   | Units:   | <b>mg/Kg</b> |      |          |      |
| Analyte                        | Result          | PQL            | SPK value       | SPK Ref Val | %REC   | LowLimit | HighLimit    | %RPD | RPDLimit | Qual |
| Diesel Range Organics (DRO)    | ND              | 10             |                 |             |  |          |              |      |          |      |
| Motor Oil Range Organics (MRO) | ND              | 50             |                 |             |  |          |              |      |          |      |
| Surr: DNOP                     | 9.5             |                | 10.00           |             | 95.1   | 70       | 130          |      |          |      |

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

**QC SUMMARY REPORT**  
**Hall Environmental Analysis Laboratory, Inc.**

WO#: 1805255  
 08-May-18

**Client:** HILCORP ENERGY  
**Project:** Chacon Federal #2

|                               |                 |                |                 |             |   |          |              |      |          |      |
|-------------------------------|-----------------|----------------|-----------------|-------------|---|----------|--------------|------|----------|------|
| Sample ID                     | <b>MB-37952</b> | SampType:      | <b>MBLK</b>     | TestCode:   | <b>EPA Method 8015D: Gasoline Range</b> |          |              |      |          |      |
| Client ID:                    | <b>PBS</b>      | Batch ID:      | <b>37952</b>    | RunNo:      | <b>51065</b>                            |          |              |      |          |      |
| Prep Date:                    | <b>5/4/2018</b> | Analysis Date: | <b>5/5/2018</b> | SeqNo:      | <b>1658563</b>                          | Units:   | <b>mg/Kg</b> |      |          |      |
| Analyte                       | Result          | PQL            | SPK value       | SPK Ref Val | %REC                                    | LowLimit | HighLimit    | %RPD | RPDLimit | Qual |
| Gasoline Range Organics (GRO) | ND              | 5.0            |                 |             |   |          |              |      |          |      |
| Surr: BFB                     | 930             |                | 1000            |             | 92.9                                    | 15       | 316          |      |          |      |

|                               |                  |                |                 |             |   |          |              |      |          |      |
|-------------------------------|------------------|----------------|-----------------|-------------|---|----------|--------------|------|----------|------|
| Sample ID                     | <b>LCS-37952</b> | SampType:      | <b>LCS</b>      | TestCode:   | <b>EPA Method 8015D: Gasoline Range</b> |          |              |      |          |      |
| Client ID:                    | <b>LCSS</b>      | Batch ID:      | <b>37952</b>    | RunNo:      | <b>51065</b>                            |          |              |      |          |      |
| Prep Date:                    | <b>5/4/2018</b>  | Analysis Date: | <b>5/5/2018</b> | SeqNo:      | <b>1658564</b>                          | Units:   | <b>mg/Kg</b> |      |          |      |
| Analyte                       | Result           | PQL            | SPK value       | SPK Ref Val | %REC                                    | LowLimit | HighLimit    | %RPD | RPDLimit | Qual |
| Gasoline Range Organics (GRO) | 26               | 5.0            | 25.00           | 0           | 102                                     | 75.9     | 131          |      |          |      |
| Surr: BFB                     | 1100             |                | 1000            |             | 107                                     | 15       | 316          |      |          |      |

**Qualifiers:**

- |   |   |
|---|---|
| * Value exceeds Maximum Contaminant Level.              | B Analyte detected in the associated Method Blank           |
| D Sample Diluted Due to Matrix                          | E Value above quantitation range                            |
| H Holding times for preparation or analysis exceeded    | J Analyte detected below quantitation limits                |
| ND Not Detected at the Reporting Limit                  | P Sample pH Not In Range                                    |
| PQL Practical Quantitative Limit                        | RL Reporting Detection Limit                                |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1805255

08-May-18

**Client:** HILCORP ENERGY

**Project:** Chacon Federal #2

| Sample ID                  | <b>MB-37952</b> | SampType:      | <b>MBLK</b>     | TestCode:   | <b>EPA Method 8021B: Volatiles</b> |          |              |      |          |      |
|----------------------------|-----------------|----------------|-----------------|-------------|------------------------------------|----------|--------------|------|----------|------|
| Client ID:                 | <b>PBS</b>      | Batch ID:      | <b>37952</b>    | RunNo:      | <b>51065</b>                       |          |              |      |          |      |
| Prep Date:                 | <b>5/4/2018</b> | Analysis Date: | <b>5/5/2018</b> | SeqNo:      | <b>1658597</b>                     | Units:   | <b>mg/Kg</b> |      |          |      |
| Analyte                    | Result          | PQL            | SPK value       | SPK Ref Val | %REC                               | LowLimit | HighLimit    | %RPD | RPDLimit | Qual |
| Benzene                    | ND              | 0.025          |                 |             |                                    |          |              |      |          |      |
| Toluene                    | ND              | 0.050          |                 |             |                                    |          |              |      |          |      |
| Ethylbenzene               | ND              | 0.050          |                 |             |                                    |          |              |      |          |      |
| Xylenes, Total             | ND              | 0.10           |                 |             |                                    |          |              |      |          |      |
| Surr: 4-Bromofluorobenzene | 1.1             |                | 1.000           |             | 107                                | 80       | 120          |      |          |      |

| Sample ID                  | <b>LCS-37952</b> | SampType:      | <b>LCS</b>      | TestCode:   | <b>EPA Method 8021B: Volatiles</b> |          |              |      |          |      |
|----------------------------|------------------|----------------|-----------------|-------------|------------------------------------|----------|--------------|------|----------|------|
| Client ID:                 | <b>LCSS</b>      | Batch ID:      | <b>37952</b>    | RunNo:      | <b>51065</b>                       |          |              |      |          |      |
| Prep Date:                 | <b>5/4/2018</b>  | Analysis Date: | <b>5/5/2018</b> | SeqNo:      | <b>1658598</b>                     | Units:   | <b>mg/Kg</b> |      |          |      |
| Analyte                    | Result           | PQL            | SPK value       | SPK Ref Val | %REC                               | LowLimit | HighLimit    | %RPD | RPDLimit | Qual |
| Benzene                    | 0.99             | 0.025          | 1.000           | 0           | 98.6                               | 77.3     | 128          |      |          |      |
| Toluene                    | 1.0              | 0.050          | 1.000           | 0           | 99.9                               | 79.2     | 125          |      |          |      |
| Ethylbenzene               | 1.0              | 0.050          | 1.000           | 0           | 101                                | 80.7     | 127          |      |          |      |
| Xylenes, Total             | 3.1              | 0.10           | 3.000           | 0           | 103                                | 81.6     | 129          |      |          |      |
| Surr: 4-Bromofluorobenzene | 1.1              |                | 1.000           |             | 106                                | 80       | 120          |      |          |      |

**Qualifiers:**

- |   |   |
|---|---|
| * Value exceeds Maximum Contaminant Level.              | B Analyte detected in the associated Method Blank           |
| D Sample Diluted Due to Matrix                          | E Value above quantitation range                            |
| H Holding times for preparation or analysis exceeded    | J Analyte detected below quantitation limits                |
| ND Not Detected at the Reporting Limit                  | P Sample pH Not In Range                                    |
| PQL Practical Quantitative Limit                        | RL Reporting Detection Limit                                |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |



Hall Environmental Analysis Laboratory  
 4901 Hawkins NE  
 Albuquerque, NM 87109  
 TEL: 505-345-3975 FAX: 505-345-4107  
 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: HILCORP ENERGY FAR

Work Order Number: 1805255

RcptNo: 1

Received By: Anne Thorne 5/3/2018 7:55:00 AM

*Anne Thorne*

Completed By: Anne Thorne 5/4/2018 7:07:46 AM

*Anne Thorne*

Reviewed By: *JC 5-4-18*  
 Labeled by: *AT 05/04/18*

**Chain of Custody**

1. Is Chain of Custody complete? Yes  No  Not Present
2. How was the sample delivered? Courier

**Log In**

3. Was an attempt made to cool the samples? Yes  No  NA
4. Were all samples received at a temperature of >0° C to 6.0°C Yes  No  NA
5. Sample(s) in proper container(s)? Yes  No
6. Sufficient sample volume for indicated test(s)? Yes  No
7. Are samples (except VOA and ONG) properly preserved? Yes  No
8. Was preservative added to bottles? Yes  No  NA
9. VOA vials have zero headspace? Yes  No  No VOA Vials
10. Were any sample containers received broken? Yes  No
11. Does paperwork match bottle labels? Yes  No   
 (Note discrepancies on chain of custody)
12. Are matrices correctly identified on Chain of Custody? Yes  No
13. Is it clear what analyses were requested? Yes  No
14. Were all holding times able to be met? Yes  No   
 (If no, notify customer for authorization.)

|  |
|--|
| # of preserved bottles checked for pH: _____ |
| ( <2 or >12 unless noted )                   |
| Adjusted? _____                              |
| Checked by: _____                            |

**Special Handling (if applicable)**

15. Was client notified of all discrepancies with this order? Yes  No  NA

|                      |                      |       |   |
|----------------------|----------------------|-------|---|
| Person Notified:     | <input type="text"/> | Date: | <input type="text"/>  |
| By Whom:             | <input type="text"/> | Via:  | <input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person |
| Regarding:           | <input type="text"/> |       |   |
| Client Instructions: | <input type="text"/> |       |   |

16. Additional remarks: *custody seals intact on soil jars / AT 05/04/18*

**17. Cooler Information**

| Cooler No | Temp °C | Condition | Seal Intact | Seal No | Seal Date | Signed By |
|-----------|---------|-----------|-------------|---------|-----------|-----------|
| 1         | 1.0     | Good      | Yes         |         |           |           |

# Chain-of-Custody Record



## HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Client: HILCORP ENERGY

Mailing Address:

Phone #:

email or Fax#:

QA/QC Package:  
 Standard     Level 4 (Full Validation)

Accreditation  
 NELAP     Other \_\_\_\_\_  
 EDD (Type) \_\_\_\_\_

Turn-Around Time:  
 Standard     Rush

Project Name:  
CHACON FEDERAL # 2

Project #:

Project Manager:  
LINDSAY DUMAS

Sampler: KURT

On Ice:  Yes     No

Sample Temperature: 10

### Analysis Request

| Date           | Time             | Matrix          | Sample Request ID | Container Type and # | Preservative Type | HEAL No.           | BTEX + MTBE + TMB's (8021) | BTEX + MTBE + TPH (Gas only) | TPH 8015B (GRO / DRO / MRO) | TPH (Method 418.1) | EDB (Method 504.1) | PAH's (8310 or 8270 SIMS) | RCRA 8 Metals | Anions (F, Cl, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub> ) | 8081 Pesticides / 8082 PCB's | 8260B (VOA) | 8270 (Semi-VOA) | Air Bubbles (Y or N) |
|----------------|------------------|-----------------|-------------------|----------------------|-------------------|--------------------|----------------------------|------------------------------|-----------------------------|--------------------|--------------------|---------------------------|---------------|--|------------------------------|-------------|-----------------|----------------------|
| <del>5-2</del> | <del>10:30</del> | <del>Soil</del> |                   |                      |                   | <del>1805255</del> |                            |                              |                             |                    |                    |                           |               |  |                              |             |                 |                      |
| 5-2            | 10:30            | Soil            | BOTTOM            | 4oz Jar              | ON ICE            | 201                | X                          | X                            |                             |                    |                    |                           |               |  |                              |             |                 |                      |
| "              | 10:37            | "               | S. WALL           | "                    | "                 | 202                | X                          | X                            |                             |                    |                    |                           |               |  |                              |             |                 |                      |
| "              | 10:40            | "               | S.W. WALL         | "                    | "                 | 203                | X                          | X                            |                             |                    |                    |                           |               |  |                              |             |                 |                      |
| "              | 10:45            | "               | N.W. WALL         | "                    | "                 | 204                | X                          | X                            |                             |                    |                    |                           |               |  |                              |             |                 |                      |
| "              | 10:47            | "               | N. WALL           | "                    | "                 | 205                | X                          | X                            |                             |                    |                    |                           |               |  |                              |             |                 |                      |
| "              | 10:55            | "               | E. WALL           | "                    | "                 | 206                | X                          | X                            |                             |                    |                    |                           |               |  |                              |             |                 |                      |

|                     |                   |                                     |                                 |                     |                   |
|---------------------|-------------------|-------------------------------------|---------------------------------|---------------------|-------------------|
| Date: <u>5-2</u>    | Time: <u>4:00</u> | Relinquished by: <u>[Signature]</u> | Received by: <u>[Signature]</u> | Date: <u>5/2/18</u> | Time: <u>1600</u> |
| Date: <u>5/2/18</u> | Time: <u>1811</u> | Relinquished by: <u>[Signature]</u> | Received by: <u>[Signature]</u> | Date: <u>5/2/18</u> | Time: <u>0755</u> |

Remarks:

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly noted on the analytical report.

July 06, 2018

## HilCorp-Farmington, NM


Sample Delivery Group: L1006448  
Samples Received: 07/03/2018  
Project Number:  
Description:  
Site: CHACON FEDERAL #2  
Report To: Kurt Hoekstra and Lindsay Dumas  
382 Road 3100  
Aztec, NM 87401

Entire Report Reviewed By:

*Daphne R Richards*

Daphne Richards  
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



# TABLE OF CONTENTS



|   |    |  |
|---|----|--|
| Cp: Cover Page                                      | 1  |  |
| Tc: Table of Contents                               | 2  |  |
| Ss: Sample Summary                                  | 3  |  |
| Cn: Case Narrative                                  | 4  |  |
| Sr: Sample Results                                  | 5  |  |
| NORTHWEST WALL #2 L1006448-01                       | 5  |  |
| NORTHWEST BASE L1006448-02                          | 6  |  |
| Qc: Quality Control Summary                         | 7  |  |
| Wet Chemistry by Method 9056A                       | 7  |  |
| Volatile Organic Compounds (GC) by Method 8015/8021 | 8  |  |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | 9  |  |
| Gl: Glossary of Terms                               | 10 |  |
| Al: Accreditations & Locations                      | 11 |  |
| Sc: Sample Chain of Custody                         | 12 |  |

# SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



## NORTHWEST WALL #2 L1006448-01 Solid

|   |           |          | Collected by          | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|---------------------|--------------------|
|   |           |          | Travis                | 06/29/18 11:05      | 07/03/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time  | Analyst            |
| Wet Chemistry by Method 9056A                       | WG1132401 | 1        | 07/03/18 13:10        | 07/04/18 00:47      | MCG                |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1133967 | 50       | 07/03/18 11:48        | 07/05/18 16:59      | BMB                |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1133805 | 50       | 07/04/18 07:11        | 07/05/18 14:34      | DMW                |

1 Cp

2 Tc

## NORTHWEST BASE L1006448-02 Solid

|   |           |          | Collected by          | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|---------------------|--------------------|
|   |           |          | Travis                | 06/29/18 11:10      | 07/03/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time  | Analyst            |
| Wet Chemistry by Method 9056A                       | WG1132401 | 1        | 07/03/18 13:10        | 07/04/18 00:57      | MCG                |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1133967 | 25       | 07/03/18 11:48        | 07/05/18 16:36      | BMB                |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1133805 | 1        | 07/04/18 07:11        | 07/05/18 14:21      | DMW                |

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Daphne Richards  
Technical Service Representative

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch                     |
|----------|--------|-----------|------|----------|----------------------|---------------------------|
| Chloride | 279    |           | 10.0 | 1        | 07/04/2018 00:47     | <a href="#">WG1132401</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|---------------------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| Benzene                         | ND     |           | 0.0250   | 50       | 07/05/2018 16:59     | <a href="#">WG1133967</a> |
| Toluene                         | ND     |           | 0.250    | 50       | 07/05/2018 16:59     | <a href="#">WG1133967</a> |
| Ethylbenzene                    | 0.617  |           | 0.0250   | 50       | 07/05/2018 16:59     | <a href="#">WG1133967</a> |
| Total Xylene                    | 6.29   |           | 0.0750   | 50       | 07/05/2018 16:59     | <a href="#">WG1133967</a> |
| TPH (GC/FID) Low Fraction       | 183    |           | 5.00     | 50       | 07/05/2018 16:59     | <a href="#">WG1133967</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 99.4   |           | 77.0-120 |          | 07/05/2018 16:59     | <a href="#">WG1133967</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 99.8   |           | 75.0-128 |          | 07/05/2018 16:59     | <a href="#">WG1133967</a> |

3 Ss

4 Cn

Sample Narrative:

L1006448-01 WG1133967: Non-target compounds too high to run at a lower dilution.

6 Qc

7 Gl

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|----------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 4210   |           | 200      | 50       | 07/05/2018 14:34     | <a href="#">WG1133805</a> |
| C28-C40 Oil Range    | 796    |           | 200      | 50       | 07/05/2018 14:34     | <a href="#">WG1133805</a> |
| (S) o-Terphenyl      | 0.000  | J7        | 18.0-148 |          | 07/05/2018 14:34     | <a href="#">WG1133805</a> |

8 Al

9 Sc



Collected date/time: 06/29/18 11:10

L1006448

Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL   | Dilution | Analysis         | Batch                     |
|----------|--------|-----------|-------|----------|------------------|---------------------------|
|          | mg/kg  |           | mg/kg |          | date / time      |                           |
| Chloride | 237    |           | 10.0  | 1        | 07/04/2018 00:57 | <a href="#">WG1132401</a> |

- Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|---------------------------------|--------|-----------|----------|----------|------------------|---------------------------|
|                                 | mg/kg  |           | mg/kg    |          | date / time      |                           |
| Benzene                         | ND     |           | 0.0125   | 25       | 07/05/2018 16:36 | <a href="#">WG1133967</a> |
| Toluene                         | ND     |           | 0.125    | 25       | 07/05/2018 16:36 | <a href="#">WG1133967</a> |
| Ethylbenzene                    | ND     |           | 0.0125   | 25       | 07/05/2018 16:36 | <a href="#">WG1133967</a> |
| Total Xylene                    | 0.704  |           | 0.0375   | 25       | 07/05/2018 16:36 | <a href="#">WG1133967</a> |
| TPH (GC/FID) Low Fraction       | 26.0   |           | 2.50     | 25       | 07/05/2018 16:36 | <a href="#">WG1133967</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 99.3   |           | 77.0-120 |          | 07/05/2018 16:36 | <a href="#">WG1133967</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 99.5   |           | 75.0-128 |          | 07/05/2018 16:36 | <a href="#">WG1133967</a> |

Sample Narrative:

L1006448-02 WG1133967: Non-target compounds too high to run at a lower dilution.

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|----------------------|--------|-----------|----------|----------|------------------|---------------------------|
|                      | mg/kg  |           | mg/kg    |          | date / time      |                           |
| C10-C28 Diesel Range | 156    |           | 4.00     | 1        | 07/05/2018 14:21 | <a href="#">WG1133805</a> |
| C28-C40 Oil Range    | 44.6   |           | 4.00     | 1        | 07/05/2018 14:21 | <a href="#">WG1133805</a> |
| (S) o-Terphenyl      | 89.4   |           | 18.0-148 |          | 07/05/2018 14:21 | <a href="#">WG1133805</a> |



Method Blank (MB)

(MB) R3323080-1 07/03/18 17:47

| Analyte  | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------|--------------------|--------------|-----------------|-----------------|
| Chloride | U                  |              | 0.795           | 10.0            |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

L1005202-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1005202-01 07/03/18 23:03 • (DUP) R3323080-4 07/03/18 23:12

| Analyte  | Original Result<br>mg/kg | DUP Result<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|--------------------------|---------------------|----------|--------------|---------------|------------------------|
| Chloride | 48.4                     | 49.2                | 1        | 1.72         |               | 15                     |

<sup>4</sup> Cn

<sup>5</sup> Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323080-2 07/03/18 17:57 • (LCSD) R3323080-3 07/03/18 18:06

| Analyte  | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Chloride | 200                   | 196                 | 198                  | 98.2          | 98.8           | 80.0-120         |               |                | 0.532    | 15              |

<sup>7</sup> Gl

<sup>8</sup> Al

L1005202-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005202-02 07/03/18 23:22 • (MS) R3323080-5 07/03/18 23:31 • (MSD) R3323080-6 07/03/18 23:41

| Analyte  | Spike Amount<br>mg/kg | Original Result<br>mg/kg | MS Result<br>mg/kg | MSD Result<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|--------------------------|--------------------|---------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Chloride | 500                   | 49.9                     | 534                | 558                 | 96.8         | 102           | 1        | 80.0-120         |              |               | 4.32     | 15              |

<sup>9</sup> Sc



Method Blank (MB)

(MB) R3323413-5 07/05/18 12:05

| Analyte                            | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|------------------------------------|--------------------|--------------|-----------------|-----------------|
| Benzene                            | U                  |              | 0.000120        | 0.000500        |
| Toluene                            | 0.000395           | J            | 0.000150        | 0.00500         |
| Ethylbenzene                       | U                  |              | 0.000110        | 0.000500        |
| Total Xylene                       | U                  |              | 0.000460        | 0.00150         |
| TPH (GC/FID) Low Fraction          | U                  |              | 0.0217          | 0.100           |
| (S)<br>a,a,a-Trifluorotoluene(FID) | 98.7               |              |                 | 77.0-120        |
| (S)<br>a,a,a-Trifluorotoluene(PID) | 99.3               |              |                 | 75.0-128        |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323413-1 07/05/18 10:14 • (LCSD) R3323413-2 07/05/18 10:36

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Benzene                            | 0.0500                | 0.0429              | 0.0478               | 85.8          | 95.6           | 71.0-121         |               |                | 10.7     | 20              |
| Toluene                            | 0.0500                | 0.0462              | 0.0516               | 92.4          | 103            | 72.0-120         |               |                | 11.0     | 20              |
| Ethylbenzene                       | 0.0500                | 0.0484              | 0.0540               | 96.9          | 108            | 76.0-121         |               |                | 10.9     | 20              |
| Total Xylene                       | 0.150                 | 0.146               | 0.162                | 97.3          | 108            | 75.0-124         |               |                | 10.7     | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 99.1          | 99.0           | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 98.4          | 98.6           | 75.0-128         |               |                |          |                 |

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323413-3 07/05/18 10:58 • (LCSD) R3323413-4 07/05/18 11:21

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| TPH (GC/FID) Low Fraction          | 5.50                  | 5.64                | 5.58                 | 103           | 101            | 70.0-136         |               |                | 1.11     | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 102           | 103            | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 107           | 107            | 75.0-128         |               |                |          |                 |



Method Blank (MB)

(MB) R3323298-1 07/05/18 09:31

| Analyte                | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|------------------------|--------------------|--------------|-----------------|-----------------|
| C10-C28 Diesel Range   | U                  |              | 1.61            | 4.00            |
| C28-C40 Oil Range      | U                  |              | 0.274           | 4.00            |
| <i>(S) o-Terphenyl</i> | 116                |              |                 | 18.0-148        |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323298-2 07/05/18 09:44 • (LCSD) R3323298-3 07/05/18 09:57

| Analyte                | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| C10-C28 Diesel Range   | 50.0                  | 40.9                | 42.4                 | 81.9          | 84.9           | 50.0-150         |               |                | 3.61     | 20              |
| <i>(S) o-Terphenyl</i> |                       |                     |                      | 132           | 140            | 18.0-148         |               |                |          |                 |

<sup>5</sup> Sr

<sup>7</sup> GI

<sup>8</sup> AI

<sup>9</sup> Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

|                              |  |
|------------------------------|--|
| MDL                          | Method Detection Limit.  |
| ND                           | Not detected at the Reporting Limit (or MDL where applicable).   |
| RDL                          | Reported Detection Limit.  |
| Rec.                         | Recovery.  |
| RPD                          | Relative Percent Difference.   |
| SDG                          | Sample Delivery Group.   |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.   |
| U                            | Not detected at the Reporting Limit (or MDL where applicable).   |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.   |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.  |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.  |
| Original Sample              | The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.  |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.  |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.  |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.  |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.   |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.  |

Qualifier Description

|    |   |
|----|---|
| J  | The identification of the analyte is acceptable; the reported value is an estimate. |
| J7 | Surrogate recovery cannot be used for control limit evaluation due to dilution.     |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

8 Al

9 Sc

# ACCREDITATIONS & LOCATIONS

ONE LAB. NATIONWIDE.



ESC Lab Sciences is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.  
 \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

## State Accreditations

|                        |             |                             |                   |
|------------------------|-------------|-----------------------------|-------------------|
| Alabama                | 40660       | Nebraska                    | NE-OS-15-05       |
| Alaska                 | 17-026      | Nevada                      | TN-03-2002-34     |
| Arizona                | AZ0612      | New Hampshire               | 2975              |
| Arkansas               | 88-0469     | New Jersey-NELAP            | TN002             |
| California             | 2932        | New Mexico <sup>1</sup>     | n/a               |
| Colorado               | TN00003     | New York                    | 11742             |
| Connecticut            | PH-0197     | North Carolina              | Env375            |
| Florida                | E87487      | North Carolina <sup>1</sup> | DW21704           |
| Georgia                | NELAP       | North Carolina <sup>3</sup> | 41                |
| Georgia <sup>1</sup>   | 923         | North Dakota                | R-140             |
| Idaho                  | TN00003     | Ohio-VAP                    | CL0069            |
| Illinois               | 200008      | Oklahoma                    | 9915              |
| Indiana                | C-TN-01     | Oregon                      | TN200002          |
| Iowa                   | 364         | Pennsylvania                | 68-02979          |
| Kansas                 | E-10277     | Rhode Island                | LA000356          |
| Kentucky <sup>16</sup> | 90010       | South Carolina              | 84004             |
| Kentucky <sup>2</sup>  | 16          | South Dakota                | n/a               |
| Louisiana              | AI30792     | Tennessee <sup>14</sup>     | 2006              |
| Louisiana <sup>1</sup> | LA180010    | Texas                       | T 104704245-17-14 |
| Maine                  | TN0002      | Texas <sup>5</sup>          | LAB0152           |
| Maryland               | 324         | Utah                        | TN00003           |
| Massachusetts          | M-TN003     | Vermont                     | VT2006            |
| Michigan               | 9958        | Virginia                    | 460132            |
| Minnesota              | 047-999-395 | Washington                  | C847              |
| Mississippi            | TN00003     | West Virginia               | 233               |
| Missouri               | 340         | Wisconsin                   | 9980939910        |
| Montana                | CERT0086    | Wyoming                     | AZLA              |


## Third Party Federal Accreditations

|                               |         |                    |               |
|-------------------------------|---------|--------------------|---------------|
| AZLA - ISO 17025              | 1461.01 | AIHA-LAP,LLC EMLAP | 100789        |
| AZLA - ISO 17025 <sup>5</sup> | 1461.02 | DOD                | 1461.01       |
| Canada                        | 1461.01 | USDA               | P330-15-00234 |
| EPA-Crypto                    | TN00003 |                    |               |

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

ESC Lab Sciences has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. ESC Lab Sciences performs all testing at our central laboratory.





## Analytical Report

### Report Summary

Client: Hilcorp Energy Co  
Chain Of Custody Number:  
Samples Received: 7/11/2018 8:50:00AM  
Job Number: 17051-0002  
Work Order: P807014  
Project Name/Location: Chacon Federal #2

Report Reviewed By:



Date: 7/12/18

Walter Hinchman, Laboratory Director



Date: 7/12/18

Tim Cain, Project Manager



Envirotech Inc. certifies the test results meet all requirements of TNi unless footnoted otherwise.  
Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.  
Envirotech, Inc, currently holds the appropriate and available Utah TNi certification NM009792018-1 for the data reported.



|                   |                  |                   |                                     |
|-------------------|------------------|-------------------|-------------------------------------|
| Hilcorp Energy Co | Project Name:    | Chacon Federal #2 | <b>Reported:</b><br>12-Jul-18 16:04 |
| PO Box 61529      | Project Number:  | 17051-0002        |                                     |
| Houston TX, 77208 | Project Manager: | Lindsay Dumas     |                                     |

### Analytical Report for Samples

| Client Sample ID | Lab Sample ID | Matrix | Sampled  | Received | Container        |
|------------------|---------------|--------|----------|----------|------------------|
| West Wall #3     | P807014-01A   | Soil   | 07/10/18 | 07/11/18 | Glass Jar, 4 oz. |

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

|                   |                  |                   |                  |
|-------------------|------------------|-------------------|------------------|
| Hilcorp Energy Co | Project Name:    | Chacon Federal #2 |                  |
| PO Box 61529      | Project Number:  | 17051-0002        | <b>Reported:</b> |
| Houston TX, 77208 | Project Manager: | Lindsay Dumas     | 12-Jul-18 16:04  |

**West Wall #3  
P807014-01 (Solid)**

| Analyte | Result | Reporting |       |          |       |          |          |        |       |
|---------|--------|-----------|-------|----------|-------|----------|----------|--------|-------|
|         |        | Limit     | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |

**Volatiles Organics by EPA 8021**

|  |    |        |       |        |         |          |          |           |
|--|----|--------|-------|--------|---------|----------|----------|-----------|
| Benzene                                    | ND | 100    | ug/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |
| Toluene                                    | ND | 100    | ug/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |
| Ethylbenzene                               | ND | 100    | ug/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |
| p,m-Xylene                                 | ND | 200    | ug/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |
| o-Xylene                                   | ND | 100    | ug/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |
| Total Xylenes                              | ND | 100    | ug/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |
| Total BTEX                                 | ND | 100    | ug/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |
| <i>Surrogate: 4-Bromochlorobenzene-PID</i> |    | 98.5 % |       | 50-150 | 1828012 | 07/11/18 | 07/11/18 | EPA 8021B |

**Nonhalogenated Organics by 8015**

|  |    |        |       |        |         |          |          |           |
|--|----|--------|-------|--------|---------|----------|----------|-----------|
| Gasoline Range Organics (C6-C10)               | ND | 20.0   | mg/kg | 1      | 1828012 | 07/11/18 | 07/11/18 | EPA 8015D |
| Diesel Range Organics (C10-C28)                | ND | 25.0   | mg/kg | 1      | 1828011 | 07/11/18 | 07/11/18 | EPA 8015D |
| Oil Range Organics (C28-C40+)                  | ND | 50.0   | mg/kg | 1      | 1828011 | 07/11/18 | 07/11/18 | EPA 8015D |
| <i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i> |    | 98.9 % |       | 50-150 | 1828012 | 07/11/18 | 07/11/18 | EPA 8015D |
| <i>Surrogate: n-Nonane</i>                     |    | 115 %  |       | 50-200 | 1828011 | 07/11/18 | 07/11/18 | EPA 8015D |

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



|  |   |                                     |
|--|---|-------------------------------------|
| Hilcorp Energy Co<br>PO Box 61529<br>Houston TX, 77208 | Project Name: Chacon Federal #2<br>Project Number: 17051-0002<br>Project Manager: Lindsay Dumas | <b>Reported:</b><br>12-Jul-18 16:04 |
|--|---|-------------------------------------|

**Volatile Organics by EPA 8021 - Quality Control**  
**Envirotech Analytical Laboratory**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC %REC | RPD RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|-----------|---------|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|-----------|---------|-----------|-------|

**Batch 1828012 - Purge and Trap EPA 5030A**

| <b>Blank (1828012-BLK1)</b>                |      |     |       | Prepared & Analyzed: 11-Jul-18 |  |      |  |        |  |  |
|--|------|-----|-------|--------------------------------|--|------|--|--------|--|--|
| Benzene                                    | ND   | 100 | ug/kg |                                |  |      |  |        |  |  |
| Toluene                                    | ND   | 100 | "     |                                |  |      |  |        |  |  |
| Ethylbenzene                               | ND   | 100 | "     |                                |  |      |  |        |  |  |
| p,m-Xylene                                 | ND   | 200 | "     |                                |  |      |  |        |  |  |
| o-Xylene                                   | ND   | 100 | "     |                                |  |      |  |        |  |  |
| Total Xylenes                              | ND   | 100 | "     |                                |  |      |  |        |  |  |
| Total BTEX                                 | ND   | 100 | "     |                                |  |      |  |        |  |  |
| <i>Surrogate: 4-Bromochlorobenzene-PID</i> | 7900 |     | "     | 8000                           |  | 98.8 |  | 50-150 |  |  |

| <b>LCS (1828012-BS1)</b>                   |       |     |       | Prepared & Analyzed: 11-Jul-18 |  |      |  |        |  |  |
|--|-------|-----|-------|--------------------------------|--|------|--|--------|--|--|
| Benzene                                    | 5380  | 100 | ug/kg | 5000                           |  | 108  |  | 70-130 |  |  |
| Toluene                                    | 5470  | 100 | "     | 5000                           |  | 109  |  | 70-130 |  |  |
| Ethylbenzene                               | 5520  | 100 | "     | 5000                           |  | 110  |  | 70-130 |  |  |
| p,m-Xylene                                 | 10700 | 200 | "     | 10000                          |  | 107  |  | 70-130 |  |  |
| o-Xylene                                   | 5490  | 100 | "     | 5000                           |  | 110  |  | 70-130 |  |  |
| Total Xylenes                              | 16200 | 100 | "     | 15000                          |  | 108  |  | 70-130 |  |  |
| <i>Surrogate: 4-Bromochlorobenzene-PID</i> | 7920  |     | "     | 8000                           |  | 99.0 |  | 50-150 |  |  |

| <b>Matrix Spike (1828012-MS1)</b>          |       |     |       | Source: P807014-01 |    | Prepared & Analyzed: 11-Jul-18 |  |          |  |  |
|--|-------|-----|-------|--------------------|----|--------------------------------|--|----------|--|--|
| Benzene                                    | 3770  | 100 | ug/kg | 5000               | ND | 75.5                           |  | 54.3-133 |  |  |
| Toluene                                    | 3830  | 100 | "     | 5000               | ND | 76.6                           |  | 61.4-130 |  |  |
| Ethylbenzene                               | 3860  | 100 | "     | 5000               | ND | 77.2                           |  | 61.4-133 |  |  |
| p,m-Xylene                                 | 7530  | 200 | "     | 10000              | ND | 75.4                           |  | 63.3-131 |  |  |
| o-Xylene                                   | 3860  | 100 | "     | 5000               | ND | 77.2                           |  | 63.3-131 |  |  |
| Total Xylenes                              | 11400 | 100 | "     | 15000              | ND | 76.0                           |  | 63.3-131 |  |  |
| <i>Surrogate: 4-Bromochlorobenzene-PID</i> | 7730  |     | "     | 8000               |    | 96.7                           |  | 50-150   |  |  |

| <b>Matrix Spike Dup (1828012-MSD1)</b>     |       |     |       | Source: P807014-01 |    | Prepared & Analyzed: 11-Jul-18 |  |          |      |    |
|--|-------|-----|-------|--------------------|----|--------------------------------|--|----------|------|----|
| Benzene                                    | 4420  | 100 | ug/kg | 5000               | ND | 88.4                           |  | 54.3-133 | 15.8 | 20 |
| Toluene                                    | 4490  | 100 | "     | 5000               | ND | 89.9                           |  | 61.4-130 | 15.9 | 20 |
| Ethylbenzene                               | 4540  | 100 | "     | 5000               | ND | 90.9                           |  | 61.4-133 | 16.3 | 20 |
| p,m-Xylene                                 | 8840  | 200 | "     | 10000              | ND | 88.4                           |  | 63.3-131 | 16.0 | 20 |
| o-Xylene                                   | 4550  | 100 | "     | 5000               | ND | 91.0                           |  | 63.3-131 | 16.4 | 20 |
| Total Xylenes                              | 13400 | 100 | "     | 15000              | ND | 89.3                           |  | 63.3-131 | 16.1 | 20 |
| <i>Surrogate: 4-Bromochlorobenzene-PID</i> | 7830  |     | "     | 8000               |    | 97.9                           |  | 50-150   |      |    |

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



|                   |                  |                   |                                     |
|-------------------|------------------|-------------------|-------------------------------------|
| Hilcorp Energy Co | Project Name:    | Chacon Federal #2 | <b>Reported:</b><br>12-Jul-18 16:04 |
| PO Box 61529      | Project Number:  | 17051-0002        |                                     |
| Houston TX, 77208 | Project Manager: | Lindsay Dumas     |                                     |

**Nonhalogenated Organics by 8015 - Quality Control**  
**Envirotech Analytical Laboratory**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

**Batch 1828011 - DRO Extraction EPA 3570**

|  |      |      |       |                                |    |                                |        |      |    |  |
|--|------|------|-------|--------------------------------|----|--------------------------------|--------|------|----|--|
| <b>Blank (1828011-BLK1)</b>            |      |      |       | Prepared & Analyzed: 11-Jul-18 |    |                                |        |      |    |  |
| Diesel Range Organics (C10-C28)        | ND   | 25.0 | mg/kg |                                |    |                                |        |      |    |  |
| Oil Range Organics (C28-C40+)          | ND   | 50.0 | "     |                                |    |                                |        |      |    |  |
| <i>Surrogate: n-Nonane</i>             | 50.8 |      | "     | 50.0                           |    | 102                            | 50-200 |      |    |  |
| <b>LCS (1828011-BS1)</b>               |      |      |       | Prepared & Analyzed: 11-Jul-18 |    |                                |        |      |    |  |
| Diesel Range Organics (C10-C28)        | 515  | 25.0 | mg/kg | 500                            | ND | 103                            | 38-132 |      |    |  |
| <i>Surrogate: n-Nonane</i>             | 56.1 |      | "     | 50.0                           |    | 112                            | 50-200 |      |    |  |
| <b>Matrix Spike (1828011-MS1)</b>      |      |      |       | Source: P807014-01             |    | Prepared & Analyzed: 11-Jul-18 |        |      |    |  |
| Diesel Range Organics (C10-C28)        | 497  | 25.0 | mg/kg | 500                            | ND | 99.3                           | 38-132 |      |    |  |
| <i>Surrogate: n-Nonane</i>             | 53.5 |      | "     | 50.0                           |    | 107                            | 50-200 |      |    |  |
| <b>Matrix Spike Dup (1828011-MSD1)</b> |      |      |       | Source: P807014-01             |    | Prepared & Analyzed: 11-Jul-18 |        |      |    |  |
| Diesel Range Organics (C10-C28)        | 506  | 25.0 | mg/kg | 500                            | ND | 101                            | 38-132 | 1.83 | 20 |  |
| <i>Surrogate: n-Nonane</i>             | 53.3 |      | "     | 50.0                           |    | 107                            | 50-200 |      |    |  |

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



|                   |                  |                   |                                     |
|-------------------|------------------|-------------------|-------------------------------------|
| Hilcorp Energy Co | Project Name:    | Chacon Federal #2 | <b>Reported:</b><br>12-Jul-18 16:04 |
| PO Box 61529      | Project Number:  | 17051-0002        |                                     |
| Houston TX, 77208 | Project Manager: | Lindsay Dumas     |                                     |

**Nonhalogenated Organics by 8015 - Quality Control**  
**Envirotech Analytical Laboratory**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC %REC | RPD Limits | RPD RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|-----------|------------|---------|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|-----------|------------|---------|-----------|-------|

**Batch 1828012 - Purge and Trap EPA 5030A**

|  |      |      |       |                                |    |                                |        |      |    |  |
|--|------|------|-------|--------------------------------|----|--------------------------------|--------|------|----|--|
| <b>Blank (1828012-BLK1)</b>                    |      |      |       | Prepared & Analyzed: 11-Jul-18 |    |                                |        |      |    |  |
| Gasoline Range Organics (C6-C10)               | ND   | 20.0 | mg/kg |                                |    |                                |        |      |    |  |
| <i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i> | 7.61 |      | "     | 8.00                           |    | 95.1                           | 50-150 |      |    |  |
| <b>LCS (1828012-BS2)</b>                       |      |      |       | Prepared & Analyzed: 11-Jul-18 |    |                                |        |      |    |  |
| Gasoline Range Organics (C6-C10)               | 47.7 | 20.0 | mg/kg | 50.0                           |    | 95.4                           | 70-130 |      |    |  |
| <i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i> | 7.87 |      | "     | 8.00                           |    | 98.4                           | 50-150 |      |    |  |
| <b>Matrix Spike (1828012-MS2)</b>              |      |      |       | Source: P807014-01             |    | Prepared & Analyzed: 11-Jul-18 |        |      |    |  |
| Gasoline Range Organics (C6-C10)               | 51.3 | 20.0 | mg/kg | 50.0                           | ND | 103                            | 70-130 |      |    |  |
| <i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i> | 7.87 |      | "     | 8.00                           |    | 98.4                           | 50-150 |      |    |  |
| <b>Matrix Spike Dup (1828012-MSD2)</b>         |      |      |       | Source: P807014-01             |    | Prepared & Analyzed: 11-Jul-18 |        |      |    |  |
| Gasoline Range Organics (C6-C10)               | 48.1 | 20.0 | mg/kg | 50.0                           | ND | 96.3                           | 70-130 | 6.51 | 20 |  |
| <i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i> | 8.01 |      | "     | 8.00                           |    | 100                            | 50-150 |      |    |  |

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Hilcorp Energy Co  
PO Box 61529  
Houston TX, 77208

Project Name: Chacon Federal #2  
Project Number: 17051-0002  
Project Manager: Lindsay Dumas

**Reported:**  
12-Jul-18 16:04

### Notes and Definitions

DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit  
NR Not Reported  
RPD Relative Percent Difference  
\*\* Methods marked with \*\* are non-accredited methods.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

**RUSH**

Client: HILCORP ENERGY  
 Project: CHACO'S FEDERAL #2  
 Project Manager: LINDSAY DUMAS  
 Address:  
 City, State, Zip  
 Phone: 505-486-9543 KURT  
 Email: LDumas@hilcorp.com

Report Attention  
 Report due by:  
 Attention:  
 Address:  
 City, State, Zip  
 Phone:  
 Email:

Lab Use Only  
 Lab WO# P807014 Job Number 17051-0002  
 TAT 1D 3D    
 EPA Program RCRA CWA SDWA

| Time Sampled | Date Sampled | Matrix | No Containers  | Sample ID    | Lab Number | DRO/ORO by 8015 | GRO/DRO by 8015 | BTEX by 8021 | VOC by 8260 | Metals 6010 | Chloride 300.0 | TPH 418.1 | State |    |    |    | Remarks           |
|--------------|--------------|--------|----------------|--------------|------------|-----------------|-----------------|--------------|-------------|-------------|----------------|-----------|-------|----|----|----|-------------------|
|              |              |        |                |              |            |                 |                 |              |             |             |                |           | NM    | CO | UT | AZ |                   |
| 10:20        | 7-10-18      | SS     | (1)<br>4oz Jar | WEST WALL #3 | 1          | X               | X               | X            |             |             |                |           |       |    |    |    | (1) 4oz glass jar |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |
|              |              |        |                |              |            |                 |                 |              |             |             |                |           |       |    |    |    |                   |

Additional Instructions: vis. ice in cooler -m


I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: TRAVIS KAT

|  |                        |                     |  |                        |                      |   |
|--|------------------------|---------------------|--|------------------------|----------------------|---|
| Relinquished by: (Signature)<br><u>[Signature]</u> | Date<br><u>7-11-18</u> | Time<br><u>8:50</u> | Received by: (Signature)<br><u>[Signature]</u> | Date<br><u>7/11/18</u> | Time<br><u>08:50</u> | Lab Use Only<br>Received on ice: <u>Y</u> / N |
| Relinquished by: (Signature)                       | Date                   | Time                | Received by: (Signature)                       | Date                   | Time                 | T1 <u>11.3 AC</u> T2 <u>11.7 AC</u> T3        |
| AVG Temp °C <u>4.0 C</u>                           |                        |                     |  |                        |                      |   |

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other \_\_\_\_\_ Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

Page 8 of 8



June 19, 2018

## HilCorp-Farmington, NM

Sample Delivery Group: L1000895  
Samples Received: 06/12/2018  
Project Number:  
Description: Chacon Feferal #2

Report To: Kurt Hoekstra and Lindsay Dumas  
382 Road 3100  
Aztec, NM 87401

Entire Report Reviewed By:



Daphne Richards  
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.





|   |    |
|---|----|
| Cp: Cover Page                                      | 1  |
| Tc: Table of Contents                               | 2  |
| Ss: Sample Summary                                  | 3  |
| Cn: Case Narrative                                  | 6  |
| Sr: Sample Results                                  | 7  |
| CELL #1 L1000895-01                                 | 7  |
| CELL #2 L1000895-02                                 | 8  |
| CELL #3 L1000895-03                                 | 9  |
| CELL #4 L1000895-04                                 | 10 |
| CELL #5 L1000895-05                                 | 11 |
| CELL #6 L1000895-06                                 | 12 |
| CELL #7 L1000895-07                                 | 13 |
| CELL #8 L1000895-08                                 | 14 |
| CELL #9 L1000895-09                                 | 15 |
| CELL #10 L1000895-10                                | 16 |
| CELL #11 L1000895-11                                | 17 |
| CELL #12 L1000895-12                                | 18 |
| CELL #13 L1000895-13                                | 19 |
| CELL #14 L1000895-14                                | 20 |
| CELL #15 L1000895-15                                | 21 |
| Qc: Quality Control Summary                         | 22 |
| Total Solids by Method 2540 G-2011                  | 22 |
| Wet Chemistry by Method 9056A                       | 26 |
| Volatile Organic Compounds (GC) by Method 8015/8021 | 28 |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | 30 |
| Gl: Glossary of Terms                               | 31 |
| Al: Accreditations & Locations                      | 32 |
| Sc: Sample Chain of Custody                         | 33 |



# SAMPLE SUMMARY

ONE LAB. NATIONWIDE.

## CELL #1 L1000895-01 Solid

| Method   | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|--|-----------|----------|-----------------------|--------------------|---------|
| Collected by Kurt      Collected date/time 06/08/18 12:22      Received date/time 06/12/18 08:45 |           |          |                       |                    |         |
| Total Solids by Method 2540 G-2011   | WG1125125 | 1        | 06/15/18 15:16        | 06/15/18 15:36     | JD      |
| Wet Chemistry by Method 9056A  | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 00:48     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021  | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 21:12     | JAH     |
| Semi-Volatile Organic Compounds (GC) by Method 8015  | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 15:53     | AAT     |

1  
Cp

2  
Tc

## CELL #2 L1000895-02 Solid

| Method   | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|--|-----------|----------|-----------------------|--------------------|---------|
| Collected by Kurt      Collected date/time 06/08/18 12:26      Received date/time 06/12/18 08:45 |           |          |                       |                    |         |
| Total Solids by Method 2540 G-2011   | WG1125125 | 1        | 06/15/18 15:16        | 06/15/18 15:36     | JD      |
| Wet Chemistry by Method 9056A  | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 01:50     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021  | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 21:34     | JAH     |
| Semi-Volatile Organic Compounds (GC) by Method 8015  | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 16:32     | AAT     |

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc

## CELL #3 L1000895-03 Solid

| Method   | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|--|-----------|----------|-----------------------|--------------------|---------|
| Collected by Kurt      Collected date/time 06/08/18 12:30      Received date/time 06/12/18 08:45 |           |          |                       |                    |         |
| Total Solids by Method 2540 G-2011   | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |
| Wet Chemistry by Method 9056A  | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 02:05     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021  | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 21:57     | JAH     |
| Semi-Volatile Organic Compounds (GC) by Method 8015  | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 16:45     | AAT     |

## CELL #4 L1000895-04 Solid

| Method   | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|--|-----------|----------|-----------------------|--------------------|---------|
| Collected by Kurt      Collected date/time 06/08/18 12:33      Received date/time 06/12/18 08:45 |           |          |                       |                    |         |
| Total Solids by Method 2540 G-2011   | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |
| Wet Chemistry by Method 9056A  | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 02:52     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021  | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 22:19     | JAH     |
| Semi-Volatile Organic Compounds (GC) by Method 8015  | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 16:57     | AAT     |

## CELL #5 L1000895-05 Solid

| Method   | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|--|-----------|----------|-----------------------|--------------------|---------|
| Collected by Kurt      Collected date/time 06/08/18 12:37      Received date/time 06/12/18 08:45 |           |          |                       |                    |         |
| Total Solids by Method 2540 G-2011   | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |
| Wet Chemistry by Method 9056A  | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 03:07     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021  | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 22:41     | JAH     |
| Semi-Volatile Organic Compounds (GC) by Method 8015  | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 17:11     | AAT     |

## CELL #6 L1000895-06 Solid

| Method   | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|--|-----------|----------|-----------------------|--------------------|---------|
| Collected by Kurt      Collected date/time 06/08/18 12:45      Received date/time 06/12/18 08:45 |           |          |                       |                    |         |
| Total Solids by Method 2540 G-2011   | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |
| Wet Chemistry by Method 9056A  | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 03:23     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021  | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 23:04     | JAH     |
| Semi-Volatile Organic Compounds (GC) by Method 8015  | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 17:25     | AAT     |

# SAMPLE SUMMARY

ONE LAB. NATIONWIDE.

## CELL #7 L1000895-07 Solid

|   |           |          |                       |                    |         | Collected by | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|--------------------|---------|--------------|---------------------|--------------------|
|   |           |          |                       |                    |         | Kurt         | 06/08/18 12:50      | 06/12/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |              |                     |                    |
| Total Solids by Method 2540 G-2011                  | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |              |                     |                    |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 03:38     | MAJ     |              |                     |                    |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 23:26     | JAH     |              |                     |                    |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 17:38     | AAT     |              |                     |                    |

1  
Cp

2  
Tc

## CELL #8 L1000895-08 Solid

|   |           |          |                       |                    |         | Collected by | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|--------------------|---------|--------------|---------------------|--------------------|
|   |           |          |                       |                    |         | Kurt         | 06/08/18 13:02      | 06/12/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |              |                     |                    |
| Total Solids by Method 2540 G-2011                  | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |              |                     |                    |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 03:53     | MAJ     |              |                     |                    |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/13/18 23:49     | JAH     |              |                     |                    |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 17:50     | AAT     |              |                     |                    |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 10       | 06/16/18 16:48        | 06/18/18 10:22     | MTJ     |              |                     |                    |

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc

## CELL #9 L1000895-09 Solid

|   |           |          |                       |                    |         | Collected by | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|--------------------|---------|--------------|---------------------|--------------------|
|   |           |          |                       |                    |         | Kurt         | 06/08/18 13:23      | 06/12/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |              |                     |                    |
| Total Solids by Method 2540 G-2011                  | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |              |                     |                    |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 04:09     | MAJ     |              |                     |                    |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/14/18 00:11     | JAH     |              |                     |                    |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 18:03     | AAT     |              |                     |                    |

## CELL #10 L1000895-10 Solid

|   |           |          |                       |                    |         | Collected by | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|--------------------|---------|--------------|---------------------|--------------------|
|   |           |          |                       |                    |         | Kurt         | 06/08/18 13:11      | 06/12/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |              |                     |                    |
| Total Solids by Method 2540 G-2011                  | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |              |                     |                    |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 04:55     | MAJ     |              |                     |                    |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/14/18 00:33     | JAH     |              |                     |                    |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 18:16     | AAT     |              |                     |                    |

## CELL #11 L1000895-11 Solid

|   |           |          |                       |                    |         | Collected by | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|--------------------|---------|--------------|---------------------|--------------------|
|   |           |          |                       |                    |         | Kurt         | 06/08/18 13:27      | 06/12/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |              |                     |                    |
| Total Solids by Method 2540 G-2011                  | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |              |                     |                    |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 05:10     | MAJ     |              |                     |                    |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/14/18 00:56     | JAH     |              |                     |                    |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 19:07     | AAT     |              |                     |                    |

## CELL #12 L1000895-12 Solid

|   |           |          |                       |                    |         | Collected by | Collected date/time | Received date/time |
|---|-----------|----------|-----------------------|--------------------|---------|--------------|---------------------|--------------------|
|   |           |          |                       |                    |         | Kurt         | 06/08/18 13:41      | 06/12/18 08:45     |
| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |              |                     |                    |
| Total Solids by Method 2540 G-2011                  | WG1125129 | 1        | 06/15/18 13:16        | 06/15/18 13:26     | KS      |              |                     |                    |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 05:26     | MAJ     |              |                     |                    |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/14/18 08:41     | RAS     |              |                     |                    |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 19:20     | AAT     |              |                     |                    |

# SAMPLE SUMMARY

ONE LAB. NATIONWIDE.

## CELL #13 L1000895-13 Solid

Collected by: Kurt  
 Collected date/time: 06/08/18 13:51  
 Received date/time: 06/12/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Total Solids by Method 2540 G-2011                  | WG1125131 | 1        | 06/15/18 15:40        | 06/15/18 15:56     | JD      |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 05:41     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/14/18 09:03     | RAS     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 19:33     | AAT     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 10       | 06/16/18 16:48        | 06/18/18 10:34     | MTJ     |

1  
Cp

2  
Tc

4  
Cn

## CELL #14 L1000895-14 Solid

Collected by: Kurt  
 Collected date/time: 06/08/18 13:39  
 Received date/time: 06/12/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Total Solids by Method 2540 G-2011                  | WG1125131 | 1        | 06/15/18 15:40        | 06/15/18 15:56     | JD      |
| Wet Chemistry by Method 9056A                       | WG1123432 | 1        | 06/13/18 13:09        | 06/15/18 06:12     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/14/18 09:25     | RAS     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 19:45     | AAT     |

5  
Sr

6  
Qc

7  
Gl

8  
Al

## CELL #15 L1000895-15 Solid

Collected by: Kurt  
 Collected date/time: 06/08/18 13:50  
 Received date/time: 06/12/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Total Solids by Method 2540 G-2011                  | WG1124385 | 1        | 06/14/18 14:04        | 06/14/18 14:20     | JD      |
| Wet Chemistry by Method 9056A                       | WG1123435 | 1        | 06/12/18 23:59        | 06/14/18 14:31     | DR      |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1124116 | 1        | 06/12/18 19:47        | 06/14/18 09:48     | RAS     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1124294 | 1        | 06/16/18 16:48        | 06/17/18 19:58     | AAT     |

9  
Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Daphne Richards  
Technical Service Representative

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 94.8   |           | 1        | 06/15/2018 15:36     | <a href="#">WG1125125</a> |

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 67.9         | <u>J3</u> | 10.6      | 1        | 06/15/2018 00:48     | <a href="#">WG1123432</a> |

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                 | 0.000696     | <u>B</u>  | 0.000528  | 1        | 06/13/2018 21:12     | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00528   | 1        | 06/13/2018 21:12     | <a href="#">WG1124116</a> |
| Ethylbenzene                            | ND           |           | 0.000528  | 1        | 06/13/2018 21:12     | <a href="#">WG1124116</a> |
| Total Xylene                            | 0.00198      |           | 0.00158   | 1        | 06/13/2018 21:12     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | ND           |           | 0.106     | 1        | 06/13/2018 21:12     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(FID) | 93.3         |           | 77.0-120  |          | 06/13/2018 21:12     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(PID) | 97.2         |           | 75.0-128  |          | 06/13/2018 21:12     | <a href="#">WG1124116</a> |

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 49.5         | <u>J3</u> | 4.22      | 1        | 06/17/2018 15:53     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 31.0         |           | 4.22      | 1        | 06/17/2018 15:53     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 45.6         |           | 18.0-148  |          | 06/17/2018 15:53     | <a href="#">WG1124294</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 96.8   |           | 1        | 06/15/2018 15:36     | <a href="#">WG1125125</a> |

1 Cp

2 Tc

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 67.7         |           | 10.3      | 1        | 06/15/2018 01:50     | <a href="#">WG1123432</a> |

3 Ss

4 Cn

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                 | 0.000641     | B         | 0.000516  | 1        | 06/13/2018 21:34     | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00516   | 1        | 06/13/2018 21:34     | <a href="#">WG1124116</a> |
| Ethylbenzene                            | ND           |           | 0.000516  | 1        | 06/13/2018 21:34     | <a href="#">WG1124116</a> |
| Total Xylene                            | 0.00272      |           | 0.00155   | 1        | 06/13/2018 21:34     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | 0.169        |           | 0.103     | 1        | 06/13/2018 21:34     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(FID) | 93.3         |           | 77.0-120  |          | 06/13/2018 21:34     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(PID) | 96.9         |           | 75.0-128  |          | 06/13/2018 21:34     | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 83.8         |           | 4.13      | 1        | 06/17/2018 16:32     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 46.6         |           | 4.13      | 1        | 06/17/2018 16:32     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 39.5         |           | 18.0-148  |          | 06/17/2018 16:32     | <a href="#">WG1124294</a> |



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis         | Batch                     |
|--------------|--------|-----------|----------|------------------|---------------------------|
|              | %      |           |          | date / time      |                           |
| Total Solids | 95.5   |           | 1        | 06/15/2018 13:26 | <a href="#">WG1125129</a> |

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|----------|--------------|-----------|-----------|----------|------------------|---------------------------|
|          | mg/kg        |           | mg/kg     |          | date / time      |                           |
| Chloride | 73.2         |           | 10.5      | 1        | 06/15/2018 02:05 | <a href="#">WG1123432</a> |

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|---|--------------|-----------|-----------|----------|------------------|---------------------------|
|   | mg/kg        |           | mg/kg     |          | date / time      |                           |
| Benzene                                 | 0.000622     | <u>B</u>  | 0.000523  | 1        | 06/13/2018 21:57 | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00523   | 1        | 06/13/2018 21:57 | <a href="#">WG1124116</a> |
| Ethylbenzene                            | ND           |           | 0.000523  | 1        | 06/13/2018 21:57 | <a href="#">WG1124116</a> |
| Total Xylene                            | ND           |           | 0.00157   | 1        | 06/13/2018 21:57 | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | ND           |           | 0.105     | 1        | 06/13/2018 21:57 | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(FID) | 93.4         |           | 77.0-120  |          | 06/13/2018 21:57 | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(PID) | 96.9         |           | 75.0-128  |          | 06/13/2018 21:57 | <a href="#">WG1124116</a> |

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|------------------|---------------------------|
|                         | mg/kg        |           | mg/kg     |          | date / time      |                           |
| C10-C28 Diesel Range    | 60.8         |           | 4.19      | 1        | 06/17/2018 16:45 | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 41.7         |           | 4.19      | 1        | 06/17/2018 16:45 | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 39.7         |           | 18.0-148  |          | 06/17/2018 16:45 | <a href="#">WG1124294</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc



Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 95.3   |           | 1        | 06/15/2018 13:26     | <a href="#">WG1125129</a> |

1 Cp

2 Tc

Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 80.8         |           | 10.5      | 1        | 06/15/2018 02:52     | <a href="#">WG1123432</a> |

3 Ss

4 Cn

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                               | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---------------------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                               | 0.000940     | B         | 0.000525  | 1        | 06/13/2018 22:19     | <a href="#">WG1124116</a> |
| Toluene                               | ND           |           | 0.00525   | 1        | 06/13/2018 22:19     | <a href="#">WG1124116</a> |
| Ethylbenzene                          | ND           |           | 0.000525  | 1        | 06/13/2018 22:19     | <a href="#">WG1124116</a> |
| Total Xylene                          | 0.00259      |           | 0.00157   | 1        | 06/13/2018 22:19     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction             | ND           |           | 0.105     | 1        | 06/13/2018 22:19     | <a href="#">WG1124116</a> |
| (S) <i>o,o</i> -Trifluorotoluene(FID) | 93.0         |           | 77.0-120  |          | 06/13/2018 22:19     | <a href="#">WG1124116</a> |
| (S) <i>o,o</i> -Trifluorotoluene(PID) | 96.5         |           | 75.0-128  |          | 06/13/2018 22:19     | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 43.0         |           | 4.20      | 1        | 06/17/2018 16:57     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 29.8         |           | 4.20      | 1        | 06/17/2018 16:57     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 46.6         |           | 18.0-148  |          | 06/17/2018 16:57     | <a href="#">WG1124294</a> |



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 94.1   |           | 1        | 06/15/2018 13:26     | <a href="#">WG1125129</a> |

1 Cp

2 Tc

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 70.3         |           | 10.6      | 1        | 06/15/2018 03:07     | <a href="#">WG1123432</a> |

3 Ss

4 Cn

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                 | 0.000622     | B         | 0.000531  | 1        | 06/13/2018 22:41     | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00531   | 1        | 06/13/2018 22:41     | <a href="#">WG1124116</a> |
| Ethylbenzene                            | ND           |           | 0.000531  | 1        | 06/13/2018 22:41     | <a href="#">WG1124116</a> |
| Total Xylene                            | 0.00203      |           | 0.00159   | 1        | 06/13/2018 22:41     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | ND           |           | 0.106     | 1        | 06/13/2018 22:41     | <a href="#">WG1124116</a> |
| (S) <i>α,α,α</i> -Trifluorotoluene(FID) | 93.1         |           | 77.0-120  |          | 06/13/2018 22:41     | <a href="#">WG1124116</a> |
| (S) <i>α,α,α</i> -Trifluorotoluene(PID) | 96.2         |           | 75.0-128  |          | 06/13/2018 22:41     | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 88.1         |           | 4.25      | 1        | 06/17/2018 17:11     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 55.1         |           | 4.25      | 1        | 06/17/2018 17:11     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 56.4         |           | 18.0-148  |          | 06/17/2018 17:11     | <a href="#">WG1124294</a> |



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 94.0   |           | 1        | 06/15/2018 13:26     | <a href="#">WG1125129</a> |

1 Cp

2 Tc

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 113          |           | 10.6      | 1        | 06/15/2018 03:23     | <a href="#">WG1123432</a> |

3 Ss

4 Cn

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---------------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                         | 0.000713     | B         | 0.000532  | 1        | 06/13/2018 23:04     | <a href="#">WG1124116</a> |
| Toluene                         | ND           |           | 0.00532   | 1        | 06/13/2018 23:04     | <a href="#">WG1124116</a> |
| Ethylbenzene                    | ND           |           | 0.000532  | 1        | 06/13/2018 23:04     | <a href="#">WG1124116</a> |
| Total Xylene                    | ND           |           | 0.00160   | 1        | 06/13/2018 23:04     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction       | 0.333        |           | 0.106     | 1        | 06/13/2018 23:04     | <a href="#">WG1124116</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 92.8         |           | 77.0-120  |          | 06/13/2018 23:04     | <a href="#">WG1124116</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 96.4         |           | 75.0-128  |          | 06/13/2018 23:04     | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 56.1         |           | 4.25      | 1        | 06/17/2018 17:25     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range    | 49.2         |           | 4.25      | 1        | 06/17/2018 17:25     | <a href="#">WG1124294</a> |
| (S) o-Terphenyl      | 43.6         |           | 18.0-148  |          | 06/17/2018 17:25     | <a href="#">WG1124294</a> |



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis         | Batch                     |
|--------------|--------|-----------|----------|------------------|---------------------------|
|              | %      |           |          | date / time      |                           |
| Total Solids | 95.9   |           | 1        | 06/15/2018 13:26 | <a href="#">WG1125129</a> |

1 Cp

2 Tc

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|----------|--------------|-----------|-----------|----------|------------------|---------------------------|
|          | mg/kg        |           | mg/kg     |          | date / time      |                           |
| Chloride | 71.0         |           | 10.4      | 1        | 06/15/2018 03:38 | <a href="#">WG1123432</a> |

3 Ss

4 Cn

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|---|--------------|-----------|-----------|----------|------------------|---------------------------|
|   | mg/kg        |           | mg/kg     |          | date / time      |                           |
| Benzene                                 | 0.000766     | B         | 0.000522  | 1        | 06/13/2018 23:26 | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00522   | 1        | 06/13/2018 23:26 | <a href="#">WG1124116</a> |
| Ethylbenzene                            | ND           |           | 0.000522  | 1        | 06/13/2018 23:26 | <a href="#">WG1124116</a> |
| Total Xylene                            | 0.00231      |           | 0.00156   | 1        | 06/13/2018 23:26 | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | 0.186        |           | 0.104     | 1        | 06/13/2018 23:26 | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(FID) | 92.6         |           | 77.0-120  |          | 06/13/2018 23:26 | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(PID) | 96.0         |           | 75.0-128  |          | 06/13/2018 23:26 | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|------------------|---------------------------|
|                         | mg/kg        |           | mg/kg     |          | date / time      |                           |
| C10-C28 Diesel Range    | 60.5         |           | 4.17      | 1        | 06/17/2018 17:38 | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 45.9         |           | 4.17      | 1        | 06/17/2018 17:38 | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 55.2         |           | 18.0-148  |          | 06/17/2018 17:38 | <a href="#">WG1124294</a> |



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 94.3   |           | 1        | 06/15/2018 13:26     | <a href="#">WG1125129</a> |

1 Cp

2 Tc

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 97.0         |           | 10.6      | 1        | 06/15/2018 03:53     | <a href="#">WG1123432</a> |

3 Ss

4 Cn

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|--|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene  | 0.000550     | B         | 0.000530  | 1        | 06/13/2018 23:49     | <a href="#">WG1124116</a> |
| Toluene  | ND           |           | 0.00530   | 1        | 06/13/2018 23:49     | <a href="#">WG1124116</a> |
| Ethylbenzene                                     | ND           |           | 0.000530  | 1        | 06/13/2018 23:49     | <a href="#">WG1124116</a> |
| Total Xylene                                     | 0.00804      |           | 0.00159   | 1        | 06/13/2018 23:49     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction                        | 1.36         |           | 0.106     | 1        | 06/13/2018 23:49     | <a href="#">WG1124116</a> |
| (S) <i>o,o</i> , <i>o</i> -Trifluorotoluene(FID) | 93.6         |           | 77.0-120  |          | 06/13/2018 23:49     | <a href="#">WG1124116</a> |
| (S) <i>o,o</i> , <i>o</i> -Trifluorotoluene(PID) | 97.2         |           | 75.0-128  |          | 06/13/2018 23:49     | <a href="#">WG1124116</a> |

6 Qc

7 GI

8 AI

9 Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 478          |           | 42.4      | 10       | 06/18/2018 10:22     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 162          |           | 4.24      | 1        | 06/17/2018 17:50     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 116          |           | 18.0-148  |          | 06/18/2018 10:22     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 74.6         |           | 18.0-148  |          | 06/17/2018 17:50     | <a href="#">WG1124294</a> |



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 94.4   |           | 1        | 06/15/2018 13:26     | <a href="#">WG1125129</a> |

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 106          |           | 10.6      | 1        | 06/15/2018 04:09     | <a href="#">WG1123432</a> |

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                 | 0.000618     | <u>B</u>  | 0.000529  | 1        | 06/14/2018 00:11     | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00529   | 1        | 06/14/2018 00:11     | <a href="#">WG1124116</a> |
| Ethylbenzene                            | ND           |           | 0.000529  | 1        | 06/14/2018 00:11     | <a href="#">WG1124116</a> |
| Total Xylene                            | 0.00167      |           | 0.00159   | 1        | 06/14/2018 00:11     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | 0.164        |           | 0.106     | 1        | 06/14/2018 00:11     | <a href="#">WG1124116</a> |
| (S) <i>o,o,o</i> -Trifluorotoluene(FID) | 94.5         |           | 77.0-120  |          | 06/14/2018 00:11     | <a href="#">WG1124116</a> |
| (S) <i>o,o,o</i> -Trifluorotoluene(PID) | 98.1         |           | 75.0-128  |          | 06/14/2018 00:11     | <a href="#">WG1124116</a> |

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 59.3         |           | 4.24      | 1        | 06/17/2018 18:03     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 36.0         |           | 4.24      | 1        | 06/17/2018 18:03     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 53.7         |           | 18.0-148  |          | 06/17/2018 18:03     | <a href="#">WG1124294</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis         | Batch                     |
|--------------|--------|-----------|----------|------------------|---------------------------|
| Total Solids | 94.8   |           | 1        | 06/15/2018 13:26 | <a href="#">WG1125129</a> |

Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|----------|--------------|-----------|-----------|----------|------------------|---------------------------|
| Chloride | 74.5         |           | 10.5      | 1        | 06/15/2018 04:55 | <a href="#">WG1123432</a> |

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|---------------------------------|--------------|-----------|-----------|----------|------------------|---------------------------|
| Benzene                         | 0.000788     | <b>B</b>  | 0.000527  | 1        | 06/14/2018 00:33 | <a href="#">WG1124116</a> |
| Toluene                         | ND           |           | 0.00527   | 1        | 06/14/2018 00:33 | <a href="#">WG1124116</a> |
| Ethylbenzene                    | ND           |           | 0.000527  | 1        | 06/14/2018 00:33 | <a href="#">WG1124116</a> |
| Total Xylene                    | 0.00206      |           | 0.00158   | 1        | 06/14/2018 00:33 | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction       | 0.171        |           | 0.105     | 1        | 06/14/2018 00:33 | <a href="#">WG1124116</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 93.7         |           | 77.0-120  |          | 06/14/2018 00:33 | <a href="#">WG1124116</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 97.1         |           | 75.0-128  |          | 06/14/2018 00:33 | <a href="#">WG1124116</a> |

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis         | Batch                     |
|----------------------|--------------|-----------|-----------|----------|------------------|---------------------------|
| C10-C28 Diesel Range | 83.0         |           | 4.22      | 1        | 06/17/2018 18:16 | <a href="#">WG1124294</a> |
| C28-C40 Oil Range    | 41.5         |           | 4.22      | 1        | 06/17/2018 18:16 | <a href="#">WG1124294</a> |
| (S) o-Terphenyl      | 65.4         |           | 18.0-148  |          | 06/17/2018 18:16 | <a href="#">WG1124294</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 89.3   |           | 1        | 06/15/2018 13:26     | <a href="#">WG1125129</a> |

1 Cp

2 Tc

Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 101          |           | 11.2      | 1        | 06/15/2018 05:10     | <a href="#">WG1123432</a> |

3 Ss

4 Cn

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|--|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                | 0.000766     | B         | 0.000560  | 1        | 06/14/2018 00:56     | <a href="#">WG1124116</a> |
| Toluene                                | ND           |           | 0.00560   | 1        | 06/14/2018 00:56     | <a href="#">WG1124116</a> |
| Ethylbenzene                           | ND           |           | 0.000560  | 1        | 06/14/2018 00:56     | <a href="#">WG1124116</a> |
| Total Xylene                           | 0.00177      |           | 0.00168   | 1        | 06/14/2018 00:56     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction              | 0.275        |           | 0.112     | 1        | 06/14/2018 00:56     | <a href="#">WG1124116</a> |
| <i>(S) a,a,a-Trifluorotoluene(FID)</i> | 93.9         |           | 77.0-120  |          | 06/14/2018 00:56     | <a href="#">WG1124116</a> |
| <i>(S) a,a,a-Trifluorotoluene(PID)</i> | 97.1         |           | 75.0-128  |          | 06/14/2018 00:56     | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range   | 123          |           | 4.48      | 1        | 06/17/2018 19:07     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range      | 63.7         |           | 4.48      | 1        | 06/17/2018 19:07     | <a href="#">WG1124294</a> |
| <i>(S) o-Terphenyl</i> | 61.3         |           | 18.0-148  |          | 06/17/2018 19:07     | <a href="#">WG1124294</a> |



Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 96.7   |           | 1        | 06/15/2018 13:26     | <a href="#">WG1125129</a> |

Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 66.3         |           | 10.3      | 1        | 06/15/2018 05:26     | <a href="#">WG1123432</a> |

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|--|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                | 0.000558     | <u>B</u>  | 0.000517  | 1        | 06/14/2018 08:41     | <a href="#">WG1124116</a> |
| Toluene                                | ND           |           | 0.00517   | 1        | 06/14/2018 08:41     | <a href="#">WG1124116</a> |
| Ethylbenzene                           | ND           |           | 0.000517  | 1        | 06/14/2018 08:41     | <a href="#">WG1124116</a> |
| Total Xylene                           | 0.00242      |           | 0.00155   | 1        | 06/14/2018 08:41     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction              | 0.164        |           | 0.103     | 1        | 06/14/2018 08:41     | <a href="#">WG1124116</a> |
| <i>(S) a,a,a-Trifluorotoluene(FID)</i> | 93.1         |           | 77.0-120  |          | 06/14/2018 08:41     | <a href="#">WG1124116</a> |
| <i>(S) a,a,a-Trifluorotoluene(PID)</i> | 96.7         |           | 75.0-128  |          | 06/14/2018 08:41     | <a href="#">WG1124116</a> |

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range   | 145          |           | 4.14      | 1        | 06/17/2018 19:20     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range      | 74.4         |           | 4.14      | 1        | 06/17/2018 19:20     | <a href="#">WG1124294</a> |
| <i>(S) o-Terphenyl</i> | 68.9         |           | 18.0-148  |          | 06/17/2018 19:20     | <a href="#">WG1124294</a> |

1 Cp  
2 Tc  
3 Ss  
4 Cn  
5 Sr  
6 Qc  
7 Gl  
8 Al  
9 Sc



Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 95.8   |           | 1        | 06/15/2018 15:56     | <a href="#">WG1125131</a> |

1 Cp

2 Tc

Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 90.1         | <u>J3</u> | 10.4      | 1        | 06/15/2018 05:41     | <a href="#">WG1123432</a> |

3 Ss

4 Cn

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                 | ND           |           | 0.000522  | 1        | 06/14/2018 09:03     | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00522   | 1        | 06/14/2018 09:03     | <a href="#">WG1124116</a> |
| Ethylbenzene                            | 0.00446      |           | 0.000522  | 1        | 06/14/2018 09:03     | <a href="#">WG1124116</a> |
| Total Xylene                            | 0.0109       |           | 0.00157   | 1        | 06/14/2018 09:03     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | 0.771        |           | 0.104     | 1        | 06/14/2018 09:03     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(FID) | 93.1         |           | 77.0-120  |          | 06/14/2018 09:03     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(PID) | 96.5         |           | 75.0-128  |          | 06/14/2018 09:03     | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 392          |           | 41.7      | 10       | 06/18/2018 10:34     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 160          |           | 4.17      | 1        | 06/17/2018 19:33     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 102          |           | 18.0-148  |          | 06/18/2018 10:34     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 89.5         |           | 18.0-148  |          | 06/17/2018 19:33     | <a href="#">WG1124294</a> |



## Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 95.8   |           | 1        | 06/15/2018 15:56     | <a href="#">WG1125131</a> |

## Wet Chemistry by Method 9056A

| Analyte  | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|----------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Chloride | 106          |           | 10.4      | 1        | 06/15/2018 06:12     | <a href="#">WG1123432</a> |

## Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|---|--------------|-----------|-----------|----------|----------------------|---------------------------|
| Benzene                                 | ND           |           | 0.000522  | 1        | 06/14/2018 09:25     | <a href="#">WG1124116</a> |
| Toluene                                 | ND           |           | 0.00522   | 1        | 06/14/2018 09:25     | <a href="#">WG1124116</a> |
| Ethylbenzene                            | ND           |           | 0.000522  | 1        | 06/14/2018 09:25     | <a href="#">WG1124116</a> |
| Total Xylene                            | 0.00167      |           | 0.00157   | 1        | 06/14/2018 09:25     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction               | 0.180        |           | 0.104     | 1        | 06/14/2018 09:25     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(FID) | 93.2         |           | 77.0-120  |          | 06/14/2018 09:25     | <a href="#">WG1124116</a> |
| (S) <i>a,a,a</i> -Trifluorotoluene(PID) | 97.5         |           | 75.0-128  |          | 06/14/2018 09:25     | <a href="#">WG1124116</a> |

## Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                 | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis date / time | Batch                     |
|-------------------------|--------------|-----------|-----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range    | 159          |           | 4.18      | 1        | 06/17/2018 19:45     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range       | 86.5         |           | 4.18      | 1        | 06/17/2018 19:45     | <a href="#">WG1124294</a> |
| (S) <i>o</i> -Terphenyl | 67.4         |           | 18.0-148  |          | 06/17/2018 19:45     | <a href="#">WG1124294</a> |

1 Cp

2 Tc

3 Ss

4 Cn

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

| Analyte      | Result | Qualifier | Dilution | Analysis date / time | Batch                     |
|--------------|--------|-----------|----------|----------------------|---------------------------|
| Total Solids | 93.4   |           | 1        | 06/14/2018 14:20     | <a href="#">WG1124385</a> |

1 Cp

2 Tc

Wet Chemistry by Method 9056A

| Analyte  | Result (dry) mg/kg | Qualifier | RDL (dry) mg/kg | Dilution | Analysis date / time | Batch                     |
|----------|--------------------|-----------|-----------------|----------|----------------------|---------------------------|
| Chloride | 76.6               |           | 10.7            | 1        | 06/14/2018 14:31     | <a href="#">WG1123435</a> |

3 Ss

4 Cn

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result (dry) mg/kg | Qualifier | RDL (dry) mg/kg | Dilution | Analysis date / time | Batch                     |
|---------------------------------|--------------------|-----------|-----------------|----------|----------------------|---------------------------|
| Benzene                         | 0.000656           | <u>B</u>  | 0.000535        | 1        | 06/14/2018 09:48     | <a href="#">WG1124116</a> |
| Toluene                         | ND                 |           | 0.00535         | 1        | 06/14/2018 09:48     | <a href="#">WG1124116</a> |
| Ethylbenzene                    | 0.00605            |           | 0.000535        | 1        | 06/14/2018 09:48     | <a href="#">WG1124116</a> |
| Total Xylene                    | 0.0117             | <u>J6</u> | 0.00161         | 1        | 06/14/2018 09:48     | <a href="#">WG1124116</a> |
| TPH (GC/FID) Low Fraction       | 0.854              |           | 0.107           | 1        | 06/14/2018 09:48     | <a href="#">WG1124116</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 93.9               |           | 77.0-120        |          | 06/14/2018 09:48     | <a href="#">WG1124116</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 97.2               |           | 75.0-128        |          | 06/14/2018 09:48     | <a href="#">WG1124116</a> |

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result (dry) mg/kg | Qualifier | RDL (dry) mg/kg | Dilution | Analysis date / time | Batch                     |
|----------------------|--------------------|-----------|-----------------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 190                |           | 4.28            | 1        | 06/17/2018 19:58     | <a href="#">WG1124294</a> |
| C28-C40 Oil Range    | 86.3               |           | 4.28            | 1        | 06/17/2018 19:58     | <a href="#">WG1124294</a> |
| (S) o-Terphenyl      | 65.2               |           | 18.0-148        |          | 06/17/2018 19:58     | <a href="#">WG1124294</a> |



Total Solids by Method 2540 G-2011

L1000895-15

Method Blank (MB)

(MB) R3318142-1 06/14/18 14:20

| Analyte      | MB Result<br>% | <u>MB Qualifier</u> | MB MDL<br>% | MB RDL<br>% |
|--------------|----------------|---------------------|-------------|-------------|
| Total Solids | 0.00100        |                     |             |             |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

L1000669-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1000669-01 06/14/18 14:20 • (DUP) R3318142-3 06/14/18 14:20

| Analyte      | Original Result<br>% | DUP Result<br>% | Dilution | DUP RPD<br>% | <u>DUP Qualifier</u> | DUP RPD<br>Limits |
|--------------|----------------------|-----------------|----------|--------------|----------------------|-------------------|
| Total Solids | 91.1                 | 92.5            | 1        | 1.50         |                      | 5                 |

<sup>4</sup> Cn

<sup>5</sup> Sr

Laboratory Control Sample (LCS)

(LCS) R3318142-2 06/14/18 14:20

| Analyte      | Spike Amount<br>% | LCS Result<br>% | LCS Rec.<br>% | Rec. Limits<br>% | <u>LCS Qualifier</u> |
|--------------|-------------------|-----------------|---------------|------------------|----------------------|
| Total Solids | 50.0              | 50.0            | 100           | 85.0-115         |                      |

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Total Solids by Method 2540 G-2011

[L1000895-01,02](#)

Method Blank (MB)

(MB) R3318464-1 06/15/18 15:36

| Analyte      | MB Result<br>% | MB Qualifier | MB MDL<br>% | MB RDL<br>% |
|--------------|----------------|--------------|-------------|-------------|
| Total Solids | 0.000          |              |             |             |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

L1000895-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1000895-01 06/15/18 15:36 • (DUP) R3318464-3 06/15/18 15:36

| Analyte      | Original Result<br>% | DUP Result<br>% | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits |
|--------------|----------------------|-----------------|----------|--------------|---------------|-------------------|
| Total Solids | 94.8                 | 94.6            | 1        | 0.229        |               | 5                 |

<sup>4</sup> Cn

<sup>5</sup> Sr

Laboratory Control Sample (LCS)

(LCS) R3318464-2 06/15/18 15:36

| Analyte      | Spike Amount<br>% | LCS Result<br>% | LCS Rec.<br>% | Rec. Limits<br>% | LCS Qualifier |
|--------------|-------------------|-----------------|---------------|------------------|---------------|
| Total Solids | 50.0              | 50.0            | 100           | 85.0-115         |               |

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Method Blank (MB)

(MB) R3318674-1 06/15/18 13:26

| Analyte      | MB Result<br>% | MB Qualifier | MB MDL<br>% | MB RDL<br>% |
|--------------|----------------|--------------|-------------|-------------|
| Total Solids | 0.00100        |              |             |             |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

L1000895-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1000895-12 06/15/18 13:26 • (DUP) R3318674-3 06/15/18 13:26

| Analyte      | Original Result<br>% | DUP Result<br>% | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits |
|--------------|----------------------|-----------------|----------|--------------|---------------|-------------------|
| Total Solids | 96.7                 | 95.8            | 1        | 0.974        |               | 5                 |

<sup>4</sup> Cn

<sup>5</sup> Sr

Laboratory Control Sample (LCS)

(LCS) R3318674-2 06/15/18 13:26

| Analyte      | Spike Amount<br>% | LCS Result<br>% | LCS Rec.<br>% | Rec. Limits<br>% | LCS Qualifier |
|--------------|-------------------|-----------------|---------------|------------------|---------------|
| Total Solids | 50.0              | 50.0            | 100           | 85.0-115         |               |

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Total Solids by Method 2540 G-2011

[L1000895-13,14](#)

Method Blank (MB)

(MB) R3318465-1 06/15/18 15:56

| Analyte      | MB Result<br>% | MB Qualifier | MB MDL<br>% | MB RDL<br>% |
|--------------|----------------|--------------|-------------|-------------|
| Total Solids | 0.00100        |              |             |             |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

L1000915-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1000915-01 06/15/18 15:56 • (DUP) R3318465-3 06/15/18 15:56

| Analyte      | Original Result<br>% | DUP Result<br>% | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits |
|--------------|----------------------|-----------------|----------|--------------|---------------|-------------------|
| Total Solids | 84.8                 | 85.9            | 1        | 1.29         |               | 5                 |

<sup>4</sup> Cn

<sup>5</sup> Sr

Laboratory Control Sample (LCS)

(LCS) R3318465-2 06/15/18 15:56

| Analyte      | Spike Amount<br>% | LCS Result<br>% | LCS Rec.<br>% | Rec. Limits<br>% | LCS Qualifier |
|--------------|-------------------|-----------------|---------------|------------------|---------------|
| Total Solids | 50.0              | 50.0            | 100           | 85.0-115         |               |

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Method Blank (MB)

(MB) R3318202-1 06/14/18 22:30

| Analyte  | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------|--------------------|--------------|-----------------|-----------------|
| Chloride | 0.928              | <u>J</u>     | 0.795           | 10.0            |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

L1000895-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1000895-01 06/15/18 00:48 • (DUP) R3318202-4 06/15/18 01:04

| Analyte  | Original Result<br>(dry)<br>mg/kg | DUP Result<br>(dry)<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|-----------------------------------|------------------------------|----------|--------------|---------------|------------------------|
| Chloride | 67.9                              | 109                          | 1        | 46.5         | <u>J3</u>     | 15                     |

L1000895-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1000895-13 06/15/18 05:41 • (DUP) R3318202-7 06/15/18 05:57

| Analyte  | Original Result<br>(dry)<br>mg/kg | DUP Result<br>(dry)<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|-----------------------------------|------------------------------|----------|--------------|---------------|------------------------|
| Chloride | 90.1                              | 119                          | 1        | 27.6         | <u>J3</u>     | 15                     |

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3318202-2 06/14/18 22:45 • (LCSD) R3318202-3 06/14/18 23:00

| Analyte  | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Chloride | 200                   | 194                 | 203                  | 97.2          | 101            | 80.0-120         |               |                | 4.10     | 15              |

L1000895-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1000895-03 06/15/18 02:05 • (MS) R3318202-5 06/15/18 02:21 • (MSD) R3318202-6 06/15/18 02:36

| Analyte  | Spike Amount<br>(dry)<br>mg/kg | Original Result<br>(dry)<br>mg/kg | MS Result (dry)<br>mg/kg | MSD Result<br>(dry)<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|--------------------------------|-----------------------------------|--------------------------|------------------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Chloride | 523                            | 73.2                              | 615                      | 649                          | 104          | 110           | 1        | 80.0-120         |              |               | 5.32     | 15              |



Method Blank (MB)

(MB) R3318064-1 06/14/18 13:33

| Analyte  | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------|--------------------|--------------|-----------------|-----------------|
| Chloride | U                  |              | 0.795           | 10.0            |

1 Cp

2 Tc

3 Ss

L1000895-15 Original Sample (OS) • Duplicate (DUP)

(OS) L1000895-15 06/14/18 14:31 • (DUP) R3318064-4 06/14/18 14:40

| Analyte  | Original Result<br>(dry)<br>mg/kg | DUP Result<br>(dry)<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|-----------------------------------|------------------------------|----------|--------------|---------------|------------------------|
| Chloride | 76.6                              | 76.6                         | 1        | 0.0643       |               | 15                     |

4 Cn

5 Sr

L1000916-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1000916-02 06/14/18 18:38 • (DUP) R3318064-7 06/14/18 18:48

| Analyte  | Original Result<br>(dry)<br>mg/kg | DUP Result<br>(dry)<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|-----------------------------------|------------------------------|----------|--------------|---------------|------------------------|
| Chloride | 69.8                              | 73.6                         | 1        | 5.36         |               | 15                     |

7 GI

8 AI

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3318064-2 06/14/18 13:43 • (LCSD) R3318064-3 06/14/18 13:52

| Analyte  | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Chloride | 200                   | 204                 | 200                  | 102           | 99.8           | 80.0-120         |               |                | 2.01     | 15              |

L1000908-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1000908-09 06/14/18 16:25 • (MS) R3318064-5 06/14/18 16:34 • (MSD) R3318064-6 06/14/18 16:44

| Analyte  | Spike Amount<br>(dry)<br>mg/kg | Original Result<br>(dry)<br>mg/kg | MS Result (dry)<br>mg/kg | MSD Result<br>(dry)<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|--------------------------------|-----------------------------------|--------------------------|------------------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Chloride | 541                            | 559                               | 1120                     | 1120                         | 104          | 105           | 1        | 80.0-120         | E            | E             | 0.331    | 15              |



Method Blank (MB)

(MB) R3317779-5 06/13/18 19:22

| Analyte                            | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|------------------------------------|--------------------|--------------|-----------------|-----------------|
| Benzene                            | 0.000225           | J            | 0.000120        | 0.000500        |
| Toluene                            | 0.000230           | J            | 0.000150        | 0.00500         |
| Ethylbenzene                       | 0.000133           | J            | 0.000110        | 0.000500        |
| Total Xylene                       | U                  |              | 0.000460        | 0.00150         |
| TPH (GC/FID) Low Fraction          | U                  |              | 0.0217          | 0.100           |
| (S)<br>a,a,a-Trifluorotoluene(FID) | 95.5               |              |                 | 77.0-120        |
| (S)<br>a,a,a-Trifluorotoluene(PID) | 99.7               |              |                 | 75.0-128        |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3317779-1 06/13/18 17:08 • (LCSD) R3317779-2 06/13/18 17:30

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Benzene                            | 0.0500                | 0.0507              | 0.0507               | 101           | 101            | 71.0-121         |               |                | 0.182    | 20              |
| Toluene                            | 0.0500                | 0.0523              | 0.0524               | 105           | 105            | 72.0-120         |               |                | 0.303    | 20              |
| Ethylbenzene                       | 0.0500                | 0.0519              | 0.0518               | 104           | 104            | 76.0-121         |               |                | 0.295    | 20              |
| Total Xylene                       | 0.150                 | 0.154               | 0.154                | 103           | 103            | 75.0-124         |               |                | 0.195    | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 95.3          | 94.4           | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 98.0          | 96.8           | 75.0-128         |               |                |          |                 |

7 GI

8 AI

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3317779-4 06/13/18 18:37 • (LCSD) R3317779-3 06/13/18 18:15

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| TPH (GC/FID) Low Fraction          | 5.50                  | 5.51                | 5.55                 | 100           | 101            | 70.0-136         |               |                | 0.719    | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 109           | 110            | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 112           | 113            | 75.0-128         |               |                |          |                 |



L1000895-15 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1000895-15 06/14/18 09:48 • (MS) R3317779-6 06/14/18 10:10 • (MSD) R3317779-7 06/14/18 10:32

| Analyte                            | Spike Amount (dry)<br>mg/kg | Original Result (dry)<br>mg/kg | MS Result (dry)<br>mg/kg | MSD Result (dry)<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------------|--------------------------------|--------------------------|---------------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Benzene                            | 0.0535                      | 0.000656                       | 0.0329                   | 0.0371                    | 60.1         | 68.1          | 1        | 10.0-146         |              |               | 12.2     | 29              |
| Toluene                            | 0.0535                      | ND                             | 0.0328                   | 0.0370                    | 59.6         | 67.5          | 1        | 10.0-143         |              |               | 12.1     | 30              |
| Ethylbenzene                       | 0.0535                      | 0.00605                        | 0.0329                   | 0.0359                    | 50.1         | 55.8          | 1        | 10.0-147         |              |               | 8.94     | 31              |
| Total Xylene                       | 0.161                       | 0.0117                         | 0.0995                   | 0.106                     | 54.7         | 59.0          | 1        | 10.0-149         | <u>J6</u>    | <u>J6</u>     | 6.76     | 30              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                             |                                |                          |                           | 93.4         | 93.7          |          | 77.0-120         |              |               |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                             |                                |                          |                           | 96.1         | 97.1          |          | 75.0-128         |              |               |          |                 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

L1000895-15 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1000895-15 06/14/18 09:48 • (MS) R3317779-8 06/14/18 10:55 • (MSD) R3317779-9 06/14/18 11:17

| Analyte                            | Spike Amount (dry)<br>mg/kg | Original Result (dry)<br>mg/kg | MS Result (dry)<br>mg/kg | MSD Result (dry)<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------------|--------------------------------|--------------------------|---------------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| TPH (GC/FID) Low Fraction          | 5.89                        | 0.854                          | 2.01                     | 1.69                      | 19.6         | 14.2          | 1        | 10.0-147         |              |               | 16.9     | 30              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                             |                                |                          |                           | 89.9         | 90.6          |          | 77.0-120         |              |               |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                             |                                |                          |                           | 99.7         | 99.1          |          | 75.0-128         |              |               |          |                 |

7 GI

8 AI

9 Sc



Semi-Volatile Organic Compounds (GC) by Method 8015

[L1000895-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15](#)

Method Blank (MB)

(MB) R3318634-1 06/17/18 15:15

| Analyte              | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------------------|--------------------|--------------|-----------------|-----------------|
| C10-C28 Diesel Range | U                  |              | 1.61            | 4.00            |
| C28-C40 Oil Range    | U                  |              | 0.274           | 4.00            |
| (S) o-Terphenyl      | 84.6               |              |                 | 18.0-148        |

1 Cp

2 Tc

3 Ss

4 Cn

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3318634-2 06/17/18 15:28 • (LCSD) R3318634-3 06/17/18 15:40

| Analyte              | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| C10-C28 Diesel Range | 50.0                  | 33.3                | 31.0                 | 66.6          | 62.0           | 50.0-150         |               |                | 7.10     | 20              |
| (S) o-Terphenyl      |                       |                     |                      | 111           | 105            | 18.0-148         |               |                |          |                 |

5 Sr

L1000895-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1000895-01 06/17/18 15:53 • (MS) R3318634-4 06/17/18 16:06 • (MSD) R3318634-5 06/17/18 16:19

| Analyte              | Spike Amount (dry)<br>mg/kg | Original Result (dry)<br>mg/kg | MS Result (dry)<br>mg/kg | MSD Result (dry)<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------------------|-----------------------------|--------------------------------|--------------------------|---------------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| C10-C28 Diesel Range | 52.8                        | 49.5                           | 126                      | 82.6                      | 145          | 62.8          | 1        | 50.0-150         |              | J3            | 41.6     | 20              |
| (S) o-Terphenyl      |                             |                                |                          |                           | 59.5         | 60.8          |          | 18.0-148         |              |               |          |                 |

7 Gl

8 Al

9 Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

|                              |  |
|------------------------------|--|
| (dry)                        | Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].   |
| MDL                          | Method Detection Limit.  |
| ND                           | Not detected at the Reporting Limit (or MDL where applicable).   |
| RDL                          | Reported Detection Limit.  |
| RDL (dry)                    | Reported Detection Limit.  |
| Rec.                         | Recovery.  |
| RPD                          | Relative Percent Difference.   |
| SDG                          | Sample Delivery Group.   |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.   |
| U                            | Not detected at the Reporting Limit (or MDL where applicable).   |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.   |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.  |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.  |
| Original Sample              | The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.  |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.  |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.  |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.  |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.   |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.  |

| Qualifier | Description   |
|-----------|---|
| B         | The same analyte is found in the associated blank.  |
| E         | The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL). |
| J         | The identification of the analyte is acceptable; the reported value is an estimate.   |
| J3        | The associated batch QC was outside the established quality control range for precision.  |
| J6        | The sample matrix interfered with the ability to make any accurate determination; spike value is low.                                       |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>8</sup> Al

<sup>9</sup> Sc

# ACCREDITATIONS & LOCATIONS

ONE LAB. NATIONWIDE.



ESC Lab Sciences is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.  
 \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.



## State Accreditations

|                         |             |                             |                   |
|-------------------------|-------------|-----------------------------|-------------------|
| Alabama                 | 40660       | Nebraska                    | NE-OS-15-05       |
| Alaska                  | 17-026      | Nevada                      | TN-03-2002-34     |
| Arizona                 | AZ0612      | New Hampshire               | 2975              |
| Arkansas                | 88-0469     | New Jersey-NELAP            | TN002             |
| California              | 2932        | New Mexico <sup>1</sup>     | n/a               |
| Colorado                | TN00003     | New York                    | 11742             |
| Connecticut             | PH-0197     | North Carolina              | Env375            |
| Florida                 | E87487      | North Carolina <sup>1</sup> | DW21704           |
| Georgia                 | NELAP       | North Carolina <sup>3</sup> | 41                |
| Georgia <sup>1</sup>    | 923         | North Dakota                | R-140             |
| Idaho                   | TN00003     | Ohio-VAP                    | CL0069            |
| Illinois                | 200008      | Oklahoma                    | 9915              |
| Indiana                 | C-TN-01     | Oregon                      | TN200002          |
| Iowa                    | 364         | Pennsylvania                | 68-02979          |
| Kansas                  | E-10277     | Rhode Island                | LA000356          |
| Kentucky <sup>1,6</sup> | 90010       | South Carolina              | 84004             |
| Kentucky <sup>2</sup>   | 16          | South Dakota                | n/a               |
| Louisiana               | AI30792     | Tennessee <sup>1,4</sup>    | 2006              |
| Louisiana <sup>1</sup>  | LA180010    | Texas                       | T 104704245-17-14 |
| Maine                   | TN0002      | Texas <sup>5</sup>          | LAB0152           |
| Maryland                | 324         | Utah                        | TN00003           |
| Massachusetts           | M-TN003     | Vermont                     | VT2006            |
| Michigan                | 9958        | Virginia                    | 460132            |
| Minnesota               | 047-999-395 | Washington                  | C847              |
| Mississippi             | TN00003     | West Virginia               | 233               |
| Missouri                | 340         | Wisconsin                   | 9980939910        |
| Montana                 | CERT0086    | Wyoming                     | A2LA              |


## Third Party Federal Accreditations

|                               |         |                    |               |
|-------------------------------|---------|--------------------|---------------|
| A2LA – ISO 17025              | 1461.01 | AIHA-LAP,LLC EMLAP | 100789        |
| A2LA – ISO 17025 <sup>5</sup> | 1461.02 | DOD                | 1461.01       |
| Canada                        | 1461.01 | USDA               | P330-15-00234 |
| EPA-Crypto                    | TN00003 |                    |               |

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

ESC Lab Sciences has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. ESC Lab Sciences performs all testing at our central laboratory.



ACCOUNT:

HilCorp-Farmington, NM

PROJECT:

SDG:

L1000895

DATE/TIME:

06/19/18 10:11

PAGE:

32 of 34






November 15, 2018

## HilCorp-Farmington, NM

Sample Delivery Group: L1042478  
Samples Received: 11/08/2018  
Project Number:  
Description:  
Site: CHACON FEDERAL #2  
Report To: Lindsay Dumas  
382 Road 3100  
Aztec, NM 87401

Entire Report Reviewed By:



Olivia Studebaker  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



|   |    |   |
|---|----|---|
| Cp: Cover Page                                      | 1  |  |
| Tc: Table of Contents                               | 2  |  |
| Ss: Sample Summary                                  | 3  |  |
| Cn: Case Narrative                                  | 4  |  |
| Sr: Sample Results                                  | 5  |  |
| N.W. BIO PILE AREA L1042478-01                      | 5  |   |
| N. MIDDLE BIO PILE AREA L1042478-02                 | 6  |   |
| N.E. BIO PILE AREA L1042478-03                      | 7  |   |
| W. BIO PILE AREA L1042478-04                        | 8  |   |
| E. BIO PILE AREA L1042478-05                        | 9  |  |
| Qc: Quality Control Summary                         | 10 |  |
| Wet Chemistry by Method 9056A                       | 10 |   |
| Volatile Organic Compounds (GC) by Method 8015/8021 | 12 |  |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | 14 |   |
| Gl: Glossary of Terms                               | 15 |  |
| Al: Accreditations & Locations                      | 16 |   |
| Sc: Sample Chain of Custody                         | 17 |   |

# SAMPLE SUMMARY

ONE LAB. NATIONWIDE.

## N.W. BIO PILE AREA L1042478-01 Solid

Collected by Kurt  
Collected date/time 11/06/18 10:30  
Received date/time 11/08/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1194834 | 1        | 11/13/18 12:09        | 11/13/18 20:08     | ELN     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1194876 | 1        | 11/09/18 09:09        | 11/11/18 17:29     | ACG     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1196841 | 1        | 11/14/18 14:19        | 11/14/18 20:39     | MTJ     |

1 Cp

2 Tc

## N. MIDDLE BIO PILE AREA L1042478-02 Solid

Collected by Kurt  
Collected date/time 11/06/18 10:33  
Received date/time 11/08/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1194834 | 1        | 11/13/18 12:09        | 11/13/18 20:16     | ELN     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1194876 | 1        | 11/09/18 09:09        | 11/11/18 17:50     | ACG     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1196841 | 1        | 11/14/18 14:19        | 11/14/18 20:53     | MTJ     |

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## N.E. BIO PILE AREA L1042478-03 Solid

Collected by Kurt  
Collected date/time 11/06/18 10:35  
Received date/time 11/08/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1194550 | 1        | 11/10/18 12:56        | 11/10/18 15:54     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1194876 | 1        | 11/09/18 09:09        | 11/11/18 18:11     | ACG     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1196841 | 1        | 11/14/18 14:19        | 11/14/18 21:09     | MTJ     |

## W. BIO PILE AREA L1042478-04 Solid

Collected by Kurt  
Collected date/time 11/06/18 10:50  
Received date/time 11/08/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1194550 | 1        | 11/10/18 12:56        | 11/10/18 16:12     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1194876 | 1        | 11/09/18 09:09        | 11/11/18 18:32     | ACG     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1196841 | 1        | 11/14/18 14:19        | 11/14/18 21:24     | MTJ     |

## E. BIO PILE AREA L1042478-05 Solid

Collected by Kurt  
Collected date/time 11/06/18 11:00  
Received date/time 11/08/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1194550 | 1        | 11/10/18 12:56        | 11/10/18 16:20     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1194876 | 1        | 11/09/18 09:09        | 11/11/18 18:53     | ACG     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1196841 | 1        | 11/14/18 14:19        | 11/14/18 21:40     | MTJ     |



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Olivia Studebaker  
Project Manager

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Collected date/time: 11/06/18 10:30

L1042478

Wet Chemistry by Method 9056A

| Analyte  | Result<br>mg/kg | Qualifier | RDL<br>mg/kg | Dilution | Analysis<br>date / time | Batch                     |
|----------|-----------------|-----------|--------------|----------|-------------------------|---------------------------|
| Chloride | 10.5            |           | 10.0         | 1        | 11/13/2018 20:08        | <a href="#">WG1194834</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result<br>mg/kg | Qualifier | RDL<br>mg/kg | Dilution | Analysis<br>date / time | Batch                     |
|---------------------------------|-----------------|-----------|--------------|----------|-------------------------|---------------------------|
| Benzene                         | 0.000647        | <b>B</b>  | 0.000500     | 1        | 11/11/2018 17:29        | <a href="#">WG1194876</a> |
| Toluene                         | ND              |           | 0.00500      | 1        | 11/11/2018 17:29        | <a href="#">WG1194876</a> |
| Ethylbenzene                    | ND              |           | 0.000500     | 1        | 11/11/2018 17:29        | <a href="#">WG1194876</a> |
| Total Xylene                    | ND              |           | 0.00150      | 1        | 11/11/2018 17:29        | <a href="#">WG1194876</a> |
| TPH (GC/FID) Low Fraction       | ND              |           | 0.100        | 1        | 11/11/2018 17:29        | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 101             |           | 77.0-120     |          | 11/11/2018 17:29        | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 99.7            |           | 72.0-128     |          | 11/11/2018 17:29        | <a href="#">WG1194876</a> |

3 Ss

4 Cn

6 Qc

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result<br>mg/kg | Qualifier | RDL<br>mg/kg | Dilution | Analysis<br>date / time | Batch                     |
|----------------------|-----------------|-----------|--------------|----------|-------------------------|---------------------------|
| C10-C28 Diesel Range | 8.24            |           | 4.00         | 1        | 11/14/2018 20:39        | <a href="#">WG1196841</a> |
| C28-C40 Oil Range    | 7.78            |           | 4.00         | 1        | 11/14/2018 20:39        | <a href="#">WG1196841</a> |
| (S) o-Terphenyl      | 60.9            |           | 18.0-148     |          | 11/14/2018 20:39        | <a href="#">WG1196841</a> |

7 Gl

8 Al

9 Sc



Collected date/time: 11/06/18 10:33

L1042478

Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch     |
|----------|--------|-----------|------|----------|----------------------|-----------|
| Chloride | ND     |           | 10.0 | 1        | 11/13/2018 20:16     | WG1194834 |

<sup>1</sup> Cp

<sup>2</sup> Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result   | Qualifier | RDL      | Dilution | Analysis date / time | Batch     |
|---------------------------------|----------|-----------|----------|----------|----------------------|-----------|
| Benzene                         | 0.000749 | B         | 0.000500 | 1        | 11/11/2018 17:50     | WG1194876 |
| Toluene                         | ND       | J3        | 0.00500  | 1        | 11/11/2018 17:50     | WG1194876 |
| Ethylbenzene                    | ND       | J3        | 0.000500 | 1        | 11/11/2018 17:50     | WG1194876 |
| Total Xylene                    | ND       | J3 J6     | 0.00150  | 1        | 11/11/2018 17:50     | WG1194876 |
| TPH (GC/FID) Low Fraction       | ND       |           | 0.100    | 1        | 11/11/2018 17:50     | WG1194876 |
| (S) a,a,a-Trifluorotoluene(FID) | 101      |           | 77.0-120 |          | 11/11/2018 17:50     | WG1194876 |
| (S) a,a,a-Trifluorotoluene(PID) | 99.5     |           | 72.0-128 |          | 11/11/2018 17:50     | WG1194876 |

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>6</sup> Qc

<sup>7</sup> Gl

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch     |
|----------------------|--------|-----------|----------|----------|----------------------|-----------|
| C10-C28 Diesel Range | 18.5   |           | 4.00     | 1        | 11/14/2018 20:53     | WG1196841 |
| C28-C40 Oil Range    | 14.9   |           | 4.00     | 1        | 11/14/2018 20:53     | WG1196841 |
| (S) o-Terphenyl      | 61.6   |           | 18.0-148 |          | 11/14/2018 20:53     | WG1196841 |

<sup>8</sup> Al

<sup>9</sup> Sc



Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch                     |
|----------|--------|-----------|------|----------|----------------------|---------------------------|
| Chloride | 14.7   | <u>B</u>  | 10.0 | 1        | 11/10/2018 15:54     | <a href="#">WG1194550</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result   | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|---------------------------------|----------|-----------|----------|----------|----------------------|---------------------------|
| Benzene                         | 0.000538 | <u>B</u>  | 0.000500 | 1        | 11/11/2018 18:11     | <a href="#">WG1194876</a> |
| Toluene                         | ND       |           | 0.00500  | 1        | 11/11/2018 18:11     | <a href="#">WG1194876</a> |
| Ethylbenzene                    | ND       |           | 0.000500 | 1        | 11/11/2018 18:11     | <a href="#">WG1194876</a> |
| Total Xylene                    | ND       |           | 0.00150  | 1        | 11/11/2018 18:11     | <a href="#">WG1194876</a> |
| TPH (GC/FID) Low Fraction       | ND       |           | 0.100    | 1        | 11/11/2018 18:11     | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 101      |           | 77.0-120 |          | 11/11/2018 18:11     | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 99.1     |           | 72.0-128 |          | 11/11/2018 18:11     | <a href="#">WG1194876</a> |

3 Ss

4 Cn

6 Qc

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|----------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 10.9   |           | 4.00     | 1        | 11/14/2018 21:09     | <a href="#">WG1196841</a> |
| C28-C40 Oil Range    | 10.1   |           | 4.00     | 1        | 11/14/2018 21:09     | <a href="#">WG1196841</a> |
| (S) o-Terphenyl      | 75.0   |           | 18.0-148 |          | 11/14/2018 21:09     | <a href="#">WG1196841</a> |

7 GI

8 AI

9 Sc



Collected date/time: 11/06/18 10:50

L1042478

Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch                     |
|----------|--------|-----------|------|----------|----------------------|---------------------------|
| Chloride | ND     |           | 10.0 | 1        | 11/10/2018 16:12     | <a href="#">WG1194550</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result   | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|---------------------------------|----------|-----------|----------|----------|----------------------|---------------------------|
| Benzene                         | 0.000526 | B         | 0.000500 | 1        | 11/11/2018 18:32     | <a href="#">WG1194876</a> |
| Toluene                         | ND       |           | 0.00500  | 1        | 11/11/2018 18:32     | <a href="#">WG1194876</a> |
| Ethylbenzene                    | ND       |           | 0.000500 | 1        | 11/11/2018 18:32     | <a href="#">WG1194876</a> |
| Total Xylene                    | ND       |           | 0.00150  | 1        | 11/11/2018 18:32     | <a href="#">WG1194876</a> |
| TPH (GC/FID) Low Fraction       | ND       |           | 0.100    | 1        | 11/11/2018 18:32     | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 101      |           | 77.0-120 |          | 11/11/2018 18:32     | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 99.2     |           | 72.0-128 |          | 11/11/2018 18:32     | <a href="#">WG1194876</a> |

3 Ss

4 Cn

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|----------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 9.01   |           | 4.00     | 1        | 11/14/2018 21:24     | <a href="#">WG1196841</a> |
| C28-C40 Oil Range    | 10.1   |           | 4.00     | 1        | 11/14/2018 21:24     | <a href="#">WG1196841</a> |
| (S) o-Terphenyl      | 72.6   |           | 18.0-148 |          | 11/14/2018 21:24     | <a href="#">WG1196841</a> |

6 Qc

7 Gl

8 Al

9 Sc



Collected date/time: 11/06/18 11:00

L1042478

Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch                     |
|----------|--------|-----------|------|----------|----------------------|---------------------------|
| Chloride | 16.0   |           | 10.0 | 1        | 11/10/2018 16:20     | <a href="#">WG1194550</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result   | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|---------------------------------|----------|-----------|----------|----------|----------------------|---------------------------|
| Benzene                         | 0.000646 | <b>B</b>  | 0.000500 | 1        | 11/11/2018 18:53     | <a href="#">WG1194876</a> |
| Toluene                         | ND       |           | 0.00500  | 1        | 11/11/2018 18:53     | <a href="#">WG1194876</a> |
| Ethylbenzene                    | ND       |           | 0.000500 | 1        | 11/11/2018 18:53     | <a href="#">WG1194876</a> |
| Total Xylene                    | ND       |           | 0.00150  | 1        | 11/11/2018 18:53     | <a href="#">WG1194876</a> |
| TPH (GC/FID) Low Fraction       | ND       |           | 0.100    | 1        | 11/11/2018 18:53     | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 101      |           | 77.0-120 |          | 11/11/2018 18:53     | <a href="#">WG1194876</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 99.2     |           | 72.0-128 |          | 11/11/2018 18:53     | <a href="#">WG1194876</a> |

3 Ss

4 Cn

6 Qc

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|----------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 4.22   |           | 4.00     | 1        | 11/14/2018 21:40     | <a href="#">WG1196841</a> |
| C28-C40 Oil Range    | 5.83   |           | 4.00     | 1        | 11/14/2018 21:40     | <a href="#">WG1196841</a> |
| (S) o-Terphenyl      | 73.1   |           | 18.0-148 |          | 11/14/2018 21:40     | <a href="#">WG1196841</a> |

7 GI

8 AI

9 Sc



Method Blank (MB)

(MB) R3358758-1 11/10/18 14:38

| Analyte  | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------|--------------------|--------------|-----------------|-----------------|
| Chloride | 1.48               | ↓            | 0.795           | 10.0            |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

L1042478-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1042478-03 11/10/18 15:54 • (DUP) R3358758-3 11/10/18 16:03

| Analyte  | Original Result<br>mg/kg | DUP Result<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|--------------------------|---------------------|----------|--------------|---------------|------------------------|
| Chloride | 14.7                     | 14.4                | 1        | 2.26         |               | 15                     |

L1042845-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1042845-04 11/10/18 19:47 • (DUP) R3358758-6 11/10/18 19:55

| Analyte  | Original Result<br>mg/kg | DUP Result<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|--------------------------|---------------------|----------|--------------|---------------|------------------------|
| Chloride | 10800                    | 10300               | 20       | 5.18         |               | 15                     |

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

Laboratory Control Sample (LCS)

(LCS) R3358758-2 11/10/18 14:47

| Analyte  | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCS Rec.<br>% | Rec. Limits<br>% | LCS Qualifier |
|----------|-----------------------|---------------------|---------------|------------------|---------------|
| Chloride | 200                   | 206                 | 103           | 80.0-120         |               |



Method Blank (MB)

(MB) R3359639-1 11/13/18 18:22

| Analyte  | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------|--------------------|--------------|-----------------|-----------------|
| Chloride | U                  |              | 0.795           | 10.0            |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6

7 Gl

8 Al

9 Sc

L1042462-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1042462-10 11/13/18 18:49 • (DUP) R3359639-3 11/13/18 18:57

| Analyte  | Original Result<br>mg/kg | DUP Result<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|--------------------------|---------------------|----------|--------------|---------------|------------------------|
| Chloride | 9.02                     | 10.7                | 1        | 17.1         | P1            | 15                     |

L1043331-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1043331-04 11/13/18 21:09 • (DUP) R3359639-6 11/13/18 21:18

| Analyte  | Original Result<br>mg/kg | DUP Result<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|--------------------------|---------------------|----------|--------------|---------------|------------------------|
| Chloride | 6.76                     | 5.02                | 1        | 29.6         | J P1          | 15                     |

Laboratory Control Sample (LCS)

(LCS) R3359639-2 11/13/18 18:31

| Analyte  | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCS Rec.<br>% | Rec. Limits<br>% | LCS Qualifier |
|----------|-----------------------|---------------------|---------------|------------------|---------------|
| Chloride | 200                   | 187                 | 93.7          | 80.0-120         |               |

L1042462-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1042462-12 11/13/18 19:15 • (MS) R3359639-4 11/13/18 19:24 • (MSD) R3359639-5 11/13/18 19:32

| Analyte  | Spike Amount<br>mg/kg | Original Result<br>mg/kg | MS Result<br>mg/kg | MSD Result<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|--------------------------|--------------------|---------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Chloride | 500                   | 13.7                     | 413                | 464                 | 79.9         | 90.1          | 1        | 80.0-120         | J6           |               | 11.6     | 15              |



Method Blank (MB)

(MB) R3358963-5 11/11/18 12:56

| Analyte                            | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|------------------------------------|--------------------|--------------|-----------------|-----------------|
| Benzene                            | 0.000197           | J            | 0.000120        | 0.000500        |
| Toluene                            | 0.000438           | J            | 0.000150        | 0.00500         |
| Ethylbenzene                       | 0.000147           | J            | 0.000110        | 0.000500        |
| Total Xylene                       | U                  |              | 0.000460        | 0.00150         |
| TPH (GC/FID) Low Fraction          | U                  |              | 0.0217          | 0.100           |
| (S)<br>a,a,a-Trifluorotoluene(FID) | 103                |              |                 | 77.0-120        |
| (S)<br>a,a,a-Trifluorotoluene(PID) | 100                |              |                 | 72.0-128        |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3358963-1 11/11/18 11:10 • (LCSD) R3358963-2 11/11/18 11:31

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Benzene                            | 0.0500                | 0.0450              | 0.0442               | 90.0          | 88.4           | 76.0-121         |               |                | 1.83     | 20              |
| Toluene                            | 0.0500                | 0.0488              | 0.0487               | 97.6          | 97.4           | 80.0-120         |               |                | 0.270    | 20              |
| Ethylbenzene                       | 0.0500                | 0.0507              | 0.0506               | 101           | 101            | 80.0-124         |               |                | 0.188    | 20              |
| Total Xylene                       | 0.150                 | 0.149               | 0.149                | 99.3          | 99.4           | 37.0-160         |               |                | 0.0671   | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 104           | 104            | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 104           | 103            | 72.0-128         |               |                |          |                 |

7 GI

8 AI

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3358963-3 11/11/18 11:52 • (LCSD) R3358963-4 11/11/18 12:14

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| TPH (GC/FID) Low Fraction          | 5.50                  | 5.31                | 5.48                 | 96.6          | 99.6           | 72.0-127         |               |                | 3.12     | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 91.8          | 92.8           | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 108           | 108            | 72.0-128         |               |                |          |                 |



Volatile Organic Compounds (GC) by Method 8015/8021

L1042478-01,02,03,04,05

L1042478-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1042478-02 11/11/18 17:50 • (MS) R3358963-6 11/11/18 21:01 • (MSD) R3358963-7 11/11/18 21:22

| Analyte                            | Spike Amount<br>mg/kg | Original Result<br>mg/kg | MS Result<br>mg/kg | MSD Result<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|--------------------------|--------------------|---------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Benzene                            | 0.0500                | 0.000749                 | 0.0196             | 0.0152              | 37.6         | 28.9          | 1        | 10.0-155         |              |               | 25.1     | 32              |
| Toluene                            | 0.0500                | ND                       | 0.0163             | 0.0110              | 31.3         | 20.8          | 1        | 10.0-160         |              | J3            | 38.3     | 34              |
| Ethylbenzene                       | 0.0500                | ND                       | 0.0111             | 0.00696             | 21.9         | 13.6          | 1        | 10.0-160         |              | J3            | 46.1     | 32              |
| Total Xylene                       | 0.150                 | ND                       | 0.0294             | 0.0175              | 18.9         | 11.0          | 1        | 10.0-160         | J6           | J3 J6         | 50.5     | 32              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                          |                    |                     | 100          | 100           |          | 77.0-120         |              |               |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                          |                    |                     | 98.8         | 99.0          |          | 72.0-128         |              |               |          |                 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

L1043123-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1043123-04 11/11/18 20:40 • (MS) R3358963-8 11/11/18 21:44 • (MSD) R3358963-9 11/11/18 22:05

| Analyte                            | Spike Amount<br>mg/kg | Original Result<br>mg/kg | MS Result<br>mg/kg | MSD Result<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|--------------------------|--------------------|---------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| TPH (GC/FID) Low Fraction          | 6.17                  |                          | 102                | 114                 | 74.1         | 82.7          | 25       | 10.0-151         |              |               | 10.9     | 28              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                          |                    |                     | 99.7         | 98.9          |          | 77.0-120         |              |               |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                          |                    |                     | 105          | 105           |          | 72.0-128         |              |               |          |                 |

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3359976-1 11/14/18 20:02

| Analyte              | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------------------|--------------------|--------------|-----------------|-----------------|
| C10-C28 Diesel Range | U                  |              | 1.61            | 4.00            |
| C28-C40 Oil Range    | U                  |              | 0.274           | 4.00            |
| (S) o-Terphenyl      | 78.7               |              |                 | 18.0-148        |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3359976-2 11/14/18 20:14 • (LCSD) R3359976-3 11/14/18 20:27

| Analyte              | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| C10-C28 Diesel Range | 50.0                  | 31.1                | 33.3                 | 62.2          | 66.6           | 50.0-150         |               |                | 6.83     | 20              |
| (S) o-Terphenyl      |                       |                     |                      | 68.5          | 72.8           | 18.0-148         |               |                |          |                 |

<sup>5</sup> Sr

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

|                              |  |
|------------------------------|--|
| MDL                          | Method Detection Limit.  |
| ND                           | Not detected at the Reporting Limit (or MDL where applicable).   |
| RDL                          | Reported Detection Limit.  |
| Rec.                         | Recovery.  |
| RPD                          | Relative Percent Difference.   |
| SDG                          | Sample Delivery Group.   |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.   |
| U                            | Not detected at the Reporting Limit (or MDL where applicable).   |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.   |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.  |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.  |
| Original Sample              | The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.  |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.  |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.  |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.  |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.   |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.  |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

8 Al

9 Sc

Qualifier Description

|    |   |
|----|---|
| B  | The same analyte is found in the associated blank.  |
| J  | The identification of the analyte is acceptable; the reported value is an estimate.                   |
| J3 | The associated batch QC was outside the established quality control range for precision.              |
| J6 | The sample matrix interfered with the ability to make any accurate determination; spike value is low. |
| P1 | RPD value not applicable for sample concentrations less than 5 times the reporting limit.             |



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.  
 \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

## State Accreditations

|                        |             |                             |                   |
|------------------------|-------------|-----------------------------|-------------------|
| Alabama                | 40660       | Nebraska                    | NE-OS-15-05       |
| Alaska                 | 17-026      | Nevada                      | TN-03-2002-34     |
| Arizona                | AZ0612      | New Hampshire               | 2975              |
| Arkansas               | 88-0469     | New Jersey-NELAP            | TN002             |
| California             | 2932        | New Mexico <sup>1</sup>     | n/a               |
| Colorado               | TN00003     | New York                    | 11742             |
| Connecticut            | PH-0197     | North Carolina              | Env375            |
| Florida                | E87487      | North Carolina <sup>1</sup> | DW21704           |
| Georgia                | NELAP       | North Carolina <sup>3</sup> | 41                |
| Georgia <sup>1</sup>   | 923         | North Dakota                | R-140             |
| Idaho                  | TN00003     | Ohio-VAP                    | CL0069            |
| Illinois               | 200008      | Oklahoma                    | 9915              |
| Indiana                | C-TN-01     | Oregon                      | TN200002          |
| Iowa                   | 364         | Pennsylvania                | 68-02979          |
| Kansas                 | E-10277     | Rhode Island                | LA000356          |
| Kentucky <sup>16</sup> | 90010       | South Carolina              | 84004             |
| Kentucky <sup>2</sup>  | 16          | South Dakota                | n/a               |
| Louisiana              | AI30792     | Tennessee <sup>14</sup>     | 2006              |
| Louisiana <sup>1</sup> | LA180010    | Texas                       | T 104704245-17-14 |
| Maine                  | TN0002      | Texas <sup>5</sup>          | LAB0152           |
| Maryland               | 324         | Utah                        | TN00003           |
| Massachusetts          | M-TN003     | Vermont                     | VT2006            |
| Michigan               | 9958        | Virginia                    | 460132            |
| Minnesota              | 047-999-395 | Washington                  | C847              |
| Mississippi            | TN00003     | West Virginia               | 233               |
| Missouri               | 340         | Wisconsin                   | 9980939910        |
| Montana                | CERT0086    | Wyoming                     | A2LA              |

## Third Party Federal Accreditations

|                               |         |                    |               |
|-------------------------------|---------|--------------------|---------------|
| A2LA – ISO 17025              | 1461.01 | AIHA-LAP,LLC EMLAP | 100789        |
| A2LA – ISO 17025 <sup>5</sup> | 1461.02 | DOD                | 1461.01       |
| Canada                        | 1461.01 | USDA               | P330-15-00234 |
| EPA-Crypto                    | TN00003 |                    |               |

<sup>1</sup> Drinking Water   <sup>2</sup> Underground Storage Tanks   <sup>3</sup> Aquatic Toxicity   <sup>4</sup> Chemical/Microbiological   <sup>5</sup> Mold   <sup>6</sup> Wastewater   n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn


5 Sr

6 Qc

7 Gl

8 Al

9 Sc



# CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

Company: **HilCorp-Farmington, NM**  
 Address: **382 Road 3100**  
**Aztec, NM 87401**

Billing Information:  
**PO Box 61529**  
**Houston, TX 77208**

Report To: **LINDSAY DUMAS**  
 Copy To:

Email To: **ldumas@hilcorp.com**  
**khockstore@hilcorp.com**  
 Site Collection Info/Address:

Customer Project Name/Number:

State: **1** County/City: Time Zone Collected:  
 PT MT CT ET

Phone: **505-486-9543**  
 Email:

Site/Facility ID #:  
**CHACON FEDERAL #2**

Compliance Monitoring?  
 Yes  No

Collected by (print):  
**Kues**

Purchase Order #:  
 Quote #:

DW PWS ID #:  
 DW Location Code:

Collected by (Signature):  
**Kurt Hockstore**

Turnaround Date Required:

Immediately Packed on Ice:  
 Yes  No

Sample Disposal:  
 Dispose as appropriate  Return  
 Archive  
 Hold

Rush:  
 Same Day  Next Day  
 2 Day  3 Day  4 Day  5 Day  
 (Expedite Charges Apply)

Field Filtered (if applicable):  
 Yes  No  
 Analysis:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

| Customer Sample ID      | Matrix * | Comp / Grab | Collected (or Composite Start) |       | Composite End |      | Res Cl | # of Ctns |
|-------------------------|----------|-------------|--------------------------------|-------|---------------|------|--------|-----------|
|                         |          |             | Date                           | Time  | Date          | Time |        |           |
| N.W. Bio Pile Area      | SS       | Comp        | 11-6                           | 10:30 |               |      |        | 1         |
| N. MIDDLE Bio Pile Area | "        | "           | "                              | 10:33 |               |      |        | "         |
| N.E. Bio Pile Area      | "        | "           | "                              | 10:35 |               |      |        | "         |
| W. Bio Pile Area        | "        | "           | "                              | 10:50 |               |      |        | "         |
| E. Bio Pile Area        | "        | "           | "                              | 11:00 |               |      |        | "         |

| Analyses                 |           |          |  |  |  |  |  |  |  |
|--------------------------|-----------|----------|--|--|--|--|--|--|--|
| TPH 8015 - DEP, GLO, MPD | BTEX 8021 | CHLORIDE |  |  |  |  |  |  |  |

## ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type \*\*  
 Lab Project Manager:  
**288 - Daphne Richards**

\*\* Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line:  
 Lab Sample Receipt Checklist:

Custody Seals Present/Intact  Y  N  NA  
 Custody Signatures Present  Y  N  NA  
 Collector Signature Present  Y  N  NA  
 Bottles Intact  Y  N  NA  
 Correct Bottles  Y  N  NA  
 Sufficient Volume  Y  N  NA  
 Samples Received on Ice  Y  N  NA  
 VOA - Headspace Acceptable  Y  N  NA  
 USDA Regulated Soils  Y  N  NA  
 Samples in Holding Time  Y  N  NA  
 Residual Chlorine Present  Y  N  NA  
 Cl Strips:  
 Sample pH Acceptable  Y  N  NA  
 pH Strips:  
 Sulfide Present  Y  N  NA  
 Lead Acetate Strips:

LAB USE ONLY:  
 Lab Sample # / Comments  
**1042478**

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None

SHORT HOLDS PRESENT (<72 hours): Y N N/A

LAB Sample Temperature Info:

#Error

Packing Material Used:

LAB Tracking #: **4430 3422 8520**

Temp Blank Received: Y N NA

#Error

Radchem sample(s) screened (<500 cpm): Y N NA

Samples received via:  
 FEDEX UPS Client Courier Pace Courier

Therm ID#: **082**

Relinquished by/Company: (Signature)  
**Kurt Hockstore**

Date/Time: **7:15**  
**11-7-18**

Received by/Company: (Signature)  
**[Signature]** **801**

Date/Time: **11/8/18 8:45**

**E230**

Cooler 1 Temp Upon Receipt **02.0** °C  
 Cooler 1 Therm Corr. Factor **0.0** °C  
 Cooler 1 Corrected Temp **0.0** °C

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

Acctnum: **HILCORANM**

Comments:  
 Trip Blank Received: Y N NA

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

Template:  
 Prelogin:  
 PM: **288 - Daphne Richards**  
 PB:

HCL MeOH TSP Other  
 NonConformance(s) Page  
 YES / NO of

August 17, 2018

## HilCorp-Farmington, NM

Sample Delivery Group: L1016992  
Samples Received: 08/11/2018  
Project Number:  
Description:  
Site: CHACON FED #2  
Report To: Kurt Hoekstra  
382 Road 3100  
Aztec, NM 87401

Entire Report Reviewed By:



Olivia Studebaker  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



# TABLE OF CONTENTS



|  |           |
|--|-----------|
| <b>Cp: Cover Page</b>  | <b>1</b>  |
| <b>Tc: Table of Contents</b>                                   | <b>2</b>  |
| <b>Ss: Sample Summary</b>                                      | <b>3</b>  |
| <b>Cn: Case Narrative</b>                                      | <b>4</b>  |
| <b>Sr: Sample Results</b>                                      | <b>5</b>  |
| <b>    BIOPILE SAMPLE #1 L1016992-01</b>                       | <b>5</b>  |
| <b>    BIOPILE SAMPLE #2 L1016992-02</b>                       | <b>6</b>  |
| <b>    BIOPILE SAMPLE #3 L1016992-03</b>                       | <b>7</b>  |
| <b>    BIOPILE SAMPLE #4 L1016992-04</b>                       | <b>8</b>  |
| <b>    BIOPILE SAMPLE #5 L1016992-05</b>                       | <b>9</b>  |
| <b>    BIOPILE SAMPLE #6 L1016992-06</b>                       | <b>10</b> |
| <b>Qc: Quality Control Summary</b>                             | <b>11</b> |
| <b>    Wet Chemistry by Method 9056A</b>                       | <b>11</b> |
| <b>    Volatile Organic Compounds (GC) by Method 8015/8021</b> | <b>13</b> |
| <b>    Semi-Volatile Organic Compounds (GC) by Method 8015</b> | <b>15</b> |
| <b>Gl: Glossary of Terms</b>                                   | <b>16</b> |
| <b>Al: Accreditations &amp; Locations</b>                      | <b>17</b> |
| <b>Sc: Sample Chain of Custody</b>                             | <b>18</b> |



# SAMPLE SUMMARY

ONE LAB. NATIONWIDE.

## BIOPILE SAMPLE #1 L1016992-01 Solid

Collected by: Travis  
Collected date/time: 08/09/18 11:00  
Received date/time: 08/11/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1151278 | 1        | 08/13/18 07:19        | 08/13/18 12:59     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1152271 | 1        | 08/14/18 08:57        | 08/15/18 04:49     | LRL     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1152138 | 1        | 08/15/18 07:28        | 08/16/18 17:40     | MTJ     |

1 Cp

2 Tc

## BIOPILE SAMPLE #2 L1016992-02 Solid

Collected by: Travis  
Collected date/time: 08/09/18 10:50  
Received date/time: 08/11/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1151278 | 1        | 08/13/18 07:19        | 08/13/18 13:08     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1152271 | 1        | 08/14/18 08:57        | 08/15/18 05:13     | LRL     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1152138 | 1        | 08/15/18 07:28        | 08/16/18 00:14     | MG      |

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## BIOPILE SAMPLE #3 L1016992-03 Solid

Collected by: Travis  
Collected date/time: 08/09/18 10:45  
Received date/time: 08/11/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1151278 | 1        | 08/13/18 07:19        | 08/13/18 13:26     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1152271 | 1        | 08/14/18 08:57        | 08/15/18 05:37     | LRL     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1152138 | 1        | 08/15/18 07:28        | 08/16/18 00:27     | MG      |

## BIOPILE SAMPLE #4 L1016992-04 Solid

Collected by: Travis  
Collected date/time: 08/09/18 10:40  
Received date/time: 08/11/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1151278 | 1        | 08/13/18 07:19        | 08/13/18 13:34     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1152271 | 1        | 08/14/18 08:57        | 08/15/18 06:01     | LRL     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1152138 | 1        | 08/15/18 07:28        | 08/16/18 00:40     | MG      |

## BIOPILE SAMPLE #5 L1016992-05 Solid

Collected by: Travis  
Collected date/time: 08/09/18 10:35  
Received date/time: 08/11/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1151278 | 1        | 08/13/18 07:19        | 08/13/18 14:01     | MAJ     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1152271 | 1        | 08/14/18 08:57        | 08/15/18 06:25     | LRL     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1152138 | 1        | 08/15/18 07:28        | 08/16/18 00:52     | MG      |

## BIOPILE SAMPLE #6 L1016992-06 Solid

Collected by: Travis  
Collected date/time: 08/09/18 10:28  
Received date/time: 08/11/18 08:45

| Method  | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst |
|---|-----------|----------|-----------------------|--------------------|---------|
| Wet Chemistry by Method 9056A                       | WG1152596 | 1        | 08/15/18 12:05        | 08/15/18 15:56     | ELN     |
| Volatile Organic Compounds (GC) by Method 8015/8021 | WG1152271 | 1        | 08/14/18 08:57        | 08/15/18 06:50     | LRL     |
| Semi-Volatile Organic Compounds (GC) by Method 8015 | WG1152138 | 1        | 08/15/18 07:28        | 08/16/18 01:05     | MG      |



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Olivia Studebaker  
Project Manager

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

BIOWILE SAMPLE #1

Collected date/time: 08/09/18 11:00

SAMPLE RESULTS - 01

L1016992

ONE LAB. NATIONWIDE.



Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL   | Dilution | Analysis         | Batch                     |
|----------|--------|-----------|-------|----------|------------------|---------------------------|
|          | mg/kg  |           | mg/kg |          | date / time      |                           |
| Chloride | 110    |           | 10.0  | 1        | 08/13/2018 12:59 | <a href="#">WG1151278</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                | Result  | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|--|---------|-----------|----------|----------|------------------|---------------------------|
|  | mg/kg   |           | mg/kg    |          | date / time      |                           |
| Benzene                                | ND      |           | 0.000500 | 1        | 08/15/2018 04:49 | <a href="#">WG1152271</a> |
| Toluene                                | ND      |           | 0.00500  | 1        | 08/15/2018 04:49 | <a href="#">WG1152271</a> |
| Ethylbenzene                           | ND      |           | 0.000500 | 1        | 08/15/2018 04:49 | <a href="#">WG1152271</a> |
| Total Xylene                           | 0.00322 |           | 0.00150  | 1        | 08/15/2018 04:49 | <a href="#">WG1152271</a> |
| TPH (GC/FID) Low Fraction              | 0.658   |           | 0.100    | 1        | 08/15/2018 04:49 | <a href="#">WG1152271</a> |
| <i>(S) a,a,a-Trifluorotoluene(FID)</i> | 97.6    |           | 77.0-120 |          | 08/15/2018 04:49 | <a href="#">WG1152271</a> |
| <i>(S) a,a,a-Trifluorotoluene(PID)</i> | 97.5    |           | 75.0-128 |          | 08/15/2018 04:49 | <a href="#">WG1152271</a> |

3 Ss

4 Cn

6 Qc

7 Gl

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                | Result | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|------------------------|--------|-----------|----------|----------|------------------|---------------------------|
|                        | mg/kg  |           | mg/kg    |          | date / time      |                           |
| C10-C28 Diesel Range   | 147    |           | 4.00     | 1        | 08/16/2018 17:40 | <a href="#">WG1152138</a> |
| C28-C40 Oil Range      | 62.1   |           | 4.00     | 1        | 08/16/2018 17:40 | <a href="#">WG1152138</a> |
| <i>(S) o-Terphenyl</i> | 77.9   |           | 18.0-148 |          | 08/16/2018 17:40 | <a href="#">WG1152138</a> |

8 Al

9 Sc

BIOWILE SAMPLE #2

Collected date/time: 08/09/18 10:50

SAMPLE RESULTS - 02

L1016992

ONE LAB. NATIONWIDE.



Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch                     |
|----------|--------|-----------|------|----------|----------------------|---------------------------|
| Chloride | 169    |           | 10.0 | 1        | 08/13/2018 13:08     | <a href="#">WG1151278</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result  | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|---------------------------------|---------|-----------|----------|----------|----------------------|---------------------------|
| Benzene                         | ND      |           | 0.000500 | 1        | 08/15/2018 05:13     | <a href="#">WG1152271</a> |
| Toluene                         | ND      |           | 0.00500  | 1        | 08/15/2018 05:13     | <a href="#">WG1152271</a> |
| Ethylbenzene                    | ND      |           | 0.000500 | 1        | 08/15/2018 05:13     | <a href="#">WG1152271</a> |
| Total Xylene                    | 0.00243 |           | 0.00150  | 1        | 08/15/2018 05:13     | <a href="#">WG1152271</a> |
| TPH (GC/FID) Low Fraction       | 0.468   |           | 0.100    | 1        | 08/15/2018 05:13     | <a href="#">WG1152271</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 97.4    |           | 77.0-120 |          | 08/15/2018 05:13     | <a href="#">WG1152271</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 96.7    |           | 75.0-128 |          | 08/15/2018 05:13     | <a href="#">WG1152271</a> |

3 Ss

4 Cn

6 Qc

7 GI

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|----------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 136    |           | 4.00     | 1        | 08/16/2018 00:14     | <a href="#">WG1152138</a> |
| C28-C40 Oil Range    | 61.3   |           | 4.00     | 1        | 08/16/2018 00:14     | <a href="#">WG1152138</a> |
| (S) o-Terphenyl      | 64.4   |           | 18.0-148 |          | 08/16/2018 00:14     | <a href="#">WG1152138</a> |

8 AI

9 Sc

BIOWILE SAMPLE #3

Collected date/time: 08/09/18 10:45

SAMPLE RESULTS - 03

L1016992

ONE LAB. NATIONWIDE.



Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL   | Dilution | Analysis         | Batch                     |
|----------|--------|-----------|-------|----------|------------------|---------------------------|
|          | mg/kg  |           | mg/kg |          | date / time      |                           |
| Chloride | 128    |           | 10.0  | 1        | 08/13/2018 13:26 | <a href="#">WG1151278</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                | Result   | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|--|----------|-----------|----------|----------|------------------|---------------------------|
|  | mg/kg    |           | mg/kg    |          | date / time      |                           |
| Benzene                                | 0.000524 |           | 0.000500 | 1        | 08/15/2018 05:37 | <a href="#">WG1152271</a> |
| Toluene                                | ND       |           | 0.00500  | 1        | 08/15/2018 05:37 | <a href="#">WG1152271</a> |
| Ethylbenzene                           | ND       |           | 0.000500 | 1        | 08/15/2018 05:37 | <a href="#">WG1152271</a> |
| Total Xylene                           | ND       |           | 0.00150  | 1        | 08/15/2018 05:37 | <a href="#">WG1152271</a> |
| TPH (GC/FID) Low Fraction              | 0.207    |           | 0.100    | 1        | 08/15/2018 05:37 | <a href="#">WG1152271</a> |
| <i>(S) a,a,a-Trifluorotoluene(FID)</i> | 97.7     |           | 77.0-120 |          | 08/15/2018 05:37 | <a href="#">WG1152271</a> |
| <i>(S) a,a,a-Trifluorotoluene(PID)</i> | 97.0     |           | 75.0-128 |          | 08/15/2018 05:37 | <a href="#">WG1152271</a> |

3 Ss

4 Cn

6 Qc

7 Gl

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                | Result | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|------------------------|--------|-----------|----------|----------|------------------|---------------------------|
|                        | mg/kg  |           | mg/kg    |          | date / time      |                           |
| C10-C28 Diesel Range   | 65.7   |           | 4.00     | 1        | 08/16/2018 00:27 | <a href="#">WG1152138</a> |
| C28-C40 Oil Range      | 34.2   |           | 4.00     | 1        | 08/16/2018 00:27 | <a href="#">WG1152138</a> |
| <i>(S) o-Terphenyl</i> | 60.8   |           | 18.0-148 |          | 08/16/2018 00:27 | <a href="#">WG1152138</a> |

8 Al

9 Sc

BIOWILE SAMPLE #4

Collected date/time: 08/09/18 10:40

SAMPLE RESULTS - 04

L1016992

ONE LAB. NATIONWIDE.



Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL   | Dilution | Analysis         | Batch                     |
|----------|--------|-----------|-------|----------|------------------|---------------------------|
|          | mg/kg  |           | mg/kg |          | date / time      |                           |
| Chloride | 126    |           | 10.0  | 1        | 08/13/2018 13:34 | <a href="#">WG1151278</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                                | Result | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|--|--------|-----------|----------|----------|------------------|---------------------------|
|  | mg/kg  |           | mg/kg    |          | date / time      |                           |
| Benzene                                | ND     |           | 0.000500 | 1        | 08/15/2018 06:01 | <a href="#">WG1152271</a> |
| Toluene                                | ND     |           | 0.00500  | 1        | 08/15/2018 06:01 | <a href="#">WG1152271</a> |
| Ethylbenzene                           | ND     |           | 0.000500 | 1        | 08/15/2018 06:01 | <a href="#">WG1152271</a> |
| Total Xylene                           | ND     |           | 0.00150  | 1        | 08/15/2018 06:01 | <a href="#">WG1152271</a> |
| TPH (GC/FID) Low Fraction              | ND     |           | 0.100    | 1        | 08/15/2018 06:01 | <a href="#">WG1152271</a> |
| <i>(S) a,a,a-Trifluorotoluene(FID)</i> | 98.1   |           | 77.0-120 |          | 08/15/2018 06:01 | <a href="#">WG1152271</a> |
| <i>(S) a,a,a-Trifluorotoluene(PID)</i> | 97.3   |           | 75.0-128 |          | 08/15/2018 06:01 | <a href="#">WG1152271</a> |

3 Ss

4 Cn

6 Qc

7 Gl

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte                | Result | Qualifier | RDL      | Dilution | Analysis         | Batch                     |
|------------------------|--------|-----------|----------|----------|------------------|---------------------------|
|                        | mg/kg  |           | mg/kg    |          | date / time      |                           |
| C10-C28 Diesel Range   | 50.5   |           | 4.00     | 1        | 08/16/2018 00:40 | <a href="#">WG1152138</a> |
| C28-C40 Oil Range      | 35.8   |           | 4.00     | 1        | 08/16/2018 00:40 | <a href="#">WG1152138</a> |
| <i>(S) o-Terphenyl</i> | 62.7   |           | 18.0-148 |          | 08/16/2018 00:40 | <a href="#">WG1152138</a> |

5 Al

9 Sc

BIOWILE SAMPLE #5

Collected date/time: 08/09/18 10:35

SAMPLE RESULTS - 05

L1016992

ONE LAB. NATIONWIDE.



Wet Chemistry by Method 9056A

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch                     |
|----------|--------|-----------|------|----------|----------------------|---------------------------|
| Chloride | 89.9   |           | 10.0 | 1        | 08/13/2018 14:01     | <a href="#">WG1151278</a> |

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015/8021

| Analyte                         | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|---------------------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| Benzene                         | ND     |           | 0.000500 | 1        | 08/15/2018 06:25     | <a href="#">WG1152271</a> |
| Toluene                         | ND     |           | 0.00500  | 1        | 08/15/2018 06:25     | <a href="#">WG1152271</a> |
| Ethylbenzene                    | ND     |           | 0.000500 | 1        | 08/15/2018 06:25     | <a href="#">WG1152271</a> |
| Total Xylene                    | ND     |           | 0.00150  | 1        | 08/15/2018 06:25     | <a href="#">WG1152271</a> |
| TPH (GC/FID) Low Fraction       | ND     |           | 0.100    | 1        | 08/15/2018 06:25     | <a href="#">WG1152271</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 97.8   |           | 77.0-120 |          | 08/15/2018 06:25     | <a href="#">WG1152271</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 97.1   |           | 75.0-128 |          | 08/15/2018 06:25     | <a href="#">WG1152271</a> |

3 Ss

4 Cn

6 Qc

7 Gl

Semi-Volatile Organic Compounds (GC) by Method 8015

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|----------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 29.8   |           | 4.00     | 1        | 08/16/2018 00:52     | <a href="#">WG1152138</a> |
| C28-C40 Oil Range    | 22.4   |           | 4.00     | 1        | 08/16/2018 00:52     | <a href="#">WG1152138</a> |
| (S) o-Terphenyl      | 52.3   |           | 18.0-148 |          | 08/16/2018 00:52     | <a href="#">WG1152138</a> |

8 Al

9 Sc

**BIOPILE SAMPLE #6**

Collected date/time: 08/09/18 10:28

**SAMPLE RESULTS - 06**

L1016992

ONE LAB. NATIONWIDE.



**Wet Chemistry by Method 9056A**

| Analyte  | Result | Qualifier | RDL  | Dilution | Analysis date / time | Batch                     |
|----------|--------|-----------|------|----------|----------------------|---------------------------|
| Chloride | 93.6   |           | 10.0 | 1        | 08/15/2018 15:56     | <a href="#">WG1152596</a> |

<sup>1</sup> Cp

<sup>2</sup> Tc

**Volatile Organic Compounds (GC) by Method 8015/8021**

| Analyte                         | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|---------------------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| Benzene                         | ND     |           | 0.000500 | 1        | 08/15/2018 06:50     | <a href="#">WG1152271</a> |
| Toluene                         | ND     |           | 0.00500  | 1        | 08/15/2018 06:50     | <a href="#">WG1152271</a> |
| Ethylbenzene                    | ND     |           | 0.000500 | 1        | 08/15/2018 06:50     | <a href="#">WG1152271</a> |
| Total Xylene                    | ND     |           | 0.00150  | 1        | 08/15/2018 06:50     | <a href="#">WG1152271</a> |
| TPH (GC/FID) Low Fraction       | ND     |           | 0.100    | 1        | 08/15/2018 06:50     | <a href="#">WG1152271</a> |
| (S) a,a,a-Trifluorotoluene(FID) | 98.0   |           | 77.0-120 |          | 08/15/2018 06:50     | <a href="#">WG1152271</a> |
| (S) a,a,a-Trifluorotoluene(PID) | 97.3   |           | 75.0-128 |          | 08/15/2018 06:50     | <a href="#">WG1152271</a> |

<sup>3</sup> Ss

<sup>4</sup> Cn

**Semi-Volatile Organic Compounds (GC) by Method 8015**

| Analyte              | Result | Qualifier | RDL      | Dilution | Analysis date / time | Batch                     |
|----------------------|--------|-----------|----------|----------|----------------------|---------------------------|
| C10-C28 Diesel Range | 17.7   |           | 4.00     | 1        | 08/16/2018 01:05     | <a href="#">WG1152138</a> |
| C28-C40 Oil Range    | 14.9   |           | 4.00     | 1        | 08/16/2018 01:05     | <a href="#">WG1152138</a> |
| (S) o-Terphenyl      | 55.1   |           | 18.0-148 |          | 08/16/2018 01:05     | <a href="#">WG1152138</a> |

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Method Blank (MB)

(MB) R3333151-1 08/13/18 11:58

| Analyte  | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------|--------------------|--------------|-----------------|-----------------|
| Chloride | U                  |              | 0.795           | 10.0            |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

L1016992-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1016992-02 08/13/18 13:08 • (DUP) R3333151-4 08/13/18 13:17

| Analyte  | Original Result<br>mg/kg | DUP Result<br>mg/kg | Dilution | DUP RPD<br>% | DUP Qualifier | DUP RPD<br>Limits<br>% |
|----------|--------------------------|---------------------|----------|--------------|---------------|------------------------|
| Chloride | 169                      | 148                 | 1        | 13.2         |               | 15                     |

<sup>4</sup> Cn

<sup>5</sup> Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3333151-2 08/13/18 12:07 • (LCSD) R3333151-3 08/13/18 12:15

| Analyte  | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Chloride | 200                   | 201                 | 201                  | 100           | 100            | 80.0-120         |               |                | 0.000498 | 15              |

<sup>7</sup> Gl

<sup>8</sup> Al

L1016992-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1016992-04 08/13/18 13:34 • (MS) R3333151-5 08/13/18 13:43 • (MSD) R3333151-6 08/13/18 13:52

| Analyte  | Spike Amount<br>mg/kg | Original Result<br>mg/kg | MS Result<br>mg/kg | MSD Result<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|--------------------------|--------------------|---------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Chloride | 500                   | 126                      | 611                | 636                 | 97.0         | 102           | 1        | 80.0-120         |              |               | 4.02     | 15              |

<sup>9</sup> Sc



Method Blank (MB)

(MB) R3334140-1 08/15/18 14:25

| Analyte  | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|----------|--------------------|--------------|-----------------|-----------------|
| Chloride | U                  |              | 0.795           | 10.0            |

1 Cp

2 Tc

3 Ss

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3334140-2 08/15/18 14:44 • (LCSD) R3334140-3 08/15/18 15:02

| Analyte  | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Chloride | 200                   | 213                 | 215                  | 106           | 107            | 80.0-120         |               |                | 0.862    | 15              |

4 Cn

5 Sr

7 GI

8 Al

9 Sc



Method Blank (MB)

(MB) R3333797-5 08/15/18 04:25

| Analyte                            | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|------------------------------------|--------------------|--------------|-----------------|-----------------|
| Benzene                            | U                  |              | 0.000120        | 0.000500        |
| Toluene                            | U                  |              | 0.000150        | 0.00500         |
| Ethylbenzene                       | U                  |              | 0.000110        | 0.000500        |
| Total Xylene                       | U                  |              | 0.000460        | 0.00150         |
| TPH (GC/FID) Low Fraction          | U                  |              | 0.0217          | 0.100           |
| (S)<br>a,a,a-Trifluorotoluene(FID) | 99.9               |              |                 | 77.0-120        |
| (S)<br>a,a,a-Trifluorotoluene(PID) | 99.5               |              |                 | 75.0-128        |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3333797-1 08/15/18 02:00 • (LCSD) R3333797-2 08/15/18 02:49

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Benzene                            | 0.0500                | 0.0555              | 0.0564               | 111           | 113            | 71.0-121         |               |                | 1.62     | 20              |
| Toluene                            | 0.0500                | 0.0530              | 0.0536               | 106           | 107            | 72.0-120         |               |                | 1.01     | 20              |
| Ethylbenzene                       | 0.0500                | 0.0545              | 0.0556               | 109           | 111            | 76.0-121         |               |                | 1.98     | 20              |
| Total Xylene                       | 0.150                 | 0.171               | 0.174                | 114           | 116            | 75.0-124         |               |                | 1.69     | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 99.7          | 99.5           | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 98.9          | 98.6           | 75.0-128         |               |                |          |                 |

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3333797-3 08/15/18 03:13 • (LCSD) R3333797-4 08/15/18 03:37

| Analyte                            | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| TPH (GC/FID) Low Fraction          | 5.50                  | 6.00                | 5.77                 | 109           | 105            | 70.0-136         |               |                | 3.93     | 20              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                     |                      | 106           | 105            | 77.0-120         |               |                |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                     |                      | 104           | 106            | 75.0-128         |               |                |          |                 |



Volatile Organic Compounds (GC) by Method 8015/8021

[L1016992-01,02,03,04,05,06](#)

L1017291-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1017291-12 08/15/18 11:38 • (MS) R3333797-6 08/15/18 12:02 • (MSD) R3333797-7 08/15/18 12:26

| Analyte                            | Spike Amount<br>mg/kg | Original Result<br>mg/kg | MS Result<br>mg/kg | MSD Result<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|--------------------------|--------------------|---------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| Benzene                            | 0.0500                | ND                       | 0.0198             | 0.0360              | 39.4         | 71.7          | 1        | 10.0-146         |              | J3            | 57.9     | 29              |
| Toluene                            | 0.0500                | ND                       | 0.0136             | 0.0318              | 27.1         | 63.6          | 1        | 10.0-143         |              | J3            | 80.4     | 30              |
| Ethylbenzene                       | 0.0500                | ND                       | 0.00899            | 0.0293              | 18.0         | 58.6          | 1        | 10.0-147         |              | J3            | 106      | 31              |
| Total Xylene                       | 0.150                 | ND                       | 0.0285             | 0.0901              | 19.0         | 60.1          | 1        | 10.0-149         | J6           | J3 J6         | 104      | 30              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                          |                    |                     | 96.8         | 97.9          |          | 77.0-120         |              |               |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                          |                    |                     | 95.4         | 96.3          |          | 75.0-128         |              |               |          |                 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

L1017291-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1017291-12 08/15/18 11:38 • (MS) R3333797-8 08/15/18 12:50 • (MSD) R3333797-9 08/15/18 13:14

| Analyte                            | Spike Amount<br>mg/kg | Original Result<br>mg/kg | MS Result<br>mg/kg | MSD Result<br>mg/kg | MS Rec.<br>% | MSD Rec.<br>% | Dilution | Rec. Limits<br>% | MS Qualifier | MSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------------------|-----------------------|--------------------------|--------------------|---------------------|--------------|---------------|----------|------------------|--------------|---------------|----------|-----------------|
| TPH (GC/FID) Low Fraction          | 5.50                  | 0.160                    | 1.95               | 1.74                | 32.6         | 28.7          | 1        | 10.0-147         |              |               | 11.6     | 30              |
| (S)<br>a,a,a-Trifluorotoluene(FID) |                       |                          |                    |                     | 97.4         | 97.2          |          | 77.0-120         |              |               |          |                 |
| (S)<br>a,a,a-Trifluorotoluene(PID) |                       |                          |                    |                     | 97.2         | 97.2          |          | 75.0-128         |              |               |          |                 |

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3334159-1 08/15/18 21:55

| Analyte                | MB Result<br>mg/kg | MB Qualifier | MB MDL<br>mg/kg | MB RDL<br>mg/kg |
|------------------------|--------------------|--------------|-----------------|-----------------|
| C10-C28 Diesel Range   | U                  |              | 1.61            | 4.00            |
| C28-C40 Oil Range      | U                  |              | 0.274           | 4.00            |
| <i>(S) o-Terphenyl</i> | 67.0               |              |                 | 18.0-148        |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3334159-2 08/15/18 22:08 • (LCSD) R3334159-3 08/15/18 22:20

| Analyte                | Spike Amount<br>mg/kg | LCS Result<br>mg/kg | LCSD Result<br>mg/kg | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|------------------------|-----------------------|---------------------|----------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| C10-C28 Diesel Range   | 50.0                  | 29.7                | 32.1                 | 59.4          | 64.2           | 50.0-150         |               |                | 7.77     | 20              |
| <i>(S) o-Terphenyl</i> |                       |                     |                      | 65.6          | 68.6           | 18.0-148         |               |                |          |                 |

<sup>5</sup> Sr

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

|                              |  |
|------------------------------|--|
| MDL                          | Method Detection Limit.  |
| ND                           | Not detected at the Reporting Limit (or MDL where applicable).   |
| RDL                          | Reported Detection Limit.  |
| Rec.                         | Recovery.  |
| RPD                          | Relative Percent Difference.   |
| SDG                          | Sample Delivery Group.   |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.   |
| U                            | Not detected at the Reporting Limit (or MDL where applicable).   |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.   |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.  |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.  |
| Original Sample              | The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.  |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.  |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.  |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.  |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.   |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.  |

Qualifier Description

|    |   |
|----|---|
| J3 | The associated batch QC was outside the established quality control range for precision.              |
| J6 | The sample matrix interfered with the ability to make any accurate determination; spike value is low. |

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

8 Al

9 Sc



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.  
 \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.



## State Accreditations

|                         |             |                             |                   |
|-------------------------|-------------|-----------------------------|-------------------|
| Alabama                 | 40660       | Nebraska                    | NE-05-15-05       |
| Alaska                  | 17-026      | Nevada                      | TN-03-2002-34     |
| Arizona                 | AZ0612      | New Hampshire               | 2975              |
| Arkansas                | 88-0469     | New Jersey-NELAP            | TN002             |
| California              | 2932        | New Mexico <sup>1</sup>     | n/a               |
| Colorado                | TN00003     | New York                    | 11742             |
| Connecticut             | PH-0197     | North Carolina              | Env375            |
| Florida                 | E87487      | North Carolina <sup>1</sup> | DW21704           |
| Georgia                 | NELAP       | North Carolina <sup>3</sup> | 41                |
| Georgia <sup>1</sup>    | 923         | North Dakota                | R-140             |
| Idaho                   | TN00003     | Ohio-VAP                    | CL0069            |
| Illinois                | 200008      | Oklahoma                    | 9915              |
| Indiana                 | C-TN-01     | Oregon                      | TN200002          |
| Iowa                    | 364         | Pennsylvania                | 68-02979          |
| Kansas                  | E-10277     | Rhode Island                | LA000356          |
| Kentucky <sup>1,6</sup> | 90010       | South Carolina              | 84004             |
| Kentucky <sup>2</sup>   | 16          | South Dakota                | n/a               |
| Louisiana               | AI30792     | Tennessee <sup>1,4</sup>    | 2006              |
| Louisiana <sup>1</sup>  | LA180010    | Texas                       | T 104704245-17-14 |
| Maine                   | TN0002      | Texas <sup>5</sup>          | LAB0152           |
| Maryland                | 324         | Utah                        | TN00003           |
| Massachusetts           | M-TN003     | Vermont                     | VT2006            |
| Michigan                | 9958        | Virginia                    | 460132            |
| Minnesota               | 047-999-395 | Washington                  | C847              |
| Mississippi             | TN00003     | West Virginia               | 233               |
| Missouri                | 340         | Wisconsin                   | 9980939910        |
| Montana                 | CERT0086    | Wyoming                     | A2LA              |


## Third Party Federal Accreditations

|                               |         |                    |               |
|-------------------------------|---------|--------------------|---------------|
| A2LA – ISO 17025              | 1461.01 | AIHA-LAP,LLC EMLAP | 100789        |
| A2LA – ISO 17025 <sup>5</sup> | 1461.02 | DOD                | 1461.01       |
| Canada                        | 1461.01 | USDA               | P330-15-00234 |
| EPA-Crypto                    | TN00003 |                    |               |

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



**HilCorp**  
**382 Road 3100**  
**Aztec, NM 87401**

Billing Information:

Analysis / Container / Preservative

Chain of Custody Page    of   



12065 Lebanon Rd  
 Mount Juliet, TN 37122  
 Phone: 615-758-5858  
 Phone: 800-767-5859  
 Fax: 615-758-5859

L# 1016992  
**F178**

Report to:  
**Kurt Hoekstra**

Email: L.DUMAS@hilcorp.com  
T.MUNKRES@hilcorp.com  
**khoekstra@hilcorp.com**

Project Description:

City/State Collected:

Phone: 505-486-9543  
 Fax:

Client Project #  
 Lab Project #

Collected by (print):  
**TRAVIS**

Site/Facility ID #  
CHADON FED #2

Collected by (signature):  
**TRAVIS MUNKRES**

Rush? (Lab MUST Be Notified)  
 Same Day  Five Day  
 Next Day  5 Day (Rad Only)  
 Two Day  10 Day (Rad Only)  
 Three Day

Immediately Packed on Ice: N  Y

| Sample ID         | Comp/Grab | Matrix * | Depth | Date   | Time  | No. of Cntrs | TPH 8015 - DRG, GPO, NRE | BTEX 8021 | CHLORIDES |
|-------------------|-----------|----------|-------|--------|-------|--------------|--------------------------|-----------|-----------|
| Biopile Sample #1 | Comp      | SS       |       | 8-9-18 | 11:00 | 1            | X                        | X         | X         |
| " #2              | "         | "        |       | "      | 10:50 | 1            | X                        | X         | X         |
| " #3              | "         | "        |       | "      | 10:45 | 1            | X                        | X         | X         |
| " #4              | "         | "        |       | "      | 10:40 | 1            | X                        | X         | X         |
| " #5              | "         | "        |       | "      | 10:35 | 1            | X                        | X         | X         |

\* Matrix:  
 SS - Soil AIR - Air F - Filter  
 GW - Groundwater B - Bioassay  
 WW - WasteWater  
 DW - Drinking Water  
 OT - Other

Remarks:  
 Samples returned via:  
 UPS  FedEx  Courier

Sample Receipt Checklist  
 COC Seal Present/Intact:  Y  N  
 COC Signed/Accurate:  Y  N  
 Bottles arrive intact:  Y  N  
 Correct bottles used:  Y  N  
 Sufficient volume sent:  Y  N  
 If Applicable  
 VOA Zero Headspace:  Y  N  
 Preservation Correct/Checked:  Y  N

Relinquished by: (Signature)  
**TRAVIS MUNKRES**

Date: 8-10-18  
 Time: 7:35

Received by: (Signature)  
 Trip Blank Received: Yes/No  
 HCL/MeOH  TBR

Temp: 1.2 °C  
 Bottles Received: 6

If preservation required by Login: Date/Time  
**L.S MR/HR**

Relinquished by: (Signature)  
**Kurt Hoekstra**

Date: 8-10-18  
 Time: 8:07

Received for lab by: (Signature)  
**asm**

Date: 8/11/18  
 Time: 845

Hold:  Condition:  OK