

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
NMSF079050C

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.  
891001051B

8. Well Name and No.  
SAN JUAN 28-6 UNIT 148

9. API Well No.  
30-039-20307-00-S1

10. Field and Pool or Exploratory Area  
BASIN DAKOTA

11. County or Parish, State  
RIO ARRIBA COUNTY, NM

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
HILCORP ENERGY COMPANY  
Contact: TAMMY JONES  
E-Mail: tajones@hilcorp.com

3a. Address  
1111 TRAVIS STREET  
HOUSTON, TX 77002

3b. Phone No. (include area code)  
Ph: 505.324.5185

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Sec 28 T28N R6W NWNE 0800FNL 1460FEL  
36.637310 N Lat, 107.467880 W Lon

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Hilcorp Energy Company plans to recomplete the subject well in the Mesaverde formation and downhole commingle with the existing Dakota. Attached is the MV C102, recomplete procedure, wellbore schematic & gas capture plan. The DHC application will be submitted and approved prior to commingling. A closed loop system will be utilized. Interim reclamation will be performed after surface disturbing activities. Onsite inspection was completed with Randy McKee (BLM) and Travis Munkres (HEC) on 11/13/2019, see attached reclamation plan.

**NMOGD**

**DEC 18 2019**

**DISTRICT III**

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #495908 verified by the BLM Well Information System  
For HILCORP ENERGY COMPANY, sent to the Farmington  
Committed to AFMSS for processing by ALBERT A WETHINGTON on 12/16/2019 (20AMW0100SE)**

Name (Printed/Typed) TAMMY JONES Title REGULATORY SPECIALIST

Signature (Electronic Submission) Date 12/16/2019

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By JOE KILLINS Title ENGINEER Date 12/16/2019

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

*AV*

*5*

**District I**1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720**District II**811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720**District III**1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170**District IV**1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462Form C-102  
August 1, 2011

Permit 274247

**State of New Mexico**  
**Energy, Minerals and Natural**  
**Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

1. API Number 30-039-20307	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 148
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6449


**10. Surface Location**

UL - Lot B	Section 28	Township 28N	Range 06W	Lot Idn	Feet From 800	N/S Line N	Feet From 1460	E/W Line E	County RIO ARRIBA
---------------	---------------	-----------------	--------------	---------	------------------	---------------	-------------------	---------------	----------------------

**11. Bottom Hole Location If Different From Surface**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 320.00	13. Joint or Infill			14. Consolidation Code			15. Order No.		

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**

	<p style="text-align: center;"><b>OPERATOR CERTIFICATION</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By: <i>Tammy Jones</i> Title: Operations/Regulatory Technician - Sr. Date: 12/16/2019</p> <hr/> <p style="text-align: center;"><b>SURVEYOR CERTIFICATION</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By: David Kilven Date of Survey: 3/11/1970 Certificate Number: 1760</p>
---	--



HILCORP ENERGY COMPANY  
SAN JUAN 28-6 UNIT 148  
MESA VERDE RECOMPLETION SUNDRY

JOB PROCEDURES

1. MIRU service rig and associated equipment; test BOP. Check bradenhead pressures daily and record throughout the recomplete project. Notify NMOCD and BLM of any anomalous pressure changes.
2. TOOH with **1.9"** tubing set at **7,696'**.
3. Set a **4-1/2"** plug at +/- **7,429'** to isolate the **Dakota**.
4. Load the hole and perform MIT (Pressure test to **560 psi**). Notify NMOCD and BLM +/-24hr prior to testing (and in the event of a failed test).
5. RU W/L, run CBL, record TOC.
6. Set a **4-1/2"** plug at +/- **5,950'**.
7. Load the hole and pressure test the casing.
8. N/D BOP, N/U frac stack and pressure test frac stack.
9. Perforate and frac the **Mesaverde** formation (Top Perforation @ **4,850'**; Bottom Perforation @ **5,800'**).
10. If needed, isolate frac stages with a plug.
11. Nipple down frac stack, nipple up BOP and test.
12. TIH with a mill and drill out any plugs above the **Dakota** isolation plug.
13. Clean out to **Dakota** isolation plug.
14. Drill out **Dakota** isolation plug and cleanout to PBTD of **7,744'**. TOOH.
15. TIH and land production tubing. Get a commingled **Dakota/Mesaverde** flow rate.



**HILCORP ENERGY COMPANY**  
**SAN JUAN 28-6 UNIT 148**  
**MESA VERDE RECOMPLETION SUNDRY**

SAN JUAN 28-6 UNIT 148 - CURRENT WELLBORE SCHEMATIC




**Current Schematic - Version 3**

**Well Name: SAN JUAN 28-6 UNIT #148**

API / UWI 3003920307	Surface Legal Location 028-028N-006W-B	Field Name BASIN DAKOTA (PRORATED GAS)	Route 1303	State/Province NEW MEXICO	Well Configuration Type VERTICAL
Ground Elevation (ft) 6,449.00	Original KB RT Elevation (ft) 6,462.60	KB-Ground Distance (ft) 13.60	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

VERTICAL, Original Hole, 10/31/2019 3:43:53 PM



Hilcorp Energy  
Recomplete Reclamation Plan  
**SAN JUAN 28-6 UNIT 148**  
API: 30-039-20307  
T28N-R06W-Sec. 28-B  
LAT: 36.63731 LONG: -107.46788  
Footage: 800' FNL & 1460' FEL  
Rio Arriba County, NM

**1. PRE- RECLAMATION SITE INSPECTION**

A pre-reclamation site inspection was completed with Randy McKee from the BLM and Travis Munkres Hilcorp Energy SJ East Construction Foreman on November 13, 2019.

**2. LOCATION RECLAMATION PROCEDURE**

1. Reclamation work will begin in late winter / early spring time period.
2. All trash and debris will be removed within a 25' buffer outside of the location disturbance during reclamation.
3. Reclaim all disturbed area being used for recompletion activities.
4. Reset the Facilities on the West side of the location.
5. Move the Meter run and RTU to the entrance of the location
6. Move the fill from the extra area the of the location to the cut and fill slopes to use to re-contour the slopes
7. Re-contour the cut and fill slopes.

**3. SEEDING PROCEDURE**

1. A BLM Special seed mix will be used for all reclaimed and disturbed areas of the well pad and lease road.
2. Drill seed will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed. Broadcast seeding will be applied at a double the rate of seed.
3. Timing of the seeding will be when the ground is not frozen or saturated.

**4. WEED MANAGEMENT**

1. No action is required at this time for weed management, no noxious weeds were identified during this onsite.