District I 1625 N. French Dr., Hobbs, NM 88240 District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

<u> </u>	de Tank Registration or Clos			
	k covered by a "general plan"? Yes 🔀 N or below-grade tank 🔲 Closure of a pit or below-g			
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:			
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: FLORANCE # 1245 API#: 3	20-145-14693 us 0.10. W			
	Longitude	NAD: 1927 🗆 1983 🗀		
Surface Owner: Federal State Private Indian	Ţ.	11017		
Pit	Below-grade tank	12 10 11 18 10 11 18 10 10 10 10 10 10 10 10 10 10 10 10 10		
Type: Drilling Production Disposal.	Volume:bbl Type of fluid:			
Workover	Construction material: DEC 2005			
Lined Unlined	Double-walled, with leak detection? Yes I If not, explain why not.			
Liner type: Synthetic Thicknessmil Clay _	OF RECEIVED S			
Pit Volumebbl		C DIST. 3		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)		
	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	(0 points)		
	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)		
water source, or less than 1000 feet from all other water sources.)		(o points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
imgation canais, diteries, and perennial and epitemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Ind	icate disposal location: (check the onsite box if		
your are burying in place) onsite Offsite If offsite, name of facility	. (3) Attach a genera	l description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗌				
(5) Attach soil sample results and a diagram of sample locations and excava				
Additional Comments:				
See Attached Documentation				
I hereby certify that the information above is true and complete to the best	of my knowledge and helief. I further certify tha	t the above described nit or below grade tank		
has been/will be constructed or closed according to NMOCD guideling				
Date: 11/01/2005	11.			
Printed Name/Title Jeffrey C. Blagg, Agent Signat	ture Jeffy C. Slag	λ		
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the conter			
Approval: Printed Name/Title PUTY OR & GAS INSPECTOR, DIST. @	Signature Bland	DEC 1 6 2005		

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413		LOCATION NO: B130 1				
		(505) 632	2-1199		COCR NO:		
FIELD REPORT	: PIT CL	OSURE	VERIFI	CATION	PAGE No:/ of/		
LOCATION: NAME: FLORE					DATE STARTED: 10/28/03		
QUAD/UNIT: M SEC: 27 TWP: 290 RNG: 9W PM: NM CNTY: 57 ST: NM				DATE FINISHED:			
QTR/FOOTAGE: 1030 5 1					SPECIALIST:		
EXCAVATION APPROX	EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA						
DISPOSAL FACILITY:	ON-2115	=	REMEDIA	TION METHOD:	CLOSE AZ 12		
					MATION: CH DK		
FIELD NOTES & REMAR							
DEPTH TO GROUNDWATER: >10					E WATER: >1000		
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 PF				
SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. READ OVM CALIB. GAS =							
OVM CALIB. 9A5				am/pm DATE: 10/28/03			
SOIL TYPE: SAND SILTY SAN		CLAY / CLAY /	GRAVEL / OTHE	R			
SOIL COLOR: DK. Y		COHESIVE / CO	HESIVE / HIGHLY	COHESIVE			
CONSISTENCY (NON COHESIVE SO							
P LASTICITY (CLAYS): NON PLASTIC DENSITY (COHESIVE CLAYS & SILT:				HIGHLY PLASTIC			
MOISTURE: DRY (SLIGHTLY MOIST					CLOSED		
DISCOLORATION/STAINING OBSER		LANATION	<u> </u>				
HC ODOR DETECTED: YES (NO EX SAMPLE TYPE: GRAB) COMPOSITE							
ADDITIONAL COMMENTS: NO	TPH ANDLY	212 WAS	CONDUCTES	>	· · · · · · · · · · · · · · · · · · ·		
					· · · · · · · · · · · · · · · · · · ·		
FIELD 418.1 CALCULATIONS							
SCALE SAMP. TIN	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON DILU	TION READING CALC. (ppm)		
0 FT							
	ED 4				IT PROFILE		
PIT PERIMET	ER No	<u> </u>	VM		II PROFILE		
1 TO WELL	₽.₽;		ADING				
,	۱ م	SAMPLE ID ,	FIELD HEADSPACE (ppm)				
17	8.6	1 @ 6 2 @	0.0				
'		3 @					
	T	4 @ 5 @		-			
				7			
1 CDA1	1 116			=	_ 🛕 :		
Da	16			NOT	APPLICABLE		
LOA	7 1,6			NOT	APPLICABLE		
] [AUDIEO	NOT	APPLICABLE		
	7.H.	SAMPLE	AMPLES		APPLICABLE		
	J. J.	CALADIE	AMPLES NALYSIS TIME		APPLICABLE		
	7.H.	SAMPLE	NALYSIS TIME		APPLICABLE		
P.D. = PIT DEPRESSION; B.G. = BELOW	7.H. ~5' 8.P.D.	SAMPLE AI	NALYSIS TIME		APPLICABLE		
P.D. = PIT DEPRESSION; B.G. = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. =	T.H. S' B.P.D. GRADE: B = BELOW TANK BOTTOM	SAMPLE AI	NALYSIS TIME				