District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tan Type of action: Registration of a pit o	k covered by a "general plan"? Yes 🔀 No r below-grade tank 🔲 Closure of a pit or below-grad	L				
Operator: BP America Production Company Telephon	e: <u>(505)326-9200</u> e-mail address:					
Address: 200 Energy Ct. Farmington, NM 87401	T 0.000	26 201 2				
Facility or well name: Wilch A # > E API#: 3						
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🗍				
Surface Owner: Federal  State Private Indian						
Pit	Below-grade tank					
Type: Drilling Production X Disposal	Drilling Production Disposal Volume:bbl Type of fluid:					
Workover	Construction material:					
Lined Unlined	Double-walled, with leak detection? Yes  If not, explain why not.					
Liner type: Synthetic Thicknessmil Clay						
Pit Volumebbl						
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)				
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)				
mg. Nate of the angle of the state of the st	100 feet or more	( 0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)				
water sources, or less than 1000 feet from an other water sources.)						
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)				
	1000 feet or more	( 0 points)				
	Ranking Score (Total Points)					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if				
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	(3) Attach a general d	lescription of remedial action taken including				
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	,					
(5) Attach soil sample results and a diagram of sample locations and excavat						
Additional Comments:						
See Attached Documentation						
See Attached Doodnesharon						
	2 4 11 2 11 2 11 2 11 2 11 2 11 2 11 2					
		· · · · · · · · · · · · · · · · · · ·				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the	ne above-described pit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗌.						
Date: 11/01/2005						
Printed Name/Title Jeffrey C. Blagg, Agent Signature						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or						
otherwise endanger public health or the environment. Nor does it relieve the regulations.	ne operator of its responsibility for compliance with an	ny other federal, state, or local laws and/or				
Approval:	2/					
Approval: Printed Name/Title  Signature  Signature  Signature  Signature  Parangent  Date:  DEC 1 4 2005						

CLIENT: BP	BLAGG E .O. BOX 87, 1 (50		ELD, NM		LOCATION NO: <u>8862</u> C.O.C. NO: <u>84/8</u>
FIELD REPORT	: CLOSU	RE VE	RIFICA	TION	PAGE No: _/ of _/
QUAD/UNIT: J SEC: 25	TWP: 29~ RNG:	₹W PM:	um CNTY: 5	T ST: NM	DATE STARTED: <u>G//4/3/</u> DATE FINISHED:
OTR/FOOTAGE:1650'5 (1780	E MUISE CONTI	RACTOR: F	TNI		SPECIALIST: NV
EXCAVATION APPROX. NA FT. X NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: DN-51TE REMEDIATION METHOD: COSE AS S. LAND USE: LANGE - 8-M LEASE: SF-078416A FORMATION: DK  FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 9Z FT. 530E FROM WELLHEAD DEPTH TO GROUNDWATER: 7100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'					
NMOCD RANKING SCORE: SOIL AND EXCAVATION DESCRIPTION:	_ NMOCD TPH CLOSUR	E STD: _500	PPM		CHECK ONE :  PIT ABANDONED  STEEL TANK INSTALLED  FIBERGLASS TANK INSTALLE
BEDROCK CLOSED					
(42)	TIME SAMPLE I.D.	1	VEIGHT (g) m		LUTION READING CALC. ppm
SCALE 0 FT PERIME	TED			PIT	PROFILE
PIT SEP  DEPRESSION GRADE  TEST HOLE  APPROX. 3'  BELOW GRADE  TO  TO  TO  TO  TO  TO  TO  TO  TO  T	SAMPLE 10 1-6'	AB SAMPLE  AMIYSIS  THI (B) IS  PASSED	S TIME	NST AF	PUGBLE
TRAVEL NOTES: CALLOUT: 6/13/01-AFTER. ONSITE: 6/14/01-morn.					

revised: 03/12/01



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	06-15-01
Laboratory Number:	20032	Date Sampled:	06-14 <b>-</b> 01
Chain of Custody No:	8418	Date Received:	06-14-01
Sample Matrix:	Soil	Date Extracted:	06-14-01
Preservative:	Cool	Date Analyzed:	06-15-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.7	0.2
Diesel Range (C10 - C28)	21.0	0.1
Total Petroleum Hydrocarbons	21.7	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Wilch A #2E Separator Pit.

Analyst

Review Wasten