## **Energy Minerals and Natural Resources**

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

## District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tand Type of action: Registration of a pit o	k covered by a "general plan"? Yes No r below-grade tank Closure of a pit or below-grade	de tank 🛛	
Operator: BP AMERICA PROD. CO. Address: 200 ENERGY COURT. FARMINGTON.	Telephone: (505-326-9200 e-mai NM 87410 API#: 30-045- 13084 U/L or Qtr/Q	oltr K Sec 3	T 29N R 9W  ] Private ⊠ Indian □
Pit  Type: Drilling   Production   Disposal   SEPARATOR  Workover   Emergency    Lined   Unlined   STEEL TANK  Liner type: Synthetic   Thicknessmil Clay    Pit Volumebbl	Below-grade tank  Volume:bblType-of-fluid:  Construction material:  Double-walled, with leak detection? Yes If not	explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)	20
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, igation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	10
	Ranking Score (Total Points)		30
If this is a pit closure: (1) attach a diagram of the facility showing the pit's your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No ☑ You Attach soil sample results and a diagram of sample locations and excavations.	. (3) Attach a general d	lescription of remedial a	ction taken including.
Additional Comments: PIT LOCATED APPROXIMATELY	v 200 ft. S36E from we	LL HEAD. 10	A
PIT EXCAVATION: WIDTH <b>n/a ft.</b> , LENGTH  PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, CO  Cubic yards: N/A		plain) REC	2006 EVSD
Cubit yarus.		DINS CONTRACTOR	T. 8
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.  Date:	s 🖾, a general permit 🗀, or an alternative OCD-a  Signature	of the pit or tank contan	ninate ground water or
pproval:  Printed Name/Title TEPJTY OR & GAS INSPECTOR, DIST. 61 Signature.	gnature Derry Aux	Date: FEB	2 1 2006

CLIENT: <u>8P</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			13	OCATION NO	81494 <u>HALL</u>	
FIELD REPORT	: PIT CL	OSURE	VERIFI	CATIO	N PA	AGE No:	/ of _/_
LOCATION: NAME: LOBAT	o GC E	WELL#:	TYPE	SEP			2/28/05
QUAD/UNIT: K SEC: 3	TWP: 29N RNG	6: 4W PM:N	DIM CNTY: 5	T ST: NM	<u> </u>	TE FINISHED:	
QTR/FOOTAGE: 175015/1	450 W 024	ELSW CONTE	RACTOR: HDI	(ONOTRE)	)	VIRONMENTAL ECIALIST:	NV
EXCAVATION APPROX	. <u><i>NA</i></u> FT. x	<u> </u>	x <u> </u>	. DEEP. CU	BIC YA	RDAGE:	NA
DISPOSAL FACILITY:	ON -51	7E	REMEDIA	TION METHO	D:	CLOSE	AS 15
LAND USE: RANGE		LEASE:	FEE		FORM	ATION:	DK
FIELD NOTES & REMAR	RKS: PIT LOC	ATED APPROX	(IMATELY Z	>O FT	536E	FROM	WELLHEAD.
DEPTH TO GROUNDWATER: <	o' NEAREST W	ATER SOURCE:	>1000'	_ NEAREST SI	JRFACE V	VATER: </td <td>7000</td>	7000
NMOCD RANKING SCORE: 30	NMOCD TPH	CLOSURE STD:	/00 PF	РМ			
SOIL AND EXCAVATION	ON DESCRIPT	ION:		OVM CALIB.			
		<u></u>				<u>/0                                    </u>	2/28/05
SOIL TYPE: SAND SILTY SA	ND / SILT / SILTY	CLAY / CLAY /	GRAVEL / OTHI				
SOIL COLOR: OK. YE COHESION (ALL OTHERS): NON C		COHESIVE / CO	HESIVE / HIGHLY	COHESIVE			
CONSISTENCY (NON COHESIVE S	OILS): LOOSE /FIRM	DENSE / VERY	DENSE				
PLASTICITY (CLAYS): NON PLAST DENSITY (COHESIVE CLAYS & SILT				HIGHLY PLASTI	С		
MOISTURE: DRY (SLIGHTLY MOIS	MOIST / WET / SAT	URATED / SUPE	R SATURATED				i
DISCOLORATION/STAINING OBSER HC ODOR DETECTED: YES NO E		PLANATION -					-
SAMPLE TYPE GRAP COMPOSIT	F-#OFPTS				. ,		
ADDITIONAL COMMENTS: 95	BBL STEEL	TONK KEN	nows pria	e to ARR	insc.		
SCALE SUITE		ī	ELD 418.1 CALC				
SCALE SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTIO	ONREADING	CALC. (ppm)
0 FT							
PIT PERIME	ΓER ♣₽	<del>-1</del>			PIT	PROFIL	E
	T.H;		VM				
70	~4'	SAMPLE	DING FIELD HEADSPACE	-			
WELL HEAD	8.T.B.	10, 10, 8	(ppm)	-			
SEP		2 @					
241	<del>-</del>  /	3 @ 4 @					
>		5@			~	0000	3. <del>-</del>
1 TOPE	25				01	APPLICA	3 6
				_			
2 BERIN	7 7						
/ ' '	STEEL STEEL	0.44401.5	AMPLES				
P.D. 1	TANK LOC.	ID \ AI	NALYSIS TIME				
8.6	TACK ~ 4'						
P.D. = PIT DEPRESSION; B.G. = BELOV							
T.H. = TEST HOLE; ~ = APPROX.; T.B.	= TANK BOTTOM			1			
TRAVEL NOTES: CALLOUT: Z/28/05 - MORN. ONSITE: Z/28/05 - MORN.							
revised: 09/04/02	//: <b>3</b> 3	HOI /1/2011	r, RP 7-		<del> </del>		bei1005C.skf
STOREY B IS I		- 2000	EL-BP 320	- 5672			5×5

STOREY B LS IA

## Hall Environmental Analysis Laboratory

**Date:** 09-Mar-05

CLIENT:

Blagg Engineering

Lab Order:

0503010

Project:

Lobato GC E #1

Lab ID:

0503010-02

Client Sample ID: 1 @ 8' Separator Pit

Collection Date: 2/28/2005 11:36:00 AM

Matrix: SOIL

Analyses	Result	PQL Qu	ial Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	SE ORGANICS				Analyst: SCC
Diesel Range Organics (DRO)	25	10	mg/Kg	1	3/3/2005 1:09:41 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	3/3/2005 1:09:41 PM
Surr: DNOP	107	60-124	%REC	1	3/3/2005 1:09:41 PM
EPA METHOD 8015B: GASOLINE R	ANGE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	3/3/2005 7:05:19 PM
Surr: BFB	98.0	78.3-120	%REC	1	3/3/2005 7:05:19 PM

B - Analyte detected in the associated Method Blank

<sup>\* -</sup> Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range