District I
1625 N. Freach Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

	or below-grade tank Closure of a pit or below-grade				
		`			
•	(505) 326-9841 e-mail address: <u>LH</u> :	asely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402					
Facility or well name: EPNG Com A #300 API #:		Qtr <u>K</u> Sec <u>32 T 31N R 8W</u>			
	368533333 Longitude107701666	667 NAD: 1927 ☑ 1983 ☐			
Surface Owner: Federal ☐ State ☑ Private ☐ Indian ☐					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil				
Workover ☐ Emergency ☐	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.				
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
ingli water cicration of ground water.)	100 feet or more	(0 points) 0			
Wallhard metastics area. (Loss than 200 fast from a mirate domestic	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points) 10			
	Ranking Score (Total Points)	10			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if					
your are burying in place) onsite offsite from If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end					
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo					
(5) Attach soil sample results and a diagram of sample locations and excavat	-	7,77,97			
Additional Comments:		13 /4/5°			
The soils tested clean and no soil remediation was required.		(O APH 2008			
		A PARCONS DIV. 3			
		must. 3			
		78/11/2			
I however contife that the information charge is two and complete to the best	-Constitutional Alice I Constitution and Calendar	CC 07 07 17 07 79			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 4/5/06					
5 ///L . K					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
CEPATY OL & GAS INSPECTOR, DIST. ADD & Sono					
Printed Name/Title Signature Date: Date: Date: Date: Date: Date: Date: Date:					

			_	
CLIENT: Bustinaton	Env	JIROTECH INC.		LOCATION NO:
	579	ENTAL SCIENTISTS & ENGINEERS 6 U.S. HIGHWAY 64-3014		C.O.C. NO:
		NGTON, NEW MEXICO 87401 HONE: (505) 632-0615		
FIELD REPOR	CT: CLOSU	JRE VERIFIC	CATION	PAGE No: 1 of 1
LOCATION: NAME: Epr. C	en A Well	#:300 PIT:		DATE STARTED: 3-21-06
QUAD/ONII (E)C (SEC.	NP NIG	CSW PM: MINI CNI	Y:S) ST: HM	DATE FINISHED: 3-29-CL
QTR/FOOTAGE: N36 5	2 W07 40 CON	TRACTOR: LAK		ENVIRONMENTAL SLC
EXCAVATION APPROX				
DISPOSAL FACILITY:				ı
LAND USE:	LEAS	E:	FOF	MATION:
FIELD NOTES & REMAR			•	
DEPTH TO GROUNDWATER:				
NMOCD RANKING SCORE:	NMOCD TPH CLOSU	RE STD: 1600 PPM	!	CHECK ONE :
1 NIII ANI EALAVAIIIN IENIKE EURIK			PIT ABANDONED STEEL TANK INSTALLED	
Hut sandstone	a 31 belo	FIELD 418.1 CA		ed from site
	TIME SAMPLE I.D.	LAB No: WEIGHT (g)	mL. FREON DIL	UTION READING CALC. ppm
SCALE	1825/	- 5	20 1	157 608
O FT				
PIT PERIME	TTER	OVM	PIT	PROFILE
	SAMF	RESULTS PLE FIELD HEADSPACE PIO (ppm)		
	N 1	PIU (ppm)		
	N			
[6]	\			
20]			
			7 3 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	• (•
				Sundstone
	SAMPLE	_AB_SAMPLES	10	Contraction of the contraction o
			V. San	ple point
			X - Ook	v - V
TRAVEL NOTES: CALLOUT:		ONSITE:		

٠.

-



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-108

Sample No.:

1

Date Reported:

3/29/2006

Sample ID:

Discrete, 3' Below BGT

Date Sampled:

3/29/2006

Sample Matrix:

Soil

Date Analyzed:

3/29/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

628

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis c

and Waste, USEPA Storet No. 4551, 1978.

Comments:

EPNG Com A #300

Instrument callibrated to 200 ppm standard. Zeroed before each sample

Review