1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title

## State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

appropriate NMOCD District Office. office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No 🔲 Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) e-mail address: LHasely@br-inc.com Operator: Burlington Resources Telephone: (505) 326-9841 Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Lackey H No. 709 API#: 30045272350000 U/L or Qtr/Qtr N Sec 26 T 28N R 9W -107.76194 NAD: 1927 ☑ 1983 ☐ Latitude 36.62793 County: San Juan Longitude Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐ Below-grade tank Type: Drilling Production Disposal Volume: 95 bbl Type of fluid: Produced Water and Incidental Oil Workover ☐ Emergency ☐ Construction material: Fiberglass Lined Unlined U Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness \_\_\_\_mil Clay \_\_\_ No. Tank in place prior to Rule 50. Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more 0 ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No ( 0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) 10 10 Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🖂 If offsite, name of facility \_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛮 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\sigma\), a general permit \(\sigma\), or an (attached) alternative OCD-approved plan \(\sigma\). Mr. Ed Hasely, Environmental Advisor Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or CEPUTY CO. & GAS INSPECTOR, DIST. (60) APR 1 1 2006

CLIENT: Burlington Resources	ENVIROTECH INC.  ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615					C.O.C. NO:		
FIELD REPORT: CLOSURE VERIFICATION						No:	<u>l</u> of <u>l</u>	
LOCATION: NAME: Lackey H WELL #: 709 PIT:  QUAD/UNIT: N SEC: 26 TWP: 28N RNG: 9W PM:NMPM CNTY: ST ST:NM					DATE	DATE STARTED: 3/24/00 DATE FINISHED: 3/24/00		
QTR/FOOTAGE: 790 FSL 1450 FUL CONTRACTOR: Builey's Wilding Specialist: MPM								
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE:  DISPOSAL FACILITY: NASF - 077107-A FORMATION: FRC								
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 111' FT. 55° FROM WELLHEAD.								
DEPTH TO GROUNDWATER: O NEAREST WATER SOURCE: O NEAREST SURFACE WATER: 10  NMOCD RANKING SCORE: 16 NMOCD TPH CLOSURE STD: 1000 PPM  CHECK ONE:  PIT ABANDONED  STEEL TANK INSTALLED								
No visible contamination present. No soil removed from site  FIELD 418.1 CALCULATIONS  TIME SAMPLE I.D. LAB No: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm								
SCALE	8935 3' below	, 1	5	Zo	i	0.0058	40.8	
0 FT PIT PERIME	ETER	OVM RESULT	TS _	PIT	PR	OFILE		
Contractor			TIME	X. Sample	poin	<u>}</u>		
TRAVEL NOTES: CALLOUT: ONSITE:								



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-046-030

Sample No.:

1

Date Reported:

3/29/2006

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

3/29/2006

Sample Matrix:

Soil

Date Analyzed:

3/29/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

40.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Lackey H No. 709

Analyst

Review



## EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

**Burlington Resources** 

Project #:

92115-046-030

Sample ID:

**QA/QC** 

Date Reported:

3/29/2006

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled:
Date Analyzed:

N/A 1/24/2005

Sample Matrix:

Freon-113

Date Extracted:

1/24/2005

Preservative: Condition:

N/A N/A

Analysis Needed:

TPH

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference Accept. Range

05-22-04

1/24/2005

1,735

1,695

2.3% +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

**TPH** 

2,471

2,352

4.8%

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added

Spike Result

% Recovery Accept Range

TPH

2,471

2,000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Lackey H No. 709

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865