District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Santa Fe, NM 87505

Santa Fe, NM 87505

Solution Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes
No □

Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-gr	rade tank 🔀			
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:				
Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: FLORANCE P #39 API#:	30-045-09034 U/L or Otr/Otr B	Sec 35 T 302 R 8W			
County: San Juan Latitude					
Surface Owner: Federal State Private Indian		V15 15 17 17 17 17 17 17 17 17 17 17 17 17 17			
Pit	Below-grade tank	15 10 10 10 10 10 10 10 10 10 10 10 10 10			
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:				
Workover Emergency	Construction material:	DEC 2005 🖂			
Lined Unlined	Double-walled, with leak detection? Yes If n	ot, explain why not			
Liner type: Synthetic Thicknessmil Clay _		S OR CARE DIV. 29			
Pit Volumebbl	60 DIS1.3 3				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
ingli water elevation of ground water.)	100 feet or more	(0 points)			
W-lib-ad-marking and the 200 feet from a private demostic	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	(0 points)			
water source, or less than 1000 feet from an other water sources.)	Landa 200 Cart	(20 - 1 - 1)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet 200 feet or more, but less than 1000 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(10 points)			
	1000 feet of more	(0 points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	s relationship to other equipment and tanks. (2) Indi	cate disposal location: (check the onsite box if			
your are burying in place) onsite [] offsite [] If offsite, name of facility_	(3) Attach a general	description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No []	Yes [] If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	tions.				
Additional Comments:					
See Attached Documentation					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
and occurrent of constructed or closed according to the construct page a general permit , or an (attached) after hative OCD-approved plan .					
Date: 11/01/2005					
Printed Name/Title	ure Jeffy C. Sleg.)			
1 Tour certification and NMOCD approval of this approach of closure does not renewathe operator of madnity should the contents of the pit of tank contaminate ground water of					
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
(M/TSO CTRO A					
Approval: GAS INSPECTOR, DIST. #		DEC 1 6 2005			
Printed Name/Title	Signature Brandon Para	Date:			

	يراق ما بناء الكان الدار الد	4						
	2			NEERING	•	LOC	ATION NO:	81292
CLIENT: S	F	P.O. BOX (87, BLO 505) 632		, NM 874	13	R NO:	11414
FIELD RE	PORT:	PIT CL	OSURE	VERIFI	CATIO	N PAGE	Ξ No:	of
LOCATION: NAME	FLORA.	wce P	WELL#:	39 TYPE	SEP			9-30-03
QUAD/UNIT: B S	EC: 35 N	VP: 30N RNG	: 8W PM:1	JM CNTY: SJ	ア ST: ハト	^		9-30-03
QTR/FOOTAGE:						SPECI	ALIST:	FCS
EXCAVATION A	PPROX.	<u>ν4</u> FT. x	<u></u> A FT.	X <u>//A</u> FT	. DEEP. CU	BIC YARD	AGE:	<u> </u>
DISPOSAL FACILIT				REMEDIA		OD:	CUSTE	
LANDUSE: ZA						FORMATI	011.	11
FIELD NOTES &				MATELY 22				
DEPTH TO GROUNDWA		_		71000		URFACE WAT	ER:	1000
NMOCD RANKING SCOP	RE: 10	_ NMOCD TPH	CLOSURE STD:	1000 pp			2 64	
SOIL AND EXC	AVATION	DESCRIPT	ION:		OVM CALIB. I			
						am/pm	DATE: _	9-30-03
SOIL TYPE: SAND	SILTY SAND	SILT / SILTY C	LAY / CLAY /	GRAVEL / OTH	ER			
COHESION (ALL OTHER	S): NON COH	ESIVE SLIGHTLY			COHESIVE			
CONSISTENCY (NON CO PLASTICITY (CLAYS): N					/ HIGHLY PLASTI	С		
DENSITY (COHESIVE CI					711101121 7 2 1011	•		
MOISTURE: DRY / SLIG				R SATURATED			CCU	ozed)
HC ODOR DETECTED:								
SAMPLE TYPE: GRAB	COMPOSITE - !	OF PTS.	TO Desa	Pit w	/ Stepl	TANK	. 175	e book
ADDITIONAL COMMENTS: 20 x 20 x 10 Deep Pit w Stee TANK. Use back here to Remove tonk & SAMPE. NO VISUAL								
	<u> Buil</u>	ENCE O		IMPACTS LD 418.1 CALC				
SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)		DILUTION	READING	CALC. (ppm)
								- · · · · ·
O T FT			`					
N PIT PE	RIMETE			\		PIT F	ROFIL	.E
	20'-	N BG	REA	VM \DING				
-		J wo	SAMPLE ID	FIELD HEADSPACE (ppm)				
1 (~~.	L-TH	1@ /3"	0.0	7			
		13	3@	· · · · · · · · · · · · · · · · · · ·				
1 (JO -	7 20	4 @ 5 @	· · · · · · · · · · · · · · · · · · ·	-	m:		
20 >						JOT API	OLICAR.	<u></u>
	7				- (· · · · · · · · · · · · · · · · · · ·		
\ \ \	/							
	1		LARC	AMPLES				
ale.			SAMPLE A	NALYSIS TIME				
Sample	,	1,04)	1)813 7	PH 1346	2			
TAN	FUST INT	I me	Ph	<u>क्रह्</u>	7			
SAMPLE TAM '.D. = PIT DEPRESSION; E .H. = TEST HOLE; ~ = AP	B.G. = BELOW GI PROX.; T.B. = TA	RADE; B = BELOW NK BOTTOM			\exists			
TRAVEL NOTES:		9-30-03	3	ONSITE: (7-30-05	3 13	30	
	J. LEOUI		-	_				



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Separator 1 @ 13'	Date Reported:	10-06-03
Laboratory Number:	26765	Date Sampled:	09-30-03
Chain of Custody No:	11414	Date Received:	10-01-03
Sample Matrix:	Soil	Date Extracted:	10-03-03
Preservative:	Cool	Date Analyzed:	10-03-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	4.7	0.2	
Diesel Range (C10 - C28)	14.6	0.1	
Total Petroleum Hydrocarbons	19.2	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance P #39.

Analyst Malter

Review