District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
'rict IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

March 12, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cov	vered by a "general plan"? Yes No	de tank
Operator: BP AMERICA PROD. CO.	vered by a "general plan"? Yes No w-grade tank Closure of a pit or below-grade tank [100] Telephone: (505) 326-9200	de tank A DO CONS DW.
Address:200 Energy Court, Farmington, I		5262 52 72 Value
Facility or well name: ELLIOTT, E. E. B #6	API#: 30-045-09188 U/L or Qtr/Q	F Sec 27 T 30N R 9W
County: San Juan Latitude 36.78467 Longitude 107.	77084 NAD: 1927 🗌 1983 🛭 Surface Ov	wner Federal ⊠ State ☐ Private ☐ Indian ☐
Pit Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR/BLOW Workover ☐ Emergency ☐ Lined ☒ Unlined ☐ STEEL TANK Liner type: Synthetic ☐ Thicknessmil Clay ☐ Volumebbl	Below-grade tank Volume:bbl Type of fluid: Construction material Double-walled with eak detection? res 1	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationsite ☑ offsite ☐ If offsite, name of facility end date. (4) Groundwater encountered: No ☑ Yes ☐ If yes, show depth below a diagram of sample locations and excavations.	(3) Attach a general description of remedial active ground surface ft. and attach sa	ion taken including remediation start date and ample results. (5) Attach soil sample results and
I hereby certify that the information above is true and complete to the best of m has been/will be constructed or closed according to NMOCD guidelines	Signature	ative OCD-approved plan ⊠.
Approval: JAN 0 9 2006 Printed Name/Title Printed Name/Title	Signature Bund Tell	

3004509188		36:78	8467 ×	107.	77084	1	
CLIENT: BP	P.O. BOX	87, BLO		•	113		B143Z
		(505) 632	2-1199		CO	CR NO:	12514
FIELD REPORT	: PIT CL	OSURE	E VERIF	ICATIO)N PAG	E No:	of[
LOCATION: NAME: ELLIC	TT, E.E.	BWELL#:	(TYPE	SEP/BL	DATE	STARTED:	7-2-04
QUAD/UNIT: F SEC: 27					1 DATE		7-2-04
OTR/FOOTAGE: 1837/2/!	830'W 58	ElAW CONTI	RACTOR: FLIN	T (CAL)	SPEC	RONMENTAL SIALIST:	ICB
EXCAVATION APPROX	. <u>///</u> FT. ×	NA FT.	X_NA_FT	. DEEP. CI	JBIC YARI	DAGE:	0
DISPOSAL FACILITY:	AV		REMEDIA	TION METH	OD: _	CLOSE	AS IS
LAND USE: RANGE -	Bun	LEASE: S	F 0781	39	FORMAT	10N: F	ات
FIELD NOTES & REMAR							
DEPTH TO GROUNDWATER: >10					URFACE WA	TER:	1000
NMOCD RANKING SCORE: $\underline{\mathcal{O}}$	NMOCD TPH	CLOSURE STD:	<u>SOOO</u> PI				
SOIL AND EXCAVATIO	N DESCRIPT	ΓΙΟΝ:		OVM CALIB. OVM CALIB.			
				TIME: 090			
SOIL TYPE: SAND SILTY SAN ORANGE	D/SILT/SILTY	CLAY / CLAY /	GRAVEL / OTH	ER			
COHESION (ALL OTHERS): (NON CO	HESIVE SLIGHTL			COHESIVE			
CONSISTENCY (NON COHESIVE SO PLASTICITY (CLAYS): NON PLASTIC				A MICHI A DI VE.	TIC		
DENSITY (COHESIVE CLAYS & SILTS				7 HIGHLT PLAS	TIC	_	
MOISTURE: DRY (SLIGHTLY MOIST DISCOLORATION/STAINING OBSERV			ER SATURATED			((rozed)
HC ODOR DETECTED: YES (NO EX	PLANATION -	PLANATION -					
SAMPLE TYPE: GRABY COMPOSITE ADDITIONAL COMMENTS:	-# OF PTS.	T DEEP W	UDOD CLWED	PIT W/	95 RRI	STEEL	Thic
USE	BACKHOE TO	REMOVE	TANK + SI	AMPLE. 1	VO VIS	VAC EVI	DENCE
	IMPACT.	FIS	ELD 418.1 CALC	III ATIONS			
SCALE SAMP. TIM	IE SAMP. ID	LAB NO.			DILUTION	READING	CALC. (ppm)
							(17/
O FT							
N PIT PERIMET	ER	7 0	∨M		PITF	PROFIL	E
To wen	PD		ADING				
1 10000	(6'BG)	SAMPLE ID	FIELD HEADSPACE (ppm)				
12′		1@9' 2@	0.0	-			
	TANK FOUT PRUT	3 @		_			
	(6'BG)	4 @ 5 @		-			
	TH				OT PA	PLICE	BLE
12	(9'BG))	, . –	,
	SAMPLE						
(LAB S	AMPLES	_			
	→	SAMPLE AL	NALYSIS TIME				
		U@9' TF		4			
•		Bom P	ন্ <u>ড</u> েইড				
TRAVEL NOTES: CALLOUT:	7-2-04	0715	ONSITE:	7-2-04	OE	340	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	07-08-04
Laboratory Number:	29468	Date Sampled:	07-02-04
Chain of Custody No:	12514	Date Received:	07-07-04
Sample Matrix:	Soil	Date Extracted:	07-07-04
Preservative:	Cool	Date Analyzed:	07-08-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Elliott, E. E. B #6 Separator.

Analyst C. Cy

/ Mustine of Walter



Total Chloride

Client: Blagg / BP Project #: 94034-010 Sample ID: 29468 Date Reported: 07-08-04 Lab ID#: 1@9' Date Sampled: 07-02-04 Sample Matrix: Soil Date Received: 07-07-04 Preservative: Cool Date Analyzed: 07-07-04 Cool and Intact Condition: Chain of Custody: 12514

Parameter

Concentration (mg/Kg)

Total Chloride

60.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Elliott, E.E. B #6 Separator.

Mister Walters

Řeview