

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct. Farmington, NM 87401  
Facility or well name: Neil A #9 API #: 3004511001 U/L or Qtr/Qtr N Sec 4 T 3/N R 11W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☐  
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☐

**Pit**

Type: Drilling ☐ Production ☒ Disposal ☐  
Workover ☐ Emergency ☐  
Lined ☐ Unlined ☐  
Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐  
Pit Volume \_\_\_\_\_ bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_  
Construction material: \_\_\_\_\_  
Double-walled, with leak detection? Yes ☐ If not, explain why not. \_\_\_\_\_

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points)
100 feet or more	( 0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
No	( 0 points)

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)


Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points)
1000 feet or more	( 0 points)

Ranking Score (Total Points)

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: **DEPUTY OIL & GAS INSPECTOR, DIST. #3**

Printed Name/Title \_\_\_\_\_

Signature Brandon D. Bell

Date: \_\_\_\_\_

**JAN 09 2006**

CLIENT: BP
**BLAGG ENGINEERING, INC.**  
**P.O. BOX 87, BLOOMFIELD, NM 87413**  
**(505) 632-1199**
LOCATION NO: B1343COCR NO: 11875**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1
 LOCATION: NAME: NEIL A WELL #: 9 TYPE: BLOW  
 QUAD/UNIT: N SEC: 4 TWP: 31N RNG: 11W PM: NM CNTY: SJ ST: NM  
 QTR/FOOTAGE: 990'S/1600'W SE1SW CONTRACTOR: SIFERA (CHRIS)

 DATE STARTED: 2-27-04  
 DATE FINISHED: 2-27-04
ENVIRONMENTAL SPECIALIST: JCBEXCAVATION APPROX. 15 FT. x 12 FT. x 3 FT. DEEP. CUBIC YARDAGE: 0DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS ISLAND USE: RANGE - BLM LEASE: SF 078051 FORMATION: MVFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 60 FT. N47°W FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPMSOIL AND EXCAVATION DESCRIPTION:
 OVM CALIB. READ. = 53.2 ppm  
 OVM CALIB. GAS = 100 ppm RF = 0.52  
 TIME: 1205 am/pm DATE: 2-27-04
SOIL TYPE: SAND (SILTY SAND) / SILT / SILTY CLAY / CLAY / GRAVEL / OTHERSOIL COLOR: LITE GRAYCOHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE


CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): (SOFT) FIRM / STIFF / VERY STIFF / HARDMOISTURE: DRY (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: (YES) / NO EXPLANATION - MINOR STREAKING 4'-5'HC ODOR DETECTED: (YES) / NO EXPLANATION - MINOR 4'-5'SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS.ADDITIONAL COMMENTS: EARTHEN PIT. USE SAMPLE SHOVEL TO DIG TEST HOLES  
@ 5 LOCATIONS.CLOSED


## FIELD 418.1 CALCULATIONS

SCALE



SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

## PIT PERIMETER


OVM  
READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 5'	122
2 @ 5'	95
3 @ 5'	256
4 @ 5'	240
5 @ 5'	311

## LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
5 @ 5'	TPH/BTEX	1225
<u>BOTH PASSED</u>		

## PIT PROFILE


 P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

 CALLOUT: 2/27/04 0800 ONSITE: 2/27/04 1155

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5 @ 5'	Date Reported:	03-01-04
Laboratory Number:	28020	Date Sampled:	02-27-04
Chain of Custody No:	11875	Date Received:	02-27-04
Sample Matrix:	Soil	Date Extracted:	03-01-04
Preservative:	Cool	Date Analyzed:	03-01-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,740	0.2
Diesel Range (C10 - C28)	28.1	0.1
Total Petroleum Hydrocarbons	1,770	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Neil A #9 Blow Pit.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5 @ 5'	Date Reported:	03-01-04
Laboratory Number:	28020	Date Sampled:	02-27-04
Chain of Custody:	11875	Date Received:	02-27-04
Sample Matrix:	Soil	Date Analyzed:	03-01-04
Preservative:	Cool	Date Extracted:	03-01-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	985	1.8
Toluene	2,040	1.7
Ethylbenzene	807	1.5
p,m-Xylene	2,400	2.2
o-Xylene	1,160	1.0
Total BTEX	7,390	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Neil A #9 Blow Pit.

  
Analyst

  
Review