

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
20 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
March 12, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505) 326-9200

Address: 200 Energy Court, Farmington, NM 87410

Facility or well name: ATLANTIC B LS #13 API #: 30-045-20856 U/L or Qtr/Qtr I Sec 5 T 30N R 10W

County: San Juan Latitude 36.83792 Longitude 107.90029 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner type: Synthetic ☐ Thickness mil Clay ☐ Volume bbl

Below-grade tank

Volume: bbl Type of fluid:

Construction material: N/A

Double-walled with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points)
100 feet or more	(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
No	(0 points)

0

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points)
1000 feet or more	(0 points)

0

Ranking Score (Total Points)

0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 08/26/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

JAN 09 2006

Date:

DEPUTY OIL & GAS INSPECTOR, DIST. III

Printed Name/Title

Signature Frank Pelt

3004520856

36.93792 x 107.90029

CLIENT: BP

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: 81461COCR NO: 12850**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1

LOCATION: NAME: ATLANTIC B LS WELL #: 13 TYPE: SEP
 QUAD/UNIT: I SEC: 5 TWP: 30N RNG: 10W PM: NM CNTY: SS ST: NM
 QTR/FOOTAGE: 1650'S 840'E NELSE CONTRACTOR: FLINT (CAL)

DATE STARTED: 8/24/04
 DATE FINISHED: _____

ENVIRONMENTAL SPECIALIST: FLO

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0
 DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS
WILL SET SUBC TANK HERE
 LAND USE: RANGE - BLM LEASE: SF 080917 FORMATION: PC

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 18 FT. SG2W FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: SOU PPM**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = 53.6 ppm
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME: 1020 am/pm DATE: 8-24

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____SOIL COLOR: GRAY 3'-6', TAN 6'-8'COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - 3-6'HC ODOR DETECTED: YES / NO EXPLANATION - 3-6'SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. _____


ADDITIONAL COMMENTS: 12' x 12' x 3' Deep EXCAVATION Pit Use Backhoe
to Dig Test Trench.
Will set SUBC TANK in Pit

FIELD 418.1 CALCULATIONS

SCALE




0 FT
 1

PIT PERIMETER**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 8'	26
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
122	TPH	1430
	<u>PASSED</u>	

PIT PROFILE

D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT: _____

ONSITE: 8/24/04 1415

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	08-26-04
Laboratory Number:	30220	Date Sampled:	08-24-04
Chain of Custody No:	12850	Date Received:	08-25-04
Sample Matrix:	Soil	Date Extracted:	08-25-04
Preservative:	Cool	Date Analyzed:	08-26-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Atlantic B LS #12 Sep. Pit.**
#13 7/5 8/31/04


Analyst


Review