District 1 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closu	ire
Is pit or below-grade tank covered by a "general plan"? Yes X No	$\overline{\Box}$

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀				
Data Data Communication	(505)226 0200			
	ne: (505)326-9200 e-mail address:			
Address: 200 Energy Ct, Farmington, NM 87401	10 -1745- 22230 UII 0.10. E	0. 37 = 70.1 = 9.		
	0-045-22230 U/L or Qtr/Qtr E			
_	Longitude	NAD: 1927 🗌 1983 🗍		
Surface Owner: Federal State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:			
Workover	Construction material:			
Lined Unlined Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay [
Pit Volumebbl		•		
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points)		
	Van	(20 - cirto)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Davidia Comme (Tabla Drives)			
	Ranking Score (Total Points)	L(_)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'				
your are burying in place) onsite \square offsite \square If offsite, name of facility_	. (3) Attach a general d	lescription of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗆	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excava	tions.			
Additional Comments:	13 14 15 1677			
See Attached Documentation				
	O DEC MAR			
CONS ON S				
I hereby certify that the information above is true and complete to the best of my knowledge and yalight for that the above-described pit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines , a general permit wan (attached) alternative OCD-approved plan .				
Deta: 11/01/2005				
Printed Name/Title Jeffrey C. Blagg, Agent Signature Ly C. Slg?				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or				
regulations.				
Approval:				
Printed Name/Title Carlot Carl	Signature eny te	Date: DEC 1 6 2005		
	V // /	/		

20			NEERING		l	OCATION NO	: B005Z
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199		113	COCR NO:	11176			
FIELD REPORT	: PIT CLO	SURE	VERIF	CATIO	N P.	AGE No:\	of)
LOCATION: NAME: STATE	SC CB 智	WELL#: 1	А туре	SEP		ATE STARTED:	
QUAD/UNIT: E SEC: 3Z	TWP: 30 N RNG:	9W PM: A	1M CNTY: ST	T ST: NM	}	ATE FINISHED: _	7-24-03
QTR/FOOTAGE:/460N/8	30'E 5W1.	CONTR	ACTOR: FLINT	- (AARK)		NVIRONMENTAL PECIALIST:	JCB
EXCAVATION APPROX	. <u>15</u> FT. x _	75 FT.	x <u>6</u> FT	. DEEP. C	JBIC YA	ARDAGE:	<u> </u>
DISPOSAL FACILITY:	NA			TION METH	OD:	<u>Ccuse</u>	
LAND USE: RANGE		EASE:	FEE			711011.	MV
FIELD NOTES & REMAR			MATELY 6				
DEPTH TO GROUNDWATER: 2			>1000		URFACE	WATER:	1003
NMOCD RANKING SCORE:	NMOCD TPH CL	OSURE STD:	<u>5000</u> pr			C7 ()	
SOIL AND EXCAVATION	N DESCRIPTION	<u> </u>		OVM CALIB.	-		
				TIME: / LBE			7-29-03
SOIL TYPE: SAND SILTY SAN	ND / SILT / SILTY CL 7200	AY / CLAY /	GRAVEL / OTH	er <u>Bedro</u> x	<u> (* 5.</u>	s. @ 7°	BG
COHESION (ALL OTHERS): NON C	OHESIVE / SLIGHTLY C			COHESIVE			
CONSISTENCY (NON COHESIVE SO PLASTICITY (CLAYS): NON PLASTI	*			/ HIGHLY PLAST	ıc		į
DENSITY (COHESIVE CLAYS & SILT	S): SOFT / FIRM / STIFF	/ VERY STIFF	/ HARD	/ MONET / DAOT			
MOISTURE: DRY (SLIGHTLY MOIST DISCOLORATION/STAINING OBSER			R SATURATED				-10 2ED
HC ODOR DETECTED: YES / NO							
SAMPLE TYPE: (GRAB) COMPOSITE ADDITIONAL COMMENTS: PIT		auk. ()	52 BACKHO	E TO RO	حد وسرا	tacky	Dir
BEORDELE TES	TRENCH. P	IT FIRM	n Bedruck	: SAMSion			PY-BASE
No No	ENDENCE OF		A MINATUA LD 418.1 CALC				
SCALE SAMP, TI	ME SAMP, ID	LAB NO.	WEIGHT (g)	mL FREON	DILLIT	IONREADING	G CALC. (ppm)
	, <u> </u>		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		22201		S Crize. (ppin)
O q FT							
N PIT PERIMET	ER	_			PI	r Profil	_E
	Towell		VM DING				
- 15		SAMPLE	FIELD HEADSPACE (ppm)				
1	, –	@ 7	2.1	-			
2 @ 3 @							
		(@ ()					
NOT APPULABLE							
/ / /							
							•
PD LAB SAMPLES SAMPLE ANALYSIS TIME							
TH TANK 6 BG 107 TOH 1920							
For	Juni -	PK	35ED)	-			
P.D. = PIT DEPRESSION; B.G. = BELOW I.H. = TEST HOLE; ~ = APPROX.; T.B. =				_			
Canada de la companya della companya de la companya de la companya della companya	: 7/2/03	1320	ONGITE: -	320 7/	24/13	1410	······································
CALLOUT	1 7 7 7		_ UNSITE: T		_/	, ,,,	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep #1 @ 7'	Date Reported:	07-28-03
Laboratory Number:	26164	Date Sampled:	07-24-03
Chain of Custody No:	11176	Date Received:	07-25-03
Sample Matrix:	Soil	Date Extracted:	07-25-03
Preservative:	Cool	Date Analyzed:	07-28-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

State GC CB #1A.

Analyst C. Officer

Review