## District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

<u>District IV</u>
<sup>22</sup>0 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 
No

Type of action. Registration of a pit of	i below-glade talk [ ] Closule of a pit of below-grad	ic talik 🔯		
Operator: BP AMERICA PROD. CO.	Telephone: (505-326-9200 e-mai	l address:		
Address: 200 ENERGY COURT. FARMINGTON. NM 87410				
Facility or well name: FIELDS A #1A API #: 30-045- 22398 U/L or Qtr/Qtr C Sec 25 T 32N R 11W				
County: SAN JUAN Latitude 36.96069 Longitude 10	7.94563 NAD: 1927 🗌 1983 🔀 Surface Ov	vner Federal ⊠ <u>State</u> □ Private □ Indian □		
		E6789707		
<u>Pit</u>	Below-grade tank	7 7 7 7		
Type: Drilling ☐ Production ☐ Disposal ☒ PROD TANK	Volume:bbl_Type of fluid:	PECENED STORY DONS DW.		
Workover	Construction material:	PECENED 3		
Lined Unlined 🛛	Double-walled, withleak of tection? Yes 1 If nat	A PARTICULAR OF THE PARTICULAR		
Liner type: Synthetic Thickness mil Clay		DUST. S		
Pit Volumebbl		(E) (S)		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 paints) 52 h2 C2 72 J		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	( 0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(IO mainta)		
gation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)		
	1000 leet of more			
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location: (check the onsite box if		
your are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility_	(3) Attach a general de	escription of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y	es 🔲 If yes, show depth below ground surface	ft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations	š.			
Additional Comments: PIT LOCATED APPROXIMATELY	135 FT. N13W FROM WEI	LL HEAD.		
PIT EXCAVATION: WIDTH n/a ft., LENGTH	n/a ft., DEPTH n/a ft.			
PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, CO		tain)		
Cubic yards: N/A				
BEDROCK BOTTOM	<del></del>			
DEDROCK BOTTOM				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines ⊠, a general permit □, or an alternative OCD-approved plan ⊠.				
Date: 01/03/05				
PrintedName/Title Jeff Blagg - P.E. # 11607 Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
proval:		IAM A A ARRE		
proval:  Printed Name/Title GEFUTY OR & GAS INSTRUME DIST. BY Signature Brunston Townell Date:  JAN 0 9 2005				
<b>.</b>				

2.0			NEERING	•	LOC	CATION NO	B1481
CLIENT: BP	P.O. BOX	(505) 632		), NM 874	413	CR NO:	_/3371
FIELD REPORT	: PIT CL	OSURE	VERIF	ICATIO	<b>N</b> PAG	GE No:	/ of _/_
LOCATION: NAME: FIELD  QUAD/UNIT: C SEC: 25						STARTED: _/	12/29/04
QTR/FOOTAGE: 9802/14	,				.	RONMENTAL	NV
EXCAVATION APPROX							NA
DISPOSAL FACILITY:	on-5	ΠE	REMEDIA	TION METH	OD: _	CLOSE	A5 15
LAND USE: RANGE -	Bin	LEASE:	um Olo	A89	FORMAT	ION:	MV
FIELD NOTES & REMAR			XIMATELY 13		-		
DEPTH TO GROUNDWATER: >100	> NEAREST W	ATER SOURCE:	21000	NEAREST	SURFACE WA	TER: _ >/	0001
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 P				
SOIL AND EXCAVATIO	N DESCRIPT	ΓΙΟΝ:			READ. = 53 GAS = 10		←/EC RF = 0.52
		· <del></del>		TIME: 9:	SO @pa/pn	n DATE: _	12/29/04
SOIL TYPE: SANDI SILTY SAN SOIL COLOR: OK. YELL.	D / SILT / SILTY	CLAY / CLAY / MED GRAY	GRAVEL / OTH	ER <u>BEDRA</u>	ock (3	ANDSTON	E)
COHESION (ALL OTHERS): NON CO	HESIVE SLIGHTLY	Y COHESIVE / CO	HESIVE / HIGHLY	COHESIVE	K U.	K MEV.	90 <b>1</b> /
CONSISTENCY (NON COHESIVE SO PLASTICITY (CLAYS): NON PLASTIC				/ 되었다! V DI ACT	10		
DENSITY (COHESIVE CLAYS & SILTS				/ HIGHLI FLAGI	IC .	C	COBECU
MOISTURE: DRY / SLIGHTLY MOIST	/ MOIST / WET / SAT	TURATED / SUPE	R SATURATED	_	12		
DISCOLORATION/STAINING OBSERVED (YES INO EX	ED: WEST NO EXP	T HOLE &	OUM JAM	THRU OUT	TEST H	٥٠٤.	
SAMPLE TYPE: GRAB / COMPOSITE	-# OF PTS				Proces	- 1100	A 1- 150V
BEOROCK HARD	SUGHTLY P	RIABLE . IN					
BOTTOM JOIL	of LEAVE 1	~ PLACE		· · · · · · · · · · · · · · · · · · ·	***************************************		
SCALE SAMP TIM	CAMP ID	T	ELD 418.1 CALC		D. LITION		· · · · · · · · · · · · · · · · · · ·
SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT	-						
PIT PERIMET	ER KN				PITF	ROFIL	E
			VM				
,		SAMPLE	ADING FIELD HEADSPACE	-			
18		1@ 7	(ppm) 309	-			
BERM	`	2@	- E TT. E.				
T	_(	3 @ 4 @					
12'	]	5 @		7			
11 1 22				-	NOT 1	APPUCA	<i>sit</i>
							ı
+ 4	<i>─</i> /,			_			
P.O'	. WELL HEAD	LAB S	AMPLES				
~1' T.H. B.G. ~6'	HEAD		NALYSIS TIME				
8.0° ~6 8.0.0			(80736) 11	_			
•		PA	(22 <u>CD</u> )				
P.D. = PIT DEPRESSION; B.G. = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = 1	GRADE; B = BELUVV					·	
TRAVEL NOTES:	12/29/04	-morn.	_ ONSITE: _/	2/29/04-	Noon	(SCHEL	



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	01-03-05
Laboratory Number:	31580	Date Sampled:	12-29-04
Chain of Custody No:	13371	Date Received:	12-29-04
Sample Matrix:	Soil	Date Extracted:	12-30-04
Preservative:	Cool	Date Analyzed:	12-30-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	152	0.2
Diesel Range (C10 - C28)	2.5	0.1
Total Petroleum Hydrocarbons	155	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Fields A #1A Production Tank Pit Grab Sample.

Mistare n Wallers Analyst Mary Boshardt
Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	01-03-05
Laboratory Number:	31580	Date Sampled:	12-29-04
Chain of Custody:	13371	Date Received:	12-29-04
Sample Matrix:	Soil	Date Analyzed:	12-30-04
Preservative:	Cool	Date Extracted:	12-30-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	5.2	1.8	
Toluene	54.6	1.7	
Ethylbenzene	48.9	1.5	
p,m-Xylene	148	2.2	
o-Xylene	76.5	1.0	
Total BTEX	333		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Fields A #1A Production Tank Pit Grab Sample.

Mistrem Welters
Analyst

May Bashardt
Review