District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

	uk covered by a "general plan"? Yes No or below-grade tank \(\) Closure of a pit or below-grade						
Operator: BP America Production Company Telephon Address: 200 Energy Ct, Farmington, NM 87401	ne: (505)326-9200 e-mail address:						
Facility or well name: Fields A# 2A API#: 5	3004522399 U/L or Qtr/Qtr I						
	Longitude	NAD: 1927 🔲 1983 🗍					
Surface Owner: Federal State Private Indian							
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thicknessmil Clay	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes						
Pit Volumebbl		{					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)					
ر	Ranking Score (Total Points)						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's your are burying in place) onsite offsite foffsite, name of facility remediation start date and end date. (4) Groundwater encountered: No You have soil sample results and a diagram of sample locations and excavate	es If yes, show depth below ground surface	escription of remedial action taken including					
Additional Comments:		0109/					
See Attached Documentation							
S OIL CONVERD 3							
	in the second second	NOTE ON S					
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.	of my knowledge and belief. I further certify that is say, a general permit , or an (attached) alternate	te above described pit or below-grade tank live OCD-approved plan .					
Date:	ire Jeffy C. Slag						
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or					
Approval: Printed Name/Title Printed Name/Title	Signature Brand Barne	Date: JAN 0 9 2006					

CLIENT: BI	2	P.O. BOX			-	413	CATION NO	: B1372		
			(000) 002							
FIELD REPORT: PIT CLOSURE VERIFICATION							PAGE No:/_ of/			
LOCATION: NAME	FIELD	5 A	WELL#:	ZA TYPE	PROD. TA			1/13/04		
QUAD/UNIT: I s						<u> </u>	E FINISHED: _			
QTR/FOOTAGE: /5	2002/820	>E ~	E/SE CONTI	RACTOR: 31 EL	RA (CALVIL	SPE	IRONMENTAL CIALIST: 	NV		
EXCAVATION A	PPROX.	NA FT. x	<u></u>	X <u>NA</u> FT	DEEP. C	UBIC YAR	DAGE:	NA		
DISPOSAL FACILITY: DN - 5/TE REMEDIATION METHOD: CLOSE AS 15										
LANDUSE: RANGE - BLM LEASE: NMO10989 FORMATION: MV										
FIELD NOTES &	REMARK	S: PIT LOC	ATED APPROX	CIMATELY 176	<u>63</u> FT.	5 25W	FROM	(see comments) WELLHEAD.		
DEPTH TO GROUNDWA						SURFACE WA	TER:	200'		
NMOCD RANKING SCOR	RE: D	NMOCD TPH	CLOSURE STD:	5000 P	PM					
SOIL AND EXC	OITAVAC	N DESCRIPT	ION:		OVM CALIB.	READ. =	53.0 ppm /00 ppm	PE = 0.52		
-	· ····· , ,				TIME: 12:3			1/6/04		
SOIL TYPE: SAND			CLAY / CLAY /	GRAVEL / OTH						
SOIL COLOR: COHESION (ALL OTHER		<i>BRロ</i> いろ IESIVB/ SLIGHTLY	COHESIVE / CO	HESIVE / HIGHLY	COHESIVE					
CONSISTENCY (NON CO										
PLASTICITY (CLAYS): N					/ HIGHLY PLAST	TIC				
DENSITY (COHESIVE CI							Ć	WSED		
DISCOLORATION/STAIN	ING OBSERVE	D: YES/NO EXP								
HC ODOR DETECTED: \ SAMPLE TYPE: GRAB						· · · · · · · · · · · · · · · · · · ·				
DDITIONAL COMMENT	S: NO TI	PH ANNLYSIS	WAS CON	DUCTED.	U FAREST WEU	LHEAD ME	aswed from	n-CONOCO/		
PHILLIPS HAMILTON FED. #3R HAMILTON FED 3R PROD, TANK WCATED 48405, N68W FROM ITS WELL HEAD. BP PIT LOCATED IN UNIT M, SEC. 30, T32N RIOW.										
		3,00-3,10,12		LD 418.1 CALC		30, 13 CF	, K1000 .			
SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)		
0 FT										
		5				DIT	200511			
	RIMETE	RN		∨M		PH	PROFIL	E		
425 705 A	PROD.			DING						
CONDES PINEUPS	TANK		SAMPLE ID	FIELD HEADSPACE (ppm)						
HAMILTON FED.			1@8	0.0	_					
TAUR +	151	-	2 @ 3 @							
P.D		7 7 2	4 @ 5 @							
~4'		15, 8	3 (2)		No	T APP	PUCABLE	<u>.</u>		
8.6.		3					_			
FORMER STEETANK STEETANK	7-14-1									
STEETANK,	BELMI	12 1 1								
TR.~4		6	SAMDIE	AMPLES						
B.G. T	.મ. 4'	Y	ID AN	ALYSIS TIME	-					
	7 (.8.									
:D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW										
. H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM										
TRAVEL NOTES: CALLOUT: 1/13/04 - MORN. ONSITE: 1/13/04 - AFTER.										