District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

Type of action: Registration of a pit or below-grade tank 🗋 Closure of a pit or below-grade tank 🛣 Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 API#: 30-045-22715 U/L or Qir/Qtr C Sec 19 T 29N R 8W Facility or well name: _ HUGHES IS #17 _____ Longitude _____ NAD: 1927 🗌 1983 🗍 County: San Juan Latitude Surface Owner: Federal

State Private Indian Below-grade tank Pit Type: Drilling Production Disposal Volume: ____bbl Type of fluid: ____ Workover | Emergency | Construction material: Lined Unlined U Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness mil Clay Pit Volume bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface______ft, and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan . Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Approval EFFIT OR & GAS FISPECTOR. DIST. 41 Printed Name/Title ___

3063

20045 26115

	2.0		G ENGINEERING,			LOCA	ATION NO	B1125	
CLIENT:	<u> </u>		87, BLO (505) 632		, NM 8741:	3	R NO:	10484	
FIELD RI	EPORT	: PIT CL	OSURE	VERIF	CATION	PAGE	No:	/_ of/	
LOCATION: NAI	ME: HUGH	ES LS	WELL #:	/A TYPE	BLOW			1/17/03	
		TWP: 292 RNO					FINISHED:		
QTR/FOOTAGE	925N/8	50'W NO	ELNW CONTE	RACTOR: SIERR	A (HAROLD)	SPECIA	ONMENTAL ALIST:	NU	
EXCAVATION	APPROX	. <u>~A</u> FT. x	: <u>ルA</u> FT.	x <u>NA</u> FT	. DEEP. CUBI	IC YARD	AGE:	NA	
DISPOSAL FACILITY: DN-SITE REMEDIATION METHOD: CLOSE AS IS									
LAND USE:	KANGE -	Bim	LEASE:	SF0780	6 Z 9 4 6 F	ORMATI	ON:	PC/MU	
FIELD NOTES								•	
DEPTH TO GROUND					NEAREST SUR	FACE WATE	ER:	000	
NMOCD RANKING SC	ORE:	NMOCD TPH	CLOSURE STD:						
SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. REA									
					TIME: 7:20			, —,	
SOIL TYPE: SAND	DI SILTY SAN	ID / SILT / SILTY	CLAY / CLAY /	GRAVEL / OTH	ER BEDROC	12 (5A)	NOSTON	€)	
COHESION (ALL OTH						NCE DR	ANGE		
CONSISTENCY (NON									
PLASTICITY (CLAYS) DENSITY (COHESIVE					HIGHLY PLASTIC				
MOISTURE: DRY / &	LIGHTLY MOIST	MOIST / WET / SA	TURATED / SUPE				(Cro	SED	
DISCOLORATION/STA				TEST HO	at the sum	58m 9 5			
HC ODOR DETECTED: (FED NO EXPLANATION - SLIGHT WIND TEST HOLE & DUM SAMRE. SAMPLE TYPE: GRAB/COMPOSITE * OF PTS. — ADDITIONAL COMMENTS: COLLECTED SAMPLE FROM BEDROCK SURFACE. BEDROCK - HARD.									
ADDITIONAL COMME BEOROCK		CTED SAMP GHTLY FRIAB		BEDROCK	SURFACE.	BEDROC	K- 4701	(D)	
Вопом									
SCALE				ELD 418.1 CALC	r			1	
	SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON D	ILUTION	READING	G CALC. (ppm)	
0 FT									
PITE	PERIMET	ER N	<u> </u>	<u> </u>	l	PITP	ROFIL		
1			1)VM					
C R E S			REA SAMPLE	ADING FIELD HEADSPACE					
2	181		10 10 6'	(ppm) 32.7	_				
7		-	2 @	75.7					
0 4	BERM	7 +	3 @ 4 @		_				
F	2	()'	5 @						
TO WELL	4	20							
HEAD		1 DOWN			- -	T AF	PHICA	BLF	
5	/	J I SLOPE DIRECT	•					_	
L 0	ν̈́ο· \	1		AMPLES	_				
P) 3.5 T.M. Z SAMPLE ANALYSIS TIME									
€ β	.6·	8.P.D.	De6' TP	H(8015B) 07/5	4				
1		<i>ν</i> •	P	(Dassey)	7				
P.D. = PIT DEPRESSION T.H. = TEST HOLE; ~ =	N; B.G. = BELOW APPROX.; T.B. =	GRADE; B = BELOW TANK BOTTOM	<u> </u>		=				
TRAVEL NOTES: CALLOUT: 1/16/03 - AFTER . ONSITE: 1/17/03 - MORN .									

revised: 09/04/02



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	01-20-03
Laboratory Number:	24584	Date Sampled:	01-17-03
Chain of Custody No:	10484	Date Received:	01-17-03
Sample Matrix:	Soil	Date Extracted:	01-20-03
Preservative:	Cool	Date Analyzed:	01-20-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	49.1	0.1	
Total Petroleum Hydrocarbons	49.1	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Hughes LS #1A Blow Pit Grab Sample.

Analyst C. Cylum

Review