District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

	nk covered by a "general plan"? Yes 🔯 l or below-grade tank 🔲 Closure of a pit or below-		
Operator: BP AMERICA PROD. CO. Address: 200 ENERGY COURT. FARMINGTON. Facility or well name: MUDGE B #10A County: SAN JUAN Latitude 36.90961 Longitude 10	NM 87410 API#: 30-045- 22733 U/L or Q	otr/QtrJ_Sec9	
Pit Type: Disposal SEPARATOR Workover Emergency Lined Mulined STEEL TANK Liner type: Synthetic Thickness mil Clay Pit	Below-grade tank Volume:bbl_Type of fluid: Construction material: Double-walled, with leak of tection? Yes 1 If	134 explain why not.	_
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, gation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	0
	Ranking Score (Total Points)		0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No ☑ Attach soil sample results and a diagram of sample locations and excavation Additional Comments: PIT LOCATED APPROXIMATEL PIT EXCAVATION: WIDTH n/a ft., LENGTH PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, € Cubic yards: N/A	Yes If yes, show depth below ground surface ns. Yes The state of the	VELL HEAD.	action taken including th sample results. (5)
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline. Date:	es 🗵, a general permit 🗌, or an alternative OC Signature	D-approved plan	it or below-grade that
proval: GEPUTY CAL & GAS INSPECTOR, DIST. 68 Printed Name/Title Si	ignature_Bruind_blot	Date:	AN 0 9 2006

					* * * * * * * * * * * * * * * * * * * *			
CLIENT: 3P	,			NEERING	•	LOC	CATION NO	: B1475
CLIENT: D		P.O. BOX	87, BLO 505) 632), NM 874	1	CR NO:	13221
FIELD RE	PORT	: PIT CL	OSURE	VERIF	ICATIO	N PAG	SE No:	l of <u>l</u>
LOCATION: NAME	MUDG	,E B	WELL#:	OA TYPE	: SEP			10/27/04
QUAD/UNIT: J s	SEC: 9	TWP: 31N RNG	: 11 W PM:	NM CNTY: 5	J ST: NM	<u> </u>	FINISHED: _	10/27/04
QTR/FOOTAGE: \	500/5/18	rzo'e nw	SE CONTE	RACTOR: SIER	ra (Shawi	N) ENVI	RONMENTAL SIALIST:	JCB
EXCAVATION A	PPROX.	WA_FT. x	<u>NA</u> FT.	x <u>NA</u> FT	. DEEP. CI	JBIC YARI	DAGE:	0
DISPOSAL FACILIT	• •			REMEDIA			CLUSE A	<u>s 15</u>
LAND USE: RA	NGE - F	3um	LEASE: 5	F 0780°	16	FORMAT	10N: <u>N</u>	11/
FIELD NOTES &	REMARK	(S: PIT LOC	ATED APPROX	IMATELY 13	<u>2.</u> FT.	NBW	_ FROM	WELLHEAD.
DEPTH TO GROUNDWA	TER: >100	NEAREST WA	TER SOURCE:	>1000	_ NEAREST S	URFACE WA	TER: _ > / (000
NMOCD RANKING SCOR	RE:	NMOCD TPH	CLOSURE STD:	5000 PF			·	
SOIL AND EXC	OITAVA	N DESCRIPT	ION:		OVM CALIB.			
					TIME: 103			
SOIL TYPE: SAND /		SILT / SILTY O	CLAY / CLAY /	GRAVEL / OTH	ER			
SOIL COLOR: COHESION (ALL OTHER			COHESIVE CO	HESIVE / HIGHLY	COHESIVE	·		
CONSISTENCY (NON CO	OHESIVE SOI	LS): LOOSE FIRM	/ DENSE / VERY	DENSE				
PLASTICITY (CLAYS): N DENSITY (COHESIVE CL					/ HIGHLY PLAS	TIC		
MOISTURE: DRY / SLIG	HTLY MOIST	MOIST / WET / SAT	TURATED / SUPE				(cu	DEED)
DISCOLORATION/STAIN HC ODOR DETECTED:			LANATION			·		
SAMPLE TYPE: (GRAB)	COMPOSITE		س، پرسن –	X8 DEEP	> 41000 (14	υ=λ Tx (
ADDITIONAL COMMENTS	S:		95 BBL	STEEL TAM	JK - USE	BACKHOE	TO REMO	NE TANK
	·- ···· -		+ sampl	e. No EV	IDENCE OF			
SCALE	SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)		DULTION	IDEADING	CALC. (ppm)
	SAWIF. TIM	E SAMF. ID	LAB NO.	WEIGHT (g)	IIIL FREON	DILOTION	READING	CALC. (ppm)
0 FT								
	RIMETE					PIT	PROFIL	E
(TH(11/BG)		VM .DING				
\tag{\tag{\tag{\tag{\tag{\tag{\tag{	3'	THE	SAMPLE	FIELD HEADSPACE				
Ţ	_ >	(sample	1@ (1	(ppm)				!
		(11/B6)	2 @ 3 @					İ
'	3		4 @ 5 @		- -			
18/ 1		,' \	3 <u>@</u>			- 10	21100	0) 7
"\ \	٠,	/]			700	T AP	PUCH.	800
		T			-			
\		TANK			_			
(ક (ક	(BG)	PRINT	SAMPLE	AMPLES IALYSIS TIME				
۲۵۲۵		d	Dell To					
	10 m	الناب	(A	<u>∞€</u> 0)	-			İ
P.D. = PIT DEPRESSION; E	B.G. = BELOW	GRADE; B = BELOW			-			
T.H. = TEST HOLE; ~ = API			1: ==		7	-		
	CALLOUT:	10/26/04	1630	_ ONSITE: 10	127/04		1010	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 11'	Date Reported:	10-29-04
Laboratory Number:	31066	Date Sampled:	10-27-04
Chain of Custody No:	13221	Date Received:	10-27-04
Sample Matrix:	Soil	Date Extracted:	10-28-04
Preservative:	Cool	Date Analyzed:	10-29-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Mudge B 10A Separator Pit.

Analyst C. Q

Misting Malters
Review