District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: Address: 200 Energy Ct, Farmington, NM 87401 API#: 30-045-22932 U/L or Qtr/Qtr P Sec 6 T 31A Facility or well name: JACONEZ #1A Latitude Longitude____ NAD: 1927 🗌 1983 🗍 County: San Juan Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: ____bbl Type of fluid: _____ Construction material: Workover Emergency ∞ Double-walled, with leak detection? Yes I If not, explain why not Old C Lined [Unlined [Liner type: Synthetic Thickness mil Clay Clay Pit Volume bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite If offsite, name of facility_ _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan ... Date: 11/01/2005 Printed Name/Title _______ Jeffrey C. Blagg, Agent Signature _ Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

TERUW OR A CAS MERCTOR, ORST. \$1

Approval:

Printed Name/Title ___

CLIENT: BP	P.O. BOX			•	13		B1202 10803	
FIELD REPORT	: PIT CL	OSURE	VERIF	CATIO	N PAG	iE No:	of _/_	
LOCATION: NAME: JACQU		WELL#: //			(4/25/03	
QUAD/UNIT: P SEC: 6	TWP: 312 RNC	3:8W PM: 1	OM CNTY: 5	J ST: NM		FINISHED:		
QTR/FOOTAGE:850'S 9	20 E S	EISE CONTR	ACTOR: NON	E		RONMENTAL HALIST:	NU	
EXCAVATION APPROX. NA FT. x NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA								
DISPOSAL FACILITY:	02-517	re	REMEDIA	TION METHO	D: _	CLOSE.	21 2A	
LANDUSE: RANGE - A	3un	LEASE:			FORMAT	10N:	MV	
FIELD NOTES & REMAR				<u>Ч</u> FT				
DEPTH TO GROUNDWATER: >100					JRFACE WA	TER: _ > 1	0 300	
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 PF			. >		
SOIL AND EXCAVATION	SOIL AND EXCAVATION DESCRIPTION: 560 6470 64 OVM CALIB GAS). = <u>51.3 </u>		
				TIME: 12:2				
SOIL TYPE: SAND / SILTY SAN	ID / SILT / SILTY	CLAY CLAY	GRAVEL / OTH	R BEDROC	K (SAL	SHATZOL)	
SOIL COLOR: OR. YELL.					K. YELL.	BROWN/LT	· GRAY	
CONSISTENCY (NON COMESIVE SC				CONCOIVE				
PLASTICITY (CLAYS): NON PLASTI	C / SLIGHTLY PLAST	TIC / COHESIVE I	MEDIUM PLASTIC	HIGHLY PLASTIC	3			
DENSITY (COHESIVE CLAYS & SILT							V SEED	
MOISTURE: DRY / SLIGHTLY MOIST DISCOLORATION/STAINING OBSER					0 8 m	(2	LOSED	
HC ODOR DETECTED: YES! NO E	XPLANATION · O/S	COLDRED 3	or + Scien	THY W OUR	okock.	OF.		
SAMPLE TYPE: GRAB COMPOSITI	- # OF PTS							
ADDITIONAL COMMENTS: COL BEOROCK BRO							(DK. YELL.	
BOTTOM	WN) BEORDE	R + HRED,	SLIGHTLY FR	MBLE TO CO	ompeter	<i>s</i> .		
	· · · · · · · · · · · · · · · · · · ·	FIE	LD 418.1 CALC	ULATIONS				
SCALE SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)	
0 FT								
PIT PERIMET	ER N	<u> </u>	<u></u>		PITE	PROFIL	F	
	merer		∨M					
	Merse		DING	_				
_ /	Iti	SAMPLE ID	FIELD HEADSPACE (ppm)	_				
19'	1	1 @ 9' 2 @	41.0	-				
		3 @		_				
T	1	4 @		\exists				
	[]	5 @	·	-,	- T 10	Durage	e	
NOT APPLICABLE						~		
1 1	1			-				
P.D.	pī.	1400	AMOLEC	7				
B.G. WELL SAMPLES BAMPLE ANALYSIS TIME								
	Cayh		(8015B) 1000					
		PA	SSED)	-				
P.D. = PIT DEPRESSION; B.G. = BELOV	V GRADE: 9 - BELOW							
T.H. = TEST HOLE; ~ = APPROX.; T.B. =								
TRAVEL NOTES: CALLOUT: 4/24/03 - AFTER : ONSITE: 4/25/03 - MORN .								

revised: 09/04/02



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	04-29-03
Laboratory Number:	25467	Date Sampled:	04-25-03
Chain of Custody No:	10803	Date Received:	04-25-03
Sample Matrix:	Soil	Date Extracted:	04-25-03
Preservative:	Cool	Date Analyzed:	04-29-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	12.0	0.2
Diesel Range (C10 - C28)	38.3	0.1
Total Petroleum Hydrocarbons	50.3	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Jacquez #1A Dehydrator Pit

Grab Sample.

Analyst C. C.

Christine of Walters
Review