District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u>

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \boxtimes No \square Type of action: Registration of a pit or below-grade tank \square Closure of a pit or below-grade tank \boxtimes

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Address: 3401 East 30th Street, Farmington, New Mexico, 87402				
Facility or well name: Reid #25 (Tank B) API #: 3004	5231090000 U/L or Qtr/Qtr I Sec 19	T 028N R 009W		
	Longitude 107.82323 NAD: 1927			
Surface Owner: Federal □ State □ Private ⊠ Indian □	•			
Pit	Below-grade tank	MAY 2006		
Type: Drilling □ Production □ Disposal □	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass Double-walled, with leak detection? Yes □ If not, explain why not No - Tank was installed prior to Rule 50.			
Workover □ Emergency □				
Lined Unlined This base Supplies This base and Class To				
Liner type: Synthetic □ Thicknessmil Clay □ Pit Volumebbl	NO - Tank was instance prior to Rule 30.			
		1800 617		
Depth to ground water (vertical distance from bottom of pit to	Less than 50 feet	(20 points)		
seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	(0 points) 0		
Wellhead protection area: (Less than 200 feet from a private	Yes	(20 points)		
domestic water source, or less than 1000 feet from all other	No	(0 points) 0		
water sources.)				
Distance to surface water: (horizontal distance to all wetlands,	Less than 200 feet	(20 points)		
playas, irrigation canals, ditches, and perennial and ephemeral	200 feet or more, but less than 1000 feet	(10 points)		
watercourses.)	1000 feet or more	(0 points) 0		
•	Ranking Score (Total Points)	0		
If this is a pit closure: (1) Attach a diagram of the facility showing onsite box if your are burying in place) onsite □ offsite □ If offsite, remediation start date and end date. (4) Groundwater encountered: (5) Attach soil sample results and a diagram of sample locations and	name of facility (3) Attach a general desc No 🗵 Yes 🗆 If yes, show depth below ground sur	cription of remedial action taken including		
Additional Comments:				
Truly I resistant 120 feet 00 decrees from the small hand				
Tank Location – 120 feet, 90 degrees from the wellhead.	loop and no sail non-adiation was assuited. I show			
Soil sample collected 3 feet below bottom of tank. Soils tested clean and no soil remediation was required. Lab analysis attached.				
I hereby certify that the information above is true and complete to th below-grade tank has been/will be constructed or closed according approved plan				
Date: <u>4/26/06</u>	5011 B			
Printed Name/Title Ed Hasely, Environmental Advisor Signatu				
Your certification and NMOCD approval of this application/closure ground water or otherwise endanger public health or environment. N federal, state, or local laws and/or regulations.	does not relieve the operator of liability should the for does it relieve the operator of its responsibility	e contents of the pit or tank contaminate for compliance with any other		
Approval: QSFUTT OIL & GAS INSPECTOR, DIST. &	gnature Brangle Fell	MAY 0 1 2006		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

TankB (Prod Tonk)

Client:	Burlington Resources	Project #:	92115-001-15700
Sample ID:	Reid #25	Date Reported:	04-04-06
Laboratory Number:	36662	Date Sampled:	03-29-06
Chain of Custody No:	15700	Date Received:	03-30-06
Sample Matrix:	Soil	Date Extracted:	03-31-06
Preservative:	Cool	Date Analyzed:	04-04-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Below Grade Tank (Area #3)

PID 1.7

Analyst C. Oylenn

Misturem Walter
Review