<u>District 1</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 V<u>istrict IV</u> 20 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

March 12, 2004

office

VOV

		891077	
Pit or Below-Grade Tank Registration or Closure			
Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank			
Type of action: Registration of a pit or belo	ow-grade tank U Closure of a pit or below-gra	ide tank 💢 🥱	
Operator: BP AMERICA PROD. CO.	Telephone:(505) 326-9200	Te JAW 2006 Jaw 2006 Jaw 2008	
Address: 200 Energy Court, Farmington,	NM 87410		
Facility or well name: DAY #2	API#: 30-045-23361 U/L or Qtr/	Qu G Sec 8 T 200 R 8W	
County: San Juan Latitude 36.74020 Longitude 107.	69232 NAD: 1927 ☐ 1983 🏿 Surface O	wner Federal 🛭 State 🗌 Private 🔲 Indian 🗍	
Pit	Below-grade tank		
Type: Drilling Production Disposal DEHYDRATOR	Volume:bbl Type of fluid:		
Workover ☐ Emergency ☐	Construction material		
Lined Unlined 🗵	Double-walled with tak detection?	If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet		
water elevation of ground water.)	100 feet or more	(10 points) (10 points)	
		(o points)	
Vellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)	
source, or less than 1000 feet from all other water sources.)	No	(0 points)	
	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(10 points)	
	1000 leet of more	(o points)	
	Ranking Score (Total Points)	0	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's rela		•	
onsite 🛮 offsite 🗌 If offsite, name of facility	· · · · · · · · · · · · · · · · · · ·	-	
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo	w ground surface ft. and attach s	sample results. (5) Attach soil sample results and	
a diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best of m has been/will be constructed or closed according to NMOCD guidelines	y knowledge and belief. I further certify that, a general permit , or an (attached) altern	the above-described pit or below-grade tank ative OCD-approved plan ⊠.	
Date:05/25/04			
Printed Name/Title Jeff Blagg - P.E. # 11607	Signature	- <u> </u>	
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval:			
JAN 0 9 2006		11	

DEFUTY OIL & GAS INSPECTOR, DIST. 44

Printed Name/Title

5047565761 30.14000 X 10 (.67676 **BLAGG ENGINEERING, INC.** LOCATION NO: 81296 P.O. BOX 87, BLOOMFIELD, NM 87413 12208 COCR NO: (505) 632-1199 FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: DATE STARTED: 5-20-04 LOCATION: NAME: WELL #: TYPE: DEHT DATE FINISHED: 5-20-04 QUAD/UNIT: & SEC: 8 TWP: 29N RNG: BW PM: NM CNTY: SJ ST: NM ENVIRONMENTAL SWINE CONTRACTOR: FLINT (CAL) QTRIFOOTAGE: 23 402 (1450) SPECIALIST: EXCAVATION APPROX. NA FT. x NA FT. DEEP. CUBIC YARDAGE: $_NA$ REMEDIATION METHOD: DISPOSAL FACILITY: SF 078414 FORMATION: MV/ LEASE: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 78 FT. NHOW FROM WELLHEAD. DEPTH TO GROUNDWATER: 700 NEAREST WATER SOURCE: 7000 NEAREST SURFACE WATER: 7000 NMOCD TPH CLOSURE STD: 5000 PPM NMOCD RANKING SCORE: OVM CALIB. READ. = 52.6 ppm SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. GAS = 100 ppm TIME: 1224 am/pm DATE: 5-20-04 SOIL TYPE: SAND / SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SHALE @ 4 toreen/GLAY SOIL COLOR: COHESION (ALL OTHERS) NON COHESIVE I SCIGHTLY COHESIVE I COHESIVE I HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS) LOOSE FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD C02ED MOISTURE: DRY(SLIGHTLY MOIST MOIST WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED YES NO EXPLANATION. GRAV HC ODOR DETECTED YES) NO EXPLANATION . MUDERATE SAMPLE TYPE: GRAB COMPOSITE - # OF PTS. PREVIOUSLY BACKFILLED USE BACKHOE TO DIG TEST PIT BEDROCK WCATION. HIT FIRM Shall-stone @ 4 BOHOM FIELD 418.1 CALCULATIONS **SCALE** WEIGHT (g) | mL FREON | DILUTION READING | CALC. (ppm) SAMP. TIME SAMP, ID LAB NO. FT PIT PROFILE PIT PERIMETER PRIOR OVM READING FIELD HEADSPACE SAMPLE 1@ 2@ 3@ 4@ 5 @ 20 LAB SAMPLES TEST ANALYSIS TIME TRENCH SHALESTONE THU 13/5 (4'B6) 375× PASSED P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL NOTES: CALLOUT: 5/20 ONSITE: 5/20/04



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-25-04
Laboratory Number:	28798	Date Sampled:	05-20-04
Chain of Custody No:	12208	Date Received:	05-24-04
Sample Matrix:	Soil	Date Extracted:	05-24-04
Preservative:	Cool	Date Analyzed:	05-25-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	3,240	0.2
Diesel Range (C10 - C28)	773	0.1
Total Petroleum Hydrocarbons	4,010	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Day 2 Dehy Pit.

Analyst

A Mistere m Walter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-25-04
Laboratory Number:	28798	Date Sampled:	05-20-04
Chain of Custody:	12208	Date Received:	05-24-04
Sample Matrix:	Soil	Date Analyzed:	05-25-04
Preservative:	Cool	Date Extracted:	05-24-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	655	1.8	
Toluene	2,620	1.7	
Ethylbenzene	659	1.5	
p,m-Xylene	2,610	2.2	
o-Xylene	1,580	1.0	
Total BTEX	8,120		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Day 2 Dehy Pit.

Analyst Cylindrical Cylindrica

A Musturen Walters
Review



Total Chloride

Blagg / BP Client: Project #: 94034-010 1 @ 4' Sample ID: Date Reported: 05-25-04 Lab ID#: 28798 Date Sampled: 05-20-04 Sample Matrix: Soil Date Received: 05-24-04 Preservative: Cool Date Analyzed: 05-24-04 Condition: Cool and Intact Chain of Custody: 12208

Parameter Concentration (mg/Kg)

Total Chloride

74.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Day 2 Dehy Pit.

Mistine of Walters

Review C. Column