

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1000 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

| | | | | | | | |
|---|--|--------------------|-------------|---|-----------------------|-------------------|------------|
| Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u> | | | | | | | |
| Address: <u>200 Energy Court, Farmington, NM 87410</u> | | | | | | | |
| Facility or well name: <u>RIDDLE F LS #1A</u> | API #: <u>30-045-23684</u> U/L or Qtr/Qtr <u>C</u> Sec <u>17</u> T <u>28N</u> R <u>8W</u> | | | | | | |
| County: <u>San Juan</u> Latitude <u>36.66597</u> Longitude <u>107.70797</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/> | | | | | | | |
| Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> TANK DRAIN Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> STEEL TANK Liner type: Synthetic <input type="checkbox"/> Thickness <u> </u> mil Clay <input type="checkbox"/> Volume <u> </u> bbl | Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input type="checkbox"/> If not, explain why not. | | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | <table border="1"><tr><td>Less than 50 feet</td><td>(20 points)</td></tr><tr><td>50 feet or more, but less than 100 feet</td><td>(10 points) <u>10</u></td></tr><tr><td>100 feet or more</td><td>(0 points)</td></tr></table> | Less than 50 feet | (20 points) | 50 feet or more, but less than 100 feet | (10 points) <u>10</u> | 100 feet or more | (0 points) |
| Less than 50 feet | (20 points) | | | | | | |
| 50 feet or more, but less than 100 feet | (10 points) <u>10</u> | | | | | | |
| 100 feet or more | (0 points) | | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | <table border="1"><tr><td>Yes</td><td>(20 points)</td></tr><tr><td>No</td><td>(0 points) <u>0</u></td></tr></table> | Yes | (20 points) | No | (0 points) <u>0</u> | | |
| Yes | (20 points) | | | | | | |
| No | (0 points) <u>0</u> | | | | | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | <table border="1"><tr><td>Less than 200 feet</td><td>(20 points)</td></tr><tr><td>200 feet or more, but less than 1000 feet</td><td>(10 points) <u>0</u></td></tr><tr><td>1000 feet or more</td><td>(0 points)</td></tr></table> | Less than 200 feet | (20 points) | 200 feet or more, but less than 1000 feet | (10 points) <u>0</u> | 1000 feet or more | (0 points) |
| Less than 200 feet | (20 points) | | | | | | |
| 200 feet or more, but less than 1000 feet | (10 points) <u>0</u> | | | | | | |
| 1000 feet or more | (0 points) | | | | | | |
| Ranking Score (Total Points) <u>10</u> | | | | | | | |

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 06/17/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg


Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: JAN 09 2006

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 8

Signature Brandon Penell



| | | |
|-------------------|---|--|
| CLIENT: <u>BP</u> | BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 | LOCATION NO: <u>81421</u> COCR NO: <u>12228</u> |
|-------------------|---|--|

FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 1 of 1

| | |
|--|---|
| LOCATION: NAME: <u>RIDGE FLS</u> WELL #: <u>1A</u> TYPE: <u>TANK HEAD</u> QUAD/UNIT: <u>C</u> SEC: <u>17</u> TWP: <u>28N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>SS</u> ST: <u>NM</u> QTR/FOOTAGE: <u>950'N 1600'W</u> NE(NW) CONTRACTOR: <u>SIERRA (SHAW)</u> | DATE STARTED: <u>6-15-04</u> DATE FINISHED: <u>6-15-04</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u> |
|--|---|

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: NM073253 FORMATION: MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 135 FT. N 75W FROM WELLHEAD.

DEPTH TO GROUNDWATER: <1W NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 10 NMOC D TPH CLOSURE STD: 1000 PPM

SOIL AND EXCAVATION DESCRIPTION:

| | |
|--|---|
| SOIL TYPE: <u>SAND</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____ SOIL COLOR: <u>Yellow tan</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD MOISTURE: <u>DRY</u> / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES <u>NO</u> EXPLANATION: _____ HC ODOR DETECTED: YES <u>NO</u> EXPLANATION: _____ SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS: _____ ADDITIONAL COMMENTS: <u>Pit w/ 2" hole steel tank. Use backhoe to remove tank & sample. No evidence of contamination.</u> | OVM CALIB. READ. = <u>52.9</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1900</u> am/pm DATE: <u>6-15-04</u> |
|--|---|

FIELD 418.1 CALCULATIONS

| SAMP. TIME | SAMP. ID | LAB NO. | WEIGHT (g) | mL FREON | DILUTION | READING | CALC. (ppm) |
|------------|----------|---------|------------|----------|----------|---------|-------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

SCALE

0 FT

PIT PERIMETER

PIT PROFILE

OVM
READING

| SAMPLE ID | FIELD HEADSPACE (ppm) |
|-----------|-----------------------|
| 1 @ 7' | 0.0 |
| 2 @ | |
| 3 @ | |
| 4 @ | |
| 5 @ | |
| | |
| | |
| | |
| | |
| | |

LAB SAMPLES

| SAMPLE ID | ANALYSIS | TIME |
|--------------------|----------|------|
| 007' | TPH | 1635 |
| | CL | |
| <u>BOTH PASSED</u> | | |

NOT APPLICABLE

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: 6/15/04 ONSITE: 6/15/04

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


| | | | |
|----------------------|-------------------|---------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | Tank Drain 1 @ 7' | Date Reported: | 06-17-04 |
| Laboratory Number: | 29133 | Date Sampled: | 06-15-04 |
| Chain of Custody No: | 12288 | Date Received: | 06-16-04 |
| Sample Matrix: | Soil | Date Extracted: | 06-16-04 |
| Preservative: | Cool | Date Analyzed: | 06-17-04 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |


| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | ND | 0.2 |
| Diesel Range (C10 - C28) | ND | 0.1 |
| Total Petroleum Hydrocarbons | ND | 0.2 |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Riddle F LS 1A.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW


Total Chloride


| | | | |
|----------------|-------------------|-------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | Tank Drain 1 @ 7' | Date Reported: | 06-17-04 |
| Lab ID#: | 29133 | Date Sampled: | 06-15-04 |
| Sample Matrix: | Soil | Date Received: | 06-16-04 |
| Preservative: | Cool | Date Analyzed: | 06-16-04 |
| Condition: | Cool and Intact | Chain of Custody: | 12288 |

| Parameter | Concentration (mg/Kg) |
|----------------|-----------------------|
| Total Chloride | 30.0 |

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Riddle F LS 1A.


Analyst


Review