District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue. Artesia. NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

Trict IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

March 12, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank BP AMERICA PROD. CO. Operator: 200 Energy Court, Farmington, NM 87410 Facility or well name: ____TAPP LS #4A U/L or Otr/Otr F Sec 16 T 28N Latitude_ 36.66356 Longitude 107.6892 San Juan County: NAD: 1927 1983 Surface Owner Federal State Private Indian Pit Below-grade tank Type: Drilling Production Disposal BLOW Volume: Construction n Lined ☑ Unlined □ STEEL TANK If not, explain why not. Liner type: Synthetic Thickness mil Clay 🗌 Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) 0 water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) /ellhead protection area: (Less than 200 feet from a private domestic water 0 No (0 points) source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 0 Ranking Score (Total Points) If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: . (3) Attach a general description of remedial action taken including remediation start date and onsite offsite I If offsite, name of facility end date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\times \), a general permit \(\times \), or an (attached) alternative OCD-approved plan \(\times \). Jeff Blagg – P.E. # 11607 Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. rate: Printed Name/Title OFFUTY OIL & GAS INSPECTOR, DIST & Signature Franchen Township

CLIENT: BP	P.O. BOX			•	113	ATION NO: R NO:	12076
FIELD REPO	ORT: PIT CL	OSURE	VERIF	CATIO	N PAGE	No:	
	TAPP LS 16 TWP: ZFN RNG 5か1815か SE	i:8W PM:∧	CNTY: 5	T ST: NM	DATE	FINISHED:	5/10/04 NV
EXCAVATION APP							~A
DISPOSAL FACILITY:		TE	REMEDIA	TION METH	OD: _	cose s	95 15 MV
FIELD NOTES & RE			(IMATELY _/O				
DEPTH TO GROUNDWATER:	DIDD NEAREST W	ATER SOURCE:	5000 PI	NEAREST S			,
	'ATION DESCRIPT		, , , , , , , , , , , , , , , , , , ,	OVM CALIB.	READ. = 53 GAS = / 5	o ppm	RF = 0.52
SOIL TYPE: SAND / SILTY SAND / SILTY CLAY / CLAY / GRAVEL / OTHER REDUCCION SOIL COLOR: DK YELL ORONGE TO IT MED. GNOY BEODOK - IT MED. GRAY COHESION (ALL OTHERS): MON COHESIVE / SILGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): MOSD/ FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC							
DENSITY (CONESIVE CLAYS & SILTO): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST / MOIST MED / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: (PES) NO EXPLANATION - LT. MED GRRY BETWEEN 3-3.5 BELOW GRADE HC ODOR DETECTED: (PES) NO EXPLANATION - TEST HOWE J DUM SAMPLE							
SAMPLE TYPE: GRAB COMPOSITE # OF PTS							
		FIE	LD 418.1 CALC	ULATIONS			
SCALE SAM	MP. TIME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
	METER				DIT D	חסבוו	
PIT PERIMETER PIT PROFILE OVM READING							
PROD. TANK	B) FORMER STEEL TANK TOOL	SAMPLE AN			1 01 AP1	011 CAG	?LE
B, G, P.D. = PIT DEPRESSION; B.G. =	B. P. D. TELL HEAD		× " 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2				
T.H. = TEST HOLE; ~ = APPROX	C; T.B. = TANK BOTTOM						
TRAVEL NOTES: CALLOUT: 5/6/04-morn. ONSITE: 5/10/04 morn. (SCHEDILLO)							



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 3.5'	Date Reported:	05-11-04
Laboratory Number:	28594	Date Sampled:	05-10-04
Chain of Custody No:	12076	Date Received:	05-10-04
Sample Matrix:	Soil	Date Extracted:	05-10-04
Preservative:	Cool	Date Analyzed:	05-11-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	535	0.2
Diesel Range (C10 - C28)	68.6	0.1
Total Petroleum Hydrocarbons	604	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Tapp LS #4A Blow Pit Grab Sample.

Analyst C. Qui

/ histm m Walter
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 3.5'	Date Reported:	05-11-04
Laboratory Number:	28594	Date Sampled:	05-10-04
Chain of Custody:	12076	Date Received:	05-10-04
Sample Matrix:	Soil	Date Analyzed:	05-11-04
Preservative:	Cool	Date Extracted:	05-10-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	256	1.8
Toluene	1,430	1.7
Ethylbenzene	720	1.5
p,m-Xylene	2,850	2.2
o-Xylene	1,330	1.0
Total BTEX	6,590	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Tapp LS #4A Blow Pit Grab Sample.

Analyst P. Og

Mistine m Walter



Total Chloride

Crient:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 3.5'	Date Reported:	05-11-04
Lab ID#:	28594	Date Sampled:	05-10-04
Sample Matrix:	Soil	Date Received:	05-10-04
Preservative:	Cool	Date Analyzed:	05-10-04
Condition:	Cool and Intact	Chain of Custody:	12076

······································	
Parameter	Concentration (mall/a)
Parameter	Concentration (mg/Kg)

Total Chloride 26.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Tapp LS #4A Blow Pit Grab Sample.

Mistine m Walters
Analyst

Comments: