District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-grade	de tank 🔀	
Operator: BP America Production Company Telephor	ne:(505)326-9200e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401	c-mail address.		
Facility or well name: DAY 4E API#:	30-045-25323 U/Lor Otr/Otr N	Sec 8 T 29N R AW	
County: San Juan Latitude			
Surface Owner: Federal State Private Indian	·		
Pit	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover Emergency	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thickness mil Clay			
Pit Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points)	
	v		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
Distance to surface water (business to distance to all sustlands where	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'			
your are burying in place) onsite offsite foffsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No 🗌		ft. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excava-	tions.		
Additional Comments:			
See Attached Documentation			
	·		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .			
and been will be constituted of closed actor using to this obe guideline	s 12, a general per inte [], or an (attached) afternal	ave OCD-approved plan	
Date:11/01/2005	111 2 12		
Printed Name/Title <u>Jeffrey C. Blagg, Agent</u> Signat	ure Jefly C. Sligg		
Your certification and NMOCD approval of this application/closure does repetitive otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or	
Approval: GEFUTY CL & GAS INSPECTOR, DIST.	Signature Brandon Paris	DEC 1 6 2005	

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413		LOC	ATION NO:	B1306		
CLIENT: U!	1	505) 632-1199			L	CR NO:	11141
FIELD REPOR	Γ: PIT CL	OSURE	VERIF	CATIO	N PAG	E No:	
LOCATION: NAME: DAY		WELL#:	4E TYPE	: PROD .TA	 -	STARTED:	11/7/03
QUAD/UNIT: N SEC: 8					FNVIE	CONMENTAL	
QTR/FOOTAGE: 8455						IALIST:	NV
EXCAVATION APPROX						_	NA
DISPOSAL FACILITY:							1
FIELD NOTES & REMA	sim						אס/ער
			IMATELY				
DEPTH TO GROUNDWATER: >1			7000 P		OURFACE WAT	ER:	360
NMOCD RANKING SCORE:			PI	OVM CALIB.	READ = 5	4 2 ppm	
SOIL AND EXCAVATI	ON DESCRIPT	ION:		OVM CALIB.	GAS = /	o o ppm	
SOIL TYPE: SAND SILTY SA	NOVELLE (SILTY)	~ AV / C AV / /	GPAVEL / OTH	TIME: 9: 4	@ p /pm	DATE: _	11/6/03
SOIL COLOR: PALE YELL.	DRANGE / 47	- GLAY	LT. GRAY/	USKY RED			
COHESION (ALL OTHERS): NON (CONSISTENCY (NON COHESIVE S				COHESIVE			
PLASTICITY (CLAYS): NON PLAST				HIGHLY PLAST	ic .		
DENSITY (COHESIVE CLAYS & SIL	•					C	DZED
MOISTURE: DRY / ELIGHTLY MOIS DISCOLORATION/STAINING OBSE	D/ MOIST / WET / SAT	TURATED / SUPE	R SATURATED)	(
HC ODOR DETECTED: (E) NO	EXPLANATION	SEGMENT S	5012 + oun	· SAMPLE .	LT. GRAY	I DUSKY KE	<u> </u>
SAMPLE TYPE: (GRAB/ COMPOSI	TE - # OF PTS						
ADDITIONAL COMMENTS: COLO	ve to crew's			ORIGINAL	EARTHE	10 PT 01	-CRFILLIAN
		FIE	'. D 440 4 0 4 0				
SCALE SAMP, T	IME SAMP, ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
			, , , , , , , , , , , , , , , , , , ,		21201101	REIEDING	Cruse. (ppiii)
0 FT							
PIT PERIME	TER ♣A	7 ~			PIT F	PROFIL	E
		I .	VM \DING				
	110.		FIELD HEADSPACE	┪			
	TO TO WELL HEAD	1 <u>0</u> 4	(ppm) 313	_			
		2 @ 3 @		_			
8EW 4@							
5764							
PROD NOT APPLIENBLE							
TANK				_			
]			
			AMPLES				
SAMPLE PT.	•		ALYSIS TIME	 i			
			(80 SB) 15 20	길			
}			PA SSED	7			
P.D. = PIT DEPRESSION; B.G. = BELO T.H. = TEST HOLE; ~ = APPROX.; T.B.				=			
TRAVEL NOTES: CALLOU	т: ///7/03-	AFTER.	ONSITE:	11/7/03-	AFTER	? 、	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	11-11-03
Laboratory Number:	27123	Date Sampled:	11-07-03
Chain of Custody No:	11141	Date Received:	11-10-03
Sample Matrix:	Soil	Date Extracted:	11-10-03
Preservative:	Cool	Date Analyzed:	11-10-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	31.7	0.2
Diesel Range (C10 - C28)	9.7	0.1
Total Petroleum Hydrocarbons	41.4	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Day #4E Production Tank Pit Grab

Grab Sample.

Analyst C. Opinion

Mistine M. Walters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	11-11-03
Laboratory Number:	27123	Date Sampled:	11-07-03
Chain of Custody:	11141	Date Received:	11-10-03
Sample Matrix:	Soil	Date Analyzed:	11-10-03
Preservative:	Cool	Date Extracted:	11-10-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)		
Benzene	ND	1.9		
Toluene	ND ND	1.8 1.7		
Ethylbenzene	20.9	1.5		
p,m-Xylene	166	2.2		
o-Xylene	94.9	1.0		
Total BTEX	282			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	100 %	
	1,4-difluorobenzene	100 %	
	Bromochlorobenzene	100 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Day #4E Production Tank Pit Grab Sample.

Analyst C. Officer

Misterie M. Walter Review