1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ♥ No □								
WFS CLOSINE Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank							
Operator: WAS DEVON ENERGY Telephone:	e-mail address:							
Address:								
Facility or well name: NEBU #74 API #: 30 - 0	45-25 U/L or Qtr/Qtr SEC	<u>26</u> T <u>31N</u> R <u>7W</u>						
County: San Juan Surface Owner: Federal State Private Indian	<u>P71 N</u> Longitude <u>107 32.800 W</u>	NAD: 1927 🗹 1983 🗌						
Pit Type: Drilling □ Production ♥ Disposal □ Workover □ Emergency □ Lined □ Unlined ♥	Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes If not, explain why not.							
Liner Type: Synthetic Thickness mil Clay Pit Volume 80 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) <u>0</u>						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of offsite if offsite, name of facility is action taken including remediation start date and end date. (4)Groundwater encountered: No very Yes if yes, show depth below ground surface if the and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.								
Additional Comments: Meter: 85694 FEB 2006 ONLOW ON								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ageneral permit , or an (attached) alternative OCD-approved plan								
Date:								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: DEFUTY CL & GAS INSPECTOR, DIST. (P) Printed Name/Title Signs	ature Deny Foot	2 FEB 0 2 2006						

ADDENDUM TO OCD FORM C-144									
Operator: Well Name:		API Meter: <u>85694</u>							
Facility Diagram: Ref Wh.		Sampling Diagram: X=Sample Collection Locations							
Pit Dimensions Length 15 Ft. Width 15 Ft. Depth 2 Ft. Date Closure Started: 10/26/05 Closure Method: Pushed In	Location of Pit Center Latitude 36 51.966 N Longitude 07 32.819 W (NAD 1927)	Pit ID 856941 Pit Type Glycol Dehydrator Date Closure Completed: 10/26/05 Bedrock Encountered? Cubic Yards Excavated: Vertical Extent of Equipment Reached?							
Description Of Closure Action: The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.									
	enzene TPH Purpose Locatio mg/kg) DRO (mg/kg) 0 0 ASSESS Flr	on Depth							



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: (913)599-5665 Fax: (913)599-1759

ANALYTICAL RESULTS

Project:

60469

Project ID: NM PITS-4TH QTR 05

The solid samples are reported on a dry weight basis.

Lab ID:	60469007	Date	Collected: 10/0	04/05	11:26	Mat	rix: Solid				
Sample ID:	112604OCT05	Date	Received: 10/0	06/05	09:10						
Parameters		Results Units	Report Limit	DF	Prepared	Ву	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Volatiles	3										
8021 GCV N	led BTEX 5035 prep	Pre	paration Method: E	PA 50	35						
		Ana	alytical Method: EP	A 802	l						
Benzene		ND ug/kg	50.0	1	10/11/05 12:08	SHF	10/12/05 11:59	SHF	71-43-2		
Ethylbenzen	е	ND ug/kg	50.0	1	10/11/05 12:08	3 SHF	10/12/05 11:59	SHF	100-41-4		
Toluene		81.3 ug/kg	50.0	1	10/11/05 12:08	SHF	10/12/05 11:59	SHF	108-88-3		
Xylene (Tota	ıł)	330 ug/kg	150	1	10/11/05 12:08	3 SHF	10/12/05 11:59	SHF	1330-20-7		
a,a,a-Trifluo	rotoluene (S)	104 %	73-117	1	10/11/05 12:08	3 SHF	10/12/05 11:59	SHF	98-08-8		
Wet Chemis	stry										
Percent Mois	sture	Ana	alytical Method: AS	TM D2	974-87						
Percent Mois	sture	20.3 %	0.10	1			10/07/05 00:00	AJA			
GC Semivol	latiles										
OA2 GCS		Pre	eparation Method: C)A2							
		An	alytical Method: OA	2							
Diesel Fuel		ND mg/kg	9.8	1	10/10/05 00:00) JDM	10/12/05 17:02	CPR	68334-30-5		
Fuel Oil		ND mg/kg	9.8		10/10/05 00:00		10/12/05 17:02				
Jet Fuel		ND mg/kg	9.8	1	10/10/05 00:00	JDM	10/12/05 17:02				
Kerosene		ND mg/kg	9.8	1	10/10/05 00:00	MQL C	10/12/05 17:02	CPR	8008-20-6		
Mineral Spir	its	ND mg/kg	9.8		10/10/05 00:00		10/12/05 17:02	CPR	8030-30-6		
Motor Oil		ND mg/kg	9.8	1	10/10/05 00:00	JDM	10/12/05 17:02	CPR	64742-65-0		
Total Petrole Hydrocarbor		ND mg/kg	9.8	1	10/10/05 00:00) JDM	10/12/05 17:02	CPR			
n-Tetracosa	ne (S)	97 %	69-140	1	10/10/05 00:00) JDM	10/12/05 17:02	CPR	646-31-1		

76-140

Date: 10/24/2005

p-Terphenyl (S)

93 %

1 10/10/05 00:00 JDM 10/12/05 17:02 CPR 92-94-4

