District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀						
77.1.1.2.1.1.2.1.1.1.1.1.1.1.1.1.1.1.1.1						
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:						
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: WARREN Com #1R API#: 30-045-25555 U/L or Qtr/Qtr M Sec 13 T 28N R 9W						
	Longitude					
Surface Owner: Federal State Private Indian	Longitude	NAD. 1927 [1703 [
	Palow grada tank	11/1/13/19/50				
Pit Type: Drilling Production Disposal	Below-grade tank Volume:bbl Type of fluid:					
Workover Emergency	Construction material:					
Lined Unlined	Double-walled, with leak detection? Yes If not	avallar suburnot Color Color S				
Liner type: Synthetic Thicknessmil Clay [Boobie-wanted, with leak detection: Tes 11 Hot					
Pit Volumebbl		The same of the sa				
The volume	Less than 50 feet	(20 points)///				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) 62 87 12 3				
high water elevation of ground water.)	100 feet or more	(0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)				
inigation canais, unches, and perennial and epitemetal watercourses.)	1000 feet or more	(0 points)				
	Ranking Score (Total Points)					
To the internal of the Continuous of the Continuous of the civility of the civil		de dieneral la ration. (charlesha arrive hau if				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'		·				
your are burying in place) onsite offsite foffsite, name of facility						
remediation start date and end date. (4) Groundwater encountered: No []		π. and attach sample results.				
(5) Attach soil sample results and a diagram of sample locations and excava	tions.					
Additional Comments:						
See Attached Documentation						
		<u> </u>				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the	ne ahove-described nit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan .						
D						
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature C. Slegy						
\mathcal{L}						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
Approval						
Approval: GAVITO CL & GAS INSPECTOR, DIST.	1 Emy 20	Date: DEC 16 2005				
Printed Name/Title	Signature	Date: WEW 10 /1115				

	BLAG	G ENGI	NEERING	, INC.	LOCATION N	o: B1231
CLIENT: BP	P.O. BOX	•		, NM 874	13	
	(505) 632	-1199		COCR NO:	10882
FIELD REPORT	: PIT CL	OSURE	VERIFI	CATIO	N PAGE No: _	<u> </u>
LOCATION: NAME: WARRE	n com	WELL #:	R TYPE	SEP.	DATE STARTED:	
QUAD/UNIT: M SEC: 13	TWP: 28N RNO	6: 9W PM: 1	UM CNTY: 57	I ST: NM	DATE FINISHED:	
QTR/FOOTAGE: 900 5/9	90'W 5W	ISW CONTR	ACTOR: LJL	(BRIAN)	ENVIRONMENTA SPECIALIST:	\ NV
EXCAVATION APPROX	. <u><i>NA</i></u> FT. x	<u> </u>	x <u>NA</u> FT	DEEP. CU	BIC YARDAGE:	NA_
DISPOSAL FACILITY:	0N-51TE		REMEDIA	TION METHO	D: COSE	AS 15
LAND USE: RANGE - B	en	LEASE:	NM076Z	66	FORMATION: _	OK
FIELD NOTES & REMAR	KS: PIT LOC	ATED APPROX	IMATELY 10	5 FT	N3DE FROM	M WELLHEAD.
DEPTH TO GROUNDWATER: >/O	O' NEAREST W	ATER SOURCE:	>1000'	NEAREST SU	IRFACE WATER:	10001
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 PP	м		
SOIL AND EXCAVATION		ION:			EAD. = 53-6 pp	
SOIL AND EXCAVATION	N DESCRIPT	<u>1014.</u>		OVM CALIB. G	AS =	m $\frac{RF = 0.52}{6.52}$
SOIL TYPE: SAND/ SILTY SAN	ND / SILT / SILTY (CLAY / CLAY /	GRAVEL / OTH		@LDVPM DATE:	
SOIL COLOR MOD.	YELL. BROWN					-
COHESION (ALL OTHERS): NON C CONSISTENCY (NON COHESIVE SO				COHESIVE		
P LASTICITY (GLAYS): NON PLASTI				HIGHLY PLASTIC	;	
DENSITY (SCHESIVE CLAYS & SILT	•					COSED
MOISTURE: DRY /SLIGHTLY MOIS DISCOLORATION/STAINING OBSER					(
HC ODOR DETECTED: YES 100 E						
SAMPLE TYPE: GRAB COMPOSIT						
ADDITIONAL COMMENTS.						
		CIE	LD 418.1 CALC	LUATIONS		
SCALE SAMP, TO	ME SAMP. ID	LAB NO.	WEIGHT (g)		DILUTION READIN	IG CALC (ppm)
	VIE SAVIT. ID	EAB NO.	WEIGHT (g)	IIIE PREON	DIEGITOR READIN	(G CALC. (ppin)
0 FT						
PIT PERIMET	TER N	· · · · · · · · · · · · · · · · · · ·			PIT PROF	ILE
	1th.	1	VM \DING			
,	/8-P.O.	SAMPLE	FIELD HEADSPACE	-		
71	/ 8-4.	1 @ 8'	(ppm) 9.8	4		
P.D. Bean	_/	2 🕲				
~3'	T	3 @ 4 @		4		•
8.6.	20'	5 @		_		
	7				T 4001100	.o. =
				<i>ا</i>	T APPLICA	,6CC
SEP	•					
		A 4 4 4 A 4 A	AMPLES NALYSIS TIME	:-		
1 1	· 0	De 8' TPH	(80158) 090			
, u	SEAD		5560	-		
P.D. = PIT DEPRESSION; B.G. = BELOV	V GRADE: B = 851 014	1	200/			
T.H. = TEST HOLE; ~ = APPROX.; T.B.	TANK BOTTOM					
TRAVEL NOTES:	r: 6/4/03-	AFTER.	_ ONSITE: _	6/5/03-1	noen.	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	06-06-03
Laboratory Number:	25817	Date Sampled:	06-05-03
Chain of Custody No:	10885	Date Received:	06-06-03
Sample Matrix:	Soil	Date Extracted:	06-06-03
Preservative:	Cool	Date Analyzed:	06-06-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Warren Com #1R Separator Pit Grab Sample.

Analyst

/ Wistering Walter

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865