

004523367

20.14777 x

01.06131

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81427</u> COCR NO: <u>12428</u>																																																																																				
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																																																				
LOCATION: NAME: <u>FLORANCE T</u> WELL #: <u>123 M</u> TYPE: <u>DEHY 2</u> QUAD/UNIT: <u>M</u> SEC: <u>3</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>910'S/960' W</u> SW/4W CONTRACTOR: <u>AD (Joaquin)</u>		DATE STARTED: <u>6-22-04</u> DATE FINISHED: <u>6-22-04</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																																																																				
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u> DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u> LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF078596 A</u> FORMATION: <u>DE/MV/FT</u>																																																																																						
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>102</u> FT. <u>STOW</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u> NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM																																																																																						
SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: SAND <u>(SILTY SAND)</u> SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____ SOIL COLOR: <u>ORANGE TAN</u> COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>(LOOSE)</u> FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / <u>(NO)</u> EXPLANATION: _____ HC ODOR DETECTED: <u>(YES)</u> NO EXPLANATION: <u>Very minor</u> SAMPLE TYPE: <u>(GRAB)</u> COMPOSITE - # OF PTS. _____ ADDITIONAL COMMENTS: <u>EARTHEN PIT - 18' x 18' x 3' Deep - Use Backhoe to Sample</u>		OVM CALIB. READ. = <u>53.7</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1605</u> am/pm DATE: <u>6-22-04</u>																																																																																				
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>SCALE</p> <p>0 FT</p> <p>N ↑</p> </div> <div style="width: 65%;"> <p style="text-align: center;">FIELD 418.1 CALCULATIONS</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 30%;"> <p style="text-align: center;">PIT PERIMETER</p> </div> <div style="width: 35%;"> <p style="text-align: center;">OVM READING</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 6"</td><td>0.0</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> </div> <div style="width: 30%;"> <p style="text-align: center;">PIT PROFILE</p> </div> </div> <div style="margin-top: 10px;"> <p style="text-align: center;">LAB SAMPLES</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>1066</td> <td>TPA</td> <td>1400</td> </tr> <tr> <td> </td> <td>CL</td> <td> </td> </tr> <tr> <td colspan="3" style="text-align: center;">BOTH PASSED</td> </tr> </tbody> </table> </div>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																									SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 6"	0.0	2 @		3 @		4 @		5 @														SAMPLE ID	ANALYSIS	TIME	1066	TPA	1400		CL		BOTH PASSED		
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																																															
SAMPLE ID	FIELD HEADSPACE (ppm)																																																																																					
1 @ 6"	0.0																																																																																					
2 @																																																																																						
3 @																																																																																						
4 @																																																																																						
5 @																																																																																						
SAMPLE ID	ANALYSIS	TIME																																																																																				
1066	TPA	1400																																																																																				
	CL																																																																																					
BOTH PASSED																																																																																						
TRAVEL NOTES: CALLOUT: <u>6-22-04</u> ONSITE: <u>6-22-04</u> <u>1310</u>																																																																																						

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy 2	Date Reported:	06-25-04
Laboratory Number:	29248	Date Sampled:	06-22-04
Chain of Custody No:	12428	Date Received:	06-23-04
Sample Matrix:	Soil	Date Extracted:	06-24-04
Preservative:	Cool	Date Analyzed:	06-25-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Florance T 123M.**
1 @ 6'


Analyst


Review

ENVIROTECH LABS

RACTICAL SOLUTIONS FOR A BETTER TOMORROW

Total Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy 2	Date Reported:	06-25-04
Lab ID#:	29248	Date Sampled:	06-22-04
Sample Matrix:	Soil	Date Received:	06-23-04
Preservative:	Cool	Date Analyzed:	06-24-04
Condition:	Cool and Intact	Chain of Custody:	12428


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

190

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Florance T 123M.
1 @ 6'


Analyst


Review