District 1 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

office

Pit or Below-Grade	Tank Re	gistration	or Closure
Is nit or below-grade tank co	vered by a "	'general plan"	Vec M No

Type of action: Registration of a pit o	r below-grade tank Closure of a pit or below-grade	le tank 🔀		
Operator: BP America Production Company Telephon	e: (505)326-9200 e-mail address:			
Address: 200 Energy Ct, Farmington, NM 87401				
Facility or well name: FLORANCE # 30E API #: 3	30045 Z60 70 U/L or Otr/Otr C	Sec / TZ9N R8W		
	Longitude			
Surface Owner: Federal State Private Indian				
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover Emergency	Construction material:			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic Thicknessmil Clay	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
Pit Volumebbl		JAN 2008		
	Less than 50 feet	(20 points) RECEIVED		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) OLCONS. DIV.		
high water elevation of ground water.)	100 feet or more	(0 points) DIST. 3		
	V	(20		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(20 points) (0 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
inigation canais, diteres, and perchinal and epitemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)			
to the contract of the form of the footing the pile	<u></u>	the diameter lands of the state		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'				
your are burying in place) onsite [] offsite [] If offsite, name of facility_				
remediation start date and end date. (4) Groundwater encountered: No 🗆 Y		tt. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excava	tions.			
Additional Comments:		7.00		
See Attached Documentation				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further cartify that t	he shove described nit or helow grade took		
has been/will be constructed or closed according to NMOCD guideline	es 🔀, a general permit 🔲, or an (attached) alterna	tive OCD-approved plan .		
	•			
Date:				
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature Signa				
otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents the operator of its responsibility for compliance with a	of the pit or tank contaminate ground water or my other federal, state, or local laws and/or		
Approval: Printed Name/Title Printed Name/Title Approval: Signature Brundon Foul Date: JAN 0 9 2006				

BLAGG ENGINEERING, INC. LOCATION NO: 80790 P.O. BOX 87, BLOOMFIELD, NM 87413 CLIENT: COCR NO: (505) 632-1199 FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: DATE STARTED: 2-5-04 LOCATION: NAME: FLORANCE WELL #: 30 E TYPE: PROD. DATE FINISHED: 2-5-0 QUAD/UNIT: C SEC: 1 TWP. 29N RNG: 8W PM: NM CNTY: SJ ST: NM ENVIRONMENTAL QTR/FOOTAGE: 896717500 NEWW CONTRACTOR: FLINT (BEN) SPECIALIST: EXCAVATION APPROX. NA FT. x NA FT. X NA FT. DEEP. CUBIC YARDAGE: CLUSE AS IS __ REMEDIATION METHOD: **DISPOSAL FACILITY:** RANGE - BUM MV LEASE: SF 078596A FORMATION: LAND USE: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 123 FT. NO3 5 FROM WELLHEAD. DEPTH TO GROUNDWATER: > 100 NEAREST WATER SOURCE: > 1000 NEAREST SURFACE WATER: > 1000 NMOCD TPH CLOSURE STD: 5000 PPM NMOCD RANKING SCORE: OVM CALIB. READ. = 51.9 ppm SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. GAS = <u>【のい</u> ppm TIME: 1240 am/pm DATE: 2-5-00 SOIL TYPE: SAND / SILTY SAND / SILT (SILTY CLAY) CLAY / GRAVEL / OTHER ORANGE TAN COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM! DENSE! VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT (FIRM) STIFF / VERY STIFF / HARD Cro2ED MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION -HC ODOR DETECTED: YES (NO) EXPLANATION -AMPLE TYPE: (GRAB) COMPOSITE . # OF PTS.

FARTHER PREV. BACEFILLE. USIED BACEFILE TO Holo. EVIDENCE OF CONTAMINATION FIELD 418.1 CALCULATIONS SCALE SAMP, TIME SAMP. ID LAB NO. WEIGHT (g) | mL FREON DILUTION READING CALC. (ppm) FT n PIT PROFILE PIT PERIMETER OVM READING FIELD HEADSPACE SAMPLE ID. (ppm) 2@ 3@ 4 @ 15' NOT APPLICABLE LAB SAMPLES ANALYSIS TIME 1)04 TOH 1052 1 WELL D = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW .H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL NOTES: CALLOUT: 2-5-04 ONSITE: 2-5-04 0730 1020



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	02-09-04
Laboratory Number:	27795	Date Sampled:	02-05-04
Chain of Custody No:	11820	Date Received:	02-05-04
Sample Matrix:	Soil	Date Extracted:	02-06-04
Preservative:	Cool	Date Analyzed:	02-06-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance 30E Production Pit.

Mistare M Wallers
Arralyst

Andra Rackson